# CR\_6752 Attachment 1



# Lansdowne Stair and Trail

**Environmental Impact Assessment** 

City of Edmonton

December 07 2018

CP-6993 Lansdowne Stair Concept Design Integrated Infrastructure Services Building Great Neighbourhoods and Open Spaces Open Space Planning and Design

### **Statement of Qualifications and Limitations**

The attached Report (the "Report") has been prepared by AECOM Canada Ltd. ("AECOM") for the benefit of the Client ("Client") in accordance with the agreement between AECOM and Client, including the scope of work detailed therein (the "Agreement").

The information, data, recommendations and conclusions contained in the Report (collectively, the "Information"):

- is subject to the scope, schedule, and other constraints and limitations in the Agreement and the qualifications contained in the Report (the "Limitations");
- represents AECOM's professional judgement in light of the Limitations and industry standards for the preparation of similar reports;
- may be based on information provided to AECOM which has not been independently verified;
- has not been updated since the date of issuance of the Report and its accuracy is limited to the time period and circumstances in which it was collected, processed, made or issued;
- must be read as a whole and sections thereof should not be read out of such context;
- · was prepared for the specific purposes described in the Report and the Agreement; and
- in the case of subsurface, environmental or geotechnical conditions, may be based on limited testing and on the assumption that such conditions are uniform and not variable either geographically or over time..

AECOM shall be entitled to rely upon the accuracy and completeness of information that was provided to it and has no obligation to update such information. AECOM accepts no responsibility for any events or circumstances that may have occurred since the date on which the Report was prepared and, in the case of subsurface, environmental or geotechnical conditions, is not responsible for any variability in such conditions, geographically or over time.

AECOM agrees that the Report represents its professional judgement as described above and that the Information has been prepared for the specific purpose and use described in the Report and the Agreement, but AECOM makes no other representations, or any guarantees or warranties whatsoever, whether express or implied, with respect to the Report, the Information or any part thereof.

Without in any way limiting the generality of the foregoing, any estimates or opinions regarding probable construction costs or construction schedule provided by AECOM represent AECOM's professional judgement in light of its experience and the knowledge and information available to it at the time of preparation. Since AECOM has no control over market or economic conditions, prices for construction labour, equipment or materials or bidding procedures, AECOM, its directors, officers and employees are not able to, nor do they, make any representations, warranties or guarantees whatsoever, whether express or implied, with respect to such estimates or opinions, or their variance from actual construction costs or schedules, and accept no responsibility for any loss or damage arising therefrom or in any way related thereto. Persons relying on such estimates or opinions do so at their own risk.

Except (1) as agreed to in writing by AECOM and Client; (2) as required by-law; or (3) to the extent used by governmental reviewing agencies for the purpose of obtaining permits or approvals, the Report and the Information may be used and relied upon only by Client.

AECOM accepts no responsibility, and denies any liability whatsoever, to parties other than Client who may obtain access to the Report or the Information for any injury, loss or damage suffered by such parties arising from their use of, reliance upon, or decisions or actions based on the Report or any of the Information ("improper use of the Report"), except to the extent those parties have obtained the prior written consent of AECOM to use and rely upon the Report and the Information. Any injury, loss or damages arising from improper use of the Report shall be borne by the party making such use.

This Statement of Qualifications and Limitations is attached to and forms part of the Report and any use of the Report is subject to the terms hereof.

AECOM: 2015-04-13 © 2009-2015 AECOM Canada Ltd. All Rights Reserved.

### Quality information

#### Prepared by

Brian Nation

Brian Nolan, AALA, CSLA Project Manager, Buildings + Places

# Checked by

Todd White, LAT Senior Landscape Architectural Technologist, Buildings + Places

| Verified by  |  | Approved by  |  |
|--|--|--|--|
| Lafleur,<br>Chris  | Digitally signed by Laflet<br>DN: cn=Lafleur, Chris,<br>ou=CACGY3<br>Date: 2018.12.07 10:10:<br>07'00' | 30- Brinn Nalin  |  |
| Chris LaFleur, P.<br>Senior Environme<br>Planner, Environm | Biol., PMP<br>ental<br>ment  | Brian Nolan, AALA, CSLA<br>Project Manager<br>Buildings + Places |  |

### **Revision History**

| DRAFT          | BN             | Brian Nolan       | Project Manager               |
|----------------|----------------|-------------------|-------------------------------|
| FINAL DRAFT    | BN             | Brian Nolan       | Draigat Managar               |
|                |                | Dilan Nolan       | Project Manager               |
| FINAL          | BN             | Brian Nolan       | Project Manager               |
| FINAL (signed) | BN             | Brian Nolan       | Project Manager               |
| F              | FINAL (signed) | FINAL (signed) BN | FINAL (signed) BN Brian Nolan |

Refer to Appendix G for Circulation Comments.

### **Distribution List**

| # Hard Copies | PDF Required | Association / Company Name |
|---------------|--------------|----------------------------|
|               | 1            | City of Edmonton           |
|               | 1            | WSP                        |
|               |              |                            |
|               |              |                            |

### Prepared for:

City of Edmonton Heather Ziober CET, CCCA Program Manager Integrated Infrastructure Services | Open Space Planning and Design 12th Floor, Edmonton Tower 10111-104 Avenue NW Edmonton T5J 0J4

Prepared by:

Brian Nolan, AALA, CSLA Project Manager Buildings + Places T: 780-732-9437 M: 780-868-9327 E: brian.nolan@aecom.com

AECOM Canada Ltd. 101-18817 Stony Plain Road NW Edmonton, AB T5S 0C2 Canada

T: 780.486.7000 F: 780.486.7070 aecom.com

© 2018 AECOM Canada Ltd.. All Rights Reserved.

This document has been prepared by AECOM Canada Ltd. ("AECOM") for sole use of our client (the "Client") in accordance with generally accepted consultancy principles, the budget for fees and the terms of reference agreed between AECOM and the Client. Any information provided by third parties and referred to herein has not been checked or verified by AECOM, unless otherwise expressly stated in the document. No third party may rely upon this document without the prior and express written agreement of AECOM.

## **Table of Contents**

| 1.     | Introduction   | . 6         |
|--------|--|-------------|
| 2.     | The Property   | . 6         |
| 3.     | Environmental Context  | . 7         |
| 4.     | The Project  | 10          |
| 5.     | Impacts and Mitigation Measures                                      | 11          |
| 6.     | Environmental Monitoring   | 13          |
| 7.     | Public Consultation  | 14          |
| 8.     | Conclusions and Supporting Information                               | 15          |
| 9      | References   | 16          |
| Apper  | ndix A Background Information  | 18          |
| 1      | Neighbourhood Maps   | .18         |
| 2      | SLIM Maps  | .18         |
| 3      | SLIM Maps, AbaData, yeg Treemap                                      | .18         |
| 4      | Aerial Images  | .18         |
| 5      | Aerial Images  | .18         |
| 6      | Land Titles  | . 18        |
| 7      | Urban Primary Land and Vegetation Inventory                          | .18         |
| 8      | Edmonton 1924  | .18         |
| 9      | Ribbon of Green  | .18         |
| 10     | Wildlife Passage   | .18         |
| 11     | Alberta Merged Wetland Inventory, Key Wildlife and Biodiversity Zone | .18         |
| 12     |  | .18         |
| Apper  | ndix B Geotechnical Investigation                                    | 19          |
| Apper  | ndix C Environmental Scans   | 20          |
| 1      | Fish and Wildlife Internet Mapping Tool                              | .20         |
| 2      | Alberta Conservation Information Management System                   | .20         |
| 3      | Historic Resources Application                                       | .20         |
| 4      | Historical Resources Act Approval                                    | .20         |
| 5      | Standard Requirements under the Historical Resources Act             | .20<br>01   |
| Apper  |  | 21          |
| 1      | Environmental Sensitivities Map                                      | .21         |
| 2      | Alignment and Restoration Option 1                                   | .21         |
| 3      | Alignment and Restoration Option 2                                   | .21         |
| 4<br>5 | Option 1 and Option 2 Promes   | . Z I<br>21 |
| Anner  | ndix E Opinion of Probable Cost                                      | 22          |
| Anner  | dix E Public Consultation  | 22          |
| лрры   |  | 23          |
| י<br>2 | Public Engagement Session Postcard                                   | .23         |
| 3      | Public Engagement Session Notice                                     | 23          |
| 4      | Public Engagement Road Sign  | .23         |
| 5      | Project Website Update   | .23         |
| 6      | Public Engagement Boards   | .23         |
| 7      | What We Heard  | .23         |
| Apper  | ndix G Circulation Comments  | 24          |

# **1. Introduction**

The Lansdowne Stair and Trail (the Project) is located approximately 10 kilometers (km) southwest of downtown Edmonton in the Whitemud Ravine North. Lansdowne Drive bounds the Project to the north, Whitemud Drive Right of Way to the South, Whitemud Park to the east and west. An existing informal earthen trail (goat track) connects Lansdowne Drive to the existing paved shared-use path running parallel to Whitemud Drive. The City of Edmonton (City) proposes to formalize the goat track using an asphalt trail and stairs. The Project was identified by Lansdowne Building Great Neighbourhoods stakeholder engagement feedback (BGN, City of Edmonton 2014, 2015, 2016), refer to **Section 7**.

The Project will connect Lansdowne Drive to the existing paved shared-use path adjacent Whitemud Drive and entails the installation of a formal 3.0 metre (m) wide shared-use asphalt path across the maintained grass area at the top of the slope and stairs on the non-maintained grassed slope. AECOM Canada Ltd. (AECOM) was retained by the City of Edmonton (City) to support the environmental review and preliminary design.

The grassed slope and the upland area at the top of the slope to Lansdowne Drive is within the North Saskatchewan River Valley Area Redevelopment Plan area. The Initial Project Review (IPR) and pre-consultation was completed by way of site meeting with City and AECOM staff to comply with the City of Edmonton Bylaw 7188 (North Saskatchewan River Valley Area Redevelopment Plan, City of Edmonton 2017). The City Project Team identified the Project Area as a potentially sensitive location and requested that an Environmental Impact Assessment (EIA) be completed for the Project.

The AECOM Project Team conducted geotechnical and landscape site reconnaissance as follows:

- October 12, 2017: Landscape Design Team site visit, pre-proposal site review.
- April 30, 2018: Geotechnical Team site visit, refer to Appendix B.
- May 04, 2018: Geotechnical Team site visit, refer to Appendix B.
- May 11, 2018: Geotechnical Team site visit, refer to Appendix B.
- May 18, 2018: Geotechnical Team site visit, refer to Appendix B.
- June 07, 2018: Landscape Design Team and City Project Team site visit, meeting to determine environmental scope.
- July 05, 2018: Landscape Design Team site visit, EIA site review.

# 2. The Property

#### 2.1 Land ownership

• The Project land is owned by the City of Edmonton. Refer to Appendix A for land title information.

#### 2.2 Location of the property

- Municipal address: 12511 Lansdowne Drive NW Edmonton Alberta/ Whitemud Park 13204 Fox Drive Edmonton, Alberta.
- The Project is located in Whitemud Creek Ravine North, a non-residential neighbourhood and part of the North Saskatchewan River Valley and Ravine urban parkland system.
- Legal address: Lot 15P, Block 23, Plan 1800NY. Refer to Appendix A for legal information.

• Alberta Township Survey (ATS) reference: 4;25;52;13;S. Refer to Appendix A for land title information.

#### 2.3 Current zoning

- Metropolitan Recreation Zone (A). Refer to Appendix A for current zoning.
- North Saskatchewan River Valley and Ravine System Protection Overlay. Refer to Appendix A for current overlays.

#### 2.4 Description of existing and historic land uses and reference to current and historic air photos

**Existing:** the grassed and lightly treed slope and the grassed upland area at the top of the slope to Lansdowne Drive is part of and protected under the North Saskatchewan River Valley and Ravine System Overlay. The toe of the slope and the existing paved shared-use path is also part of the Whitemud Drive Right of Way. The Project is located in Whitemud Park (Neighbourhood Interactive Map, City of Edmonton 2018). The Project is approximately 320 linear metres from the Whitemud Creek. The land cover in the Project Area is modified, non-maintained on the slope and maintained at the top (UPLVI, City of Edmonton 2018).

Bus stops within proximity to the Project are located at Rainbow Valley Road, 124 Street and Whitemud Drive onramp. The closet school is located at Lansdowne Park. The paved shared-use path running adjacent to Whitemud Drive is a bike route connecting 122 Street and 142 Street, this route is cleared in winter (City of Edmonton Maps, City of Edmonton 2018).

**Historic:** the Project is in the non-residential neighbourhood Whitemud Creek Ravine North, part of the North Saskatchewan River Valley and Ravine System. The earthen trail (goat track) is visible on historical Google Earth photography dating to 2004 (Google Inc. 2018). Energy Mines and Resource Canada aerial photography dating from 1924 depicts the north end of the Ravine and Lansdowne Neighbourhood, much of the land is not treed outside of the Ravine (Edmonton 1924, Energy Mines and Resources Canada 1924). Refer to **Appendix A** for aerial photography.

The Lansdowne Neighbourhood was developed on land annexed by the City of Edmonton in 1960 and was almost completely built out by 1970 (History, Lansdowne Community League 2018).

As far back as 1974, the City identified the intent to protect Whitemud Creek (City Position on River Valley Policy And Development Proposals, City of Edmonton 1974).

#### 2.5 Summary of federal, provincial and municipal regulatory requirements that apply to the Project area

**Federal:** *Migratory Bird Convention Act* (Migratory Bird Convention Act, Government of Canada 1994) and Species at *Risk Act* (Species at Risk Act, Government of Canada 2002). No federal permits are required for the Project at time of EIA preparation.

**Provincial:** *Province of Alberta Wildlife Act* (Province of Alberta Wildlife Act, Government of Alberta 2018) and *Historic Resources Act* (Historic Resources Act 2000). No provincial permits are required for the Project at time of EIA preparation.

**Municipal:** the Project is part of the North Saskatchewan River Valley Area Redevelopment Plan Bylaw No. 7188. The Project is a Major Facility as it is a new piece of recreational infrastructure (ARP, City of Edmonton 2017). The City has advised a Development Permit is required.

# **3. Environmental Context**

The Project is situated in the Central Parkland Subregion of the Parkland Natural Region (Natural Regions and Subregions of Alberta, Natural Regions Committee 2006).

In 1992, The Ribbon of Green Master Plan was published by the City of Edmonton. This award winning, visionary report outlined the goal of a linear park and trail system along the North Saskatchewan River, from Fort Saskatchewan through Edmonton. The Project is within the Ribbon of Green Study Area Boundary. Biological resource analysis formed part of the report; the Project is in an area identified as having a low sensitivity and for conservation. Refer to **Appendix A** (Ribbon of Green, City of Edmonton 1992).

3.1 Surface Water Management

**Runoff characteristics:** the Project highpoint (662.0 m) is at the Lansdowne Drive curb, the maintained grassed area falls towards a low point in the southeast corner of Lot 15P where the Project is located. The non-maintained slope falls (660.0 m to 641.5 m over ~75 m) towards the paved multi-use trail and is directed towards Rainbow Valley Road.

**Depth of the water table:** AECOM conducted an intrusive geotechnical investigation program in preparation for the Project. Groundwater levels were measured upon completion of drilling (May 4, 2018), on May 11, 2018, and again on May 18, 2018. No free groundwater was observed during drilling or during groundwater measuring; refer to **Appendix B.** 

#### 3.2 Geology/ Geomorphology and Soils

Refer to Appendix B Lansdowne Stair and Trail Project Geotechnical Investigation.

#### 3.3 Vegetation

The area to be impacted by construction consists mainly of forb and grass species, with the most common species noted as:

- Smooth brome (Bromus inermis).
- Kentucky bluegrass (*Poa pratensis*).

Other vegetation found on the slope outside of the Project footprint includes:

- Buckbrush (Symphorricarpos occidentalis).
- Lodgepole pine (Pinus contorta).
- Saskatoonberry (Amelanchier alnifolia).
- Western larch (Larix occidentalis).
- Wolf willow (*Elaeagnus commutata*).

Canada thistle (*Cirsium arvense*) was also observed outside of the Project area. The area to the east of the earthen trail is a City of Edmonton 'Toad Flax Control Test Plot' and noted with signage. Yellow toadflax (*Linaria vulgaris*) and Canada thistle (*Cirsium arvense*) are designated as a noxious weed under the Alberta *Weed Control Act Weed Control Regulation* (Weed Control Act Weed Control Regulation, Government of Alberta 2010). The *Weed Control Act* specifies the legal responsibilities of landowners or occupants with respect to noxious and prohibited noxious weeds. In short, they are:

- Noxious control.
- Prohibited noxious destroy.

The test plot was established in 2005 and the monitoring program is ongoing. The test plot is also a long term monitoring site for bio release control agent, *Mecinus janthinus* (stem-boring weevil). The initial release was in 1999. In 2014, a bio release control agent called *Rhinusa pilosa* (stem gall weevil) was also released. The City completed final assessments in the fall of 2018.

Colorado Spruce (*Picea pungens*) 'Blue' and Sweet mountain pine (*Pinus mugo*) exist at the top of the slope and are listed on the City's Open Tree Map (Open Tree Map, City of Edmonton 2018). One Lodgepole pine (*Pinus contorta*) also exists on the grassed sloped area within five linear metres of the centre of the earthen trail. The design intent is for no tree clearing to construct the Project.

No plants that are rare or of concern were encountered during the site assessment at the Project area or in the Alberta Conservation Information Management System (ACIMS, Government of Alberta 2018), refer to **Appendix C**.

The non-wooded area (northeast) and wooded (east) is a Marsh wetland type according to the Alberta Merged Wetland Inventory (GeoDiscover Alberta, 2018), refer to **Appendix A**.

#### 3.4 Wildlife

Species observed: no wildlife was observed/ heard during the Project site visits.

Wildlife trees: no wildlife trees were observed during the Project site visits.

**Significant species:** using the online Fish and Wildlife Management Information System (FWMIS, Government of Alberta 2018), a database search was conducted within a one kilometre (km) radius of the Project (inclusive of the Project sites itself), refer to **Appendix C**. From this search, 2 bird, and 7 fish species were identified. Provincially listed species within this 1 km radius include:

- Northern Leopard Frog (Lithobates pipiens: 'At Risk').
- Barred Owl (Strix varia: 'Sensitive').

The Northern Leopard Frog is also listed under the Committee on the Status of Endangered Wildlife in Canada (COSEWIC, Government of Canada 2018) and the *Species at Risk Act* (Species at Risk Act, Government of Canada 2002) as 'Schedule 1' and a species of 'Special Concern'. The Northern Leopard Frog habitat is wetlands with water present until at least July with abundant aquatic and emergent vegetation. Potential for occurrence at the Project is low.

The location where the stair ties into the exiting Whitemud Drive paved shared-use path is approximately 320 linear metres from the Whitemud Creek, the Project will not impact the creek/ creek bank so aquatic species were not surveyed.

**Significant wildlife habitat**: the land cover is modified, non-maintained on the slope and maintained at the top upland area. An area of naturally non-wooded closed shrub exists approximately 12 linear metres (at the closet point) northeast of the site and an area that is naturally wooded exists approximately 10 linear metres (at the closet point) to the east (UPLVI, City of Edmonton 2018). The Project is identified as a Natural Area and a Biodiversity Core Areas in the City of Edmonton Wildlife Passage Engineering Design Guidelines (City of Edmonton, 2010). The environmental condition found in Core Areas could support entire populations of animals and plants and associated ecological functions. The Project is outside the City mapped Regional Biological Corridor, a critical wildlife movement corridor which follows the North Saskatchewan River. Coyotes and white-tailed deer are commonly-sighted large mammals moving through the River Valley and Core Areas (Biodiversity Report City of Edmonton 2008). The Project is located in the Provincial Key Wildlife and Biodiversity Zone. It is also in the Sensitive Raptor Range (Government of Alberta, Landscape Analysis Tool 2018).

#### 3.5 Historical Resources

A Historical Resources Act Clearance application was completed by AECOM on August 14, 2018 through the Online Permitting and Clearance (OPAC, Government of Alberta 2018). The review of the Historic Resources Application was completed and the application was approved on October 26, 2018, refer **Appendix C**.

The Listing of Historic Resources was reviewed to identify any land with historical resources value which intersect the Project. The Project falls within lands identified as PV-21591 a and p (Listing of Historic Resources, Government of Alberta 2018).

3.6 Environmental Sensitivities Map

The Project is not classified as an Environmentally Significant Area (Environmentally Significant Areas in Alberta, Government of Alberta 2014).

Refer to Appendix A for Background Information and Appendix D for Project Environmental Sensitivities Map.

# 4. The Project

An existing informal earthen trail connects the Whitemud Drive paved shared-use path to Lansdowne Drive. The total length of the sloped earthen trail to be rehabilitated in the North Saskatchewan River Valley and Ravine System Protection Overlay is approximately 70 linear meters. The earthen trail is steep and presents access challenges for trail users. The existing alignment is not currently being regularly maintained by the City due to difficulties accessing the site with current maintenance equipment.

The Project will improve access from Lansdowne Drive to the Whitemud Drive paved shared-use path and the River Valley. The City is seeking a safer connection that is also easy to maintain. This Project presents the City an opportunity to rehabilitate the informal earthen trail, enhance the natural environment, and improve the recreation amenity for the community.

Members of the City of Edmonton and AECOM Project teams completed a walk of the existing earthen trail alignment at the Project site on June 07, 2018. The main drivers for the Project were discussed and include:

- Provide safe and convenient walking and bicycle access to the River Valley from Lansdowne Drive.
- Develop a design that improves access for routine maintenance.

The landscape design for the Project focuses on ease of maintenance and a high level of safety and sustainability in terms of costs, environment, and constructability. Based upon the site assessment, a number of opportunities and challenges have been identified for the Project:

- Maximize retention of existing vegetation.
- Utilize the topographical conditions of the site for the trail alignment and minimize disturbance.
- Utilize native planting.

The City of Edmonton Urban Parks Management Plan (UPMP) guides the design, construction, maintenance, and use of the River Valley. The Project will set out to reinforce the UPMP framework by:

- Connecting parks, other public open spaces and linking river valley experiences.
- Improving connectivity to the River Valley and Ravine Park system.
- Providing a combination of surfaces: asphalt and timber.
- Providing views and vistas into the River Valley.

The design for the Project has been developed with reference to the UPMP and the overall vision of the document: *Edmonton's parks, trails, river valley and natural areas connect Edmontonians to their community, to the environment and to one another* (UPMP, City of Edmonton 2006).

**Site preparation:** it is proposed to replace the earthen trail with a stair to the current City of Edmonton stair standard (2.5 m wide wooden step structure to City standard detail 5201, see **Appendix C**) (Roadways Design Standards and Construction Specifications, City of Edmonton 2015) and revegetate the earthen trail. A new paved asphalt shared-use trail will connect the top of the stairs to Lansdowne Drive (3.0 m wide asphalt trail to City standard detail 5160, see **Appendix C**) (Roadways Design Standards and Construction Specifications, City of Edmonton 2015). It is anticipated that access for construction will be off Lansdowne Drive with a small laydown area designated in the existing grassed upland area at the top of the slope. The existing earthen trail will be used to access and construct the new stair. Construction impacts to the existing shared-use path (running parallel to Whitemud Drive) should be minimal. Closure of the existing shared-use path will require approval by the City and shall adhere to the City of Edmonton trail closure procedure.

**Construction:** the construction schedule includes an expected spring 2019 tender with construction occurring during the summer of 2019. With a maintenance period of one year, the completion of the Project is anticipated to be in October 2020. Construction is dependent on funding approval.

Landscaping: all habitat loss will be compensated for by improving the vegetative community by planting native species.

**Intended use:** the Project will provide formal pedestrian and cycle access to the North Saskatchewan River Valley and Ravine System from the Lansdowne Neighbourhood. Refer to **Appendix D** for design options, the difference between each option is the number of landings.

**Utilities:** no existing utilities are identified within the Project area on Utility Mapping, refer to **Appendix A**. Alberta One-Call and Dig Shaw were contacted to identify underground utilities for the Geotechnical Investigation. A private locator was procured to verify testhole locations were clear of utilities, no utilities were identified. The bid documents will require the Construction Contractor to call Alberta One-Call at 1-800-242-3447, and all other utility providers, as required, to have existing utilities located prior to start of any construction.

Off-site works: no off-site works are required to complete the Project.

**Erosion and sediment control:** the construction Contractor is responsible to follow the City's Contactor's Environmental Responsibilities Package: Construction and Maintenance Activities, including Traffic Bylaw # 5590 (prohibits roadway mud tracking) (Traffic Bylaw 5590, City of Edmonton, 2018) and, Erosion and Sedimentation Guidelines and Field Manual (assists contractors to comply with regulatory requirements) (Erosion and Sedimentation Guidelines and Field Manual, City of Edmonton 2005). Erosion control blanket will be specified on slopes steeper than 3H: 1V.

**Environmental Construction Operations (ECO) Plan:** the Contractor will be required to submit an ECO Plan to meet the City's ECO Plan Framework (ECO Plan Framework, City of Edmonton 2017).

# 5. Impacts and Mitigation Measures

#### 5.1 Assessing Impacts

The Project is planned in area of modified land cover; the land use where the stair and trail is planned is guided by the North Saskatchewan River Valley Area Redevelopment Plan. The Project will follow an existing earthen trail which is visible on Google Earth imagery from 15 years ago. The Ribbon of Green identified the Project lands as low sensitivity for wildlife and vegetation. The stair could be a barrier to wildlife passage; however the design will feature areas for passage. The assessment of impacts are based on the grassed slope area and maintained grass area at the top of the slope, part of the North Saskatchewan River Valley Area Redevelopment Plan area.

**Nature of impact:** the restoration of the earthen trail will be positive. The Project will restore a modified and disturbed land cover and prevent further vegetation loss. Not completing the Project could lead to an increase of informal trails as seen elsewhere in Edmonton's River Valley. All habitat loss will be compensated for by improving the vegetative community through planting native species. The stair could be a barrier for wildlife passage; however, the design will include measures for wildlife movement to mitigate negative impacts.

**Magnitude:** based on the low sensitivity of the Project lands for wildlife and vegetation, the magnitude of impact as a result of the Project is low.

**Geographic extent:** AECOM recently completed a Stair and Trail project for the Town of Devon (October 2015) on a very similar topography to Lansdowne. The Contractor used a small skid steer to transport materials and complete stair construction activities within a very small footprint. The area for the stair is approximately 200 m<sup>2</sup> with the restoration extending approximately 1 m on either side of the stair equaling 330 m<sup>2</sup> total area. The total upland Project area at the top of the slope to Lansdowne Drive is approximately 485 m<sup>2</sup>, the asphalt area is approximately 150 m<sup>2</sup> and the restoration area is approximately 335 m<sup>2</sup> (1 m on either side of the trail and 8 m x 19 m laydown area).

Duration and timing: refer to Section 4 Construction Schedule.

Likelihood of impacts: the positive impact of the Project is very likely.

5.2 Identifying Cumulative Impacts

Known past, present and future projects and activities in or near the Project area were reviewed for their potential to interact with Project environmental effect. Based on this information, the ravine is not materially affected by the Project as proposed. No significant cumulative impacts are expected to result from Project implementation.

#### 5.3 Mitigation Measures

#### **Pre-construction:**

- Design of the trail and stair will be limited to areas which are already disturbed by human foot traffic as much as possible to avoid disturbing existing vegetation.
- The development and implementation of a Project-specific Weed Management Program (WMP) will be a requirement for the Contractor.
- Wildlife movement: crossings and a crossing area within the stair structure will be allowed for to
  provide connectivity of habitat. Low/ flush areas will be provided along the stair where ungulates like
  deer and moose are able to pass through unrestricted. The crossing will be high enough to allow for
  amphibians like toads/ frogs to pass under without issue. Small mammals like coyotes, rabbits and
  mice will likely pass in the same area as the ungulates and the stairs are raised enough such that they
  can fit under (Wildlife Passage Engineering Design Guidelines, City of Edmonton 2010).

#### **Construction:**

- Delineate and fence the Project work area to minimize the area of disturbance.
- All equipment and vehicles working on site shall be clean and free of contaminating material (soil, vegetative material, and chemicals).
- Provide signage and flag persons (if required) for construction traffic.
- The one existing tree within the Project area will be protected as per the City's tree protection details (Landscaping, City of Edmonton 2017).
- Restore and landscape all disturbed areas to its original condition after construction.
- It is recommended that the entire Project not be blocked off at one time to still allow for wildlife passage through the area.
- Timing of construction should be limited to daytime hours, when possible to avoid impacts during peak wildlife times.
- Schedule construction to avoid the migratory bird breeding and nesting period, if possible. For the Edmonton area (Nesting Zone B4), the nesting period specified by Environment and Climate Change Canada is between April 15 and August 31. If construction must occur during the migratory bird breeding and nesting period, initiate construction outside of the bird nesting period if possible. In the event that construction activities cannot be avoided during the migratory bird breeding and nesting period, qualified personnel will be required to systematically search all affected and nearby areas for active nests within a maximum of 7 days prior to the start of activities (i.e., nest sweep). Nest search information is valid for seven days from the survey date. As such, construction activities should commence as soon as possible in areas with no restrictions (i.e., areas where no nests were observed). If these activities do not commence by the survey date plus seven days, or if work is interrupted for seven consecutive days during the breeding period, a follow-up bird nest search is recommended. If an active nest is found, qualified personnel will determine an appropriate setback and the setback area will be flagged or marked. Construction will not occur within a setback area until nesting has concluded.
- Active animal dens or bird nests will not be disturbed. If a den or a bird nest is found during
  construction, mitigation (e.g., an appropriate setback buffer) will be implemented to protect the den/
  nest based on the recommendations of a qualified biologist; additional consultation with Alberta
  Environment and Parks and/ or Environment and Climate Change Canada may be required.
- Construction vehicle speed limits should be implemented to minimize wildlife mortality in the area.
- Restoration should occur immediately after the completion of construction.
- Construction crews should be informed of the appropriate procedures to follow if they see wildlife.

 Food, food waste, and garbage should be stored and disposed of properly, as to not attract wildlife into the construction site.

**Trees:** the Project does not require the removal of trees. However, if any trees are removed for construction (subject to approval of by the Ecological Planner), they should be replaced with trees of similar or better habitat value under the Corporate Tree Management Policy (Corporate Tree Management Policy, City of Edmonton1989).

**Rare plants:** the stair and trail will follow the existing alignment; the Project footprint will be minimized. The adjacent and surrounding habitat will be protected; activities will be restricted to the planned disturbance area. The bid documents will include mitigation measures, including confining construction activities to within the proposed areas and reporting all rare plant occurrences to Alberta Conservation Information Management System to update element and tracking lists.

**Weed management:** in order to minimize the potential for the establishment of weeds during construction, the design minimizes construction activities that lead to the exposure of soil, minimises the area of impact, and requires that construction equipment are clean and free of dirt and any vegetative material including seeds.

In addition, post construction monitoring for weeds will occur during the maintenance period. Under *Alberta's Weed Control Act* (Government of Alberta 2008), species defined as "prohibited noxious" or "noxious" in the *Weed Control Regulation* (Government of Alberta 2010) will be removed or controlled.

**Topsoil:** the intent is to use site topsoil for restoration of disturbed areas. Topsoil should be salvaged, stockpiled, protected, tested and ameliorated to meet the Landscaping Design and Construction Standards (Landscaping, City of Edmonton 2017).

**Restoration:** vegetation cover helps reduce soil erosion and degradation at the site. The design will strive to minimize areas to be cleared or disturbed as much as possible and the site will be restored as per the Restoration Plan. The adjacent plant species composition and the pre-disturbance species composition will guide the restoration plant material specified. The Restoration Plan will be developed further as the design progresses; considerations will include erosion control matting in areas with slopes steeper than 3H: 1V.

# 6. Environmental Monitoring

After construction, all habitat loss will be compensated for by improving the vegetative community by planting native species, refer to **Section 5**. As the Project is on modified lands and follows an existing disturbed earthen trail environmental monitoring is not needed. Restored areas will be maintained to meet the Landscaping Design and Construction Standards (Landscaping, City of Edmonton 2017) until a Final Acceptance Certificate is received from the City of Edmonton. Maintenance will include: repairing slumped or eroded areas, watering, and controlling weed growth.

**Compliance:** monitoring as per current City of Edmonton Landscaping Design and Construction Standard. No additional monitoring.

**Stage, schedule and duration:** restored areas will be monitored by visual inspection during the establishment and maintenance periods. Maintenance will include all measures necessary to establish and maintain all plants in a vigorous and healthy growing condition. Maintenance activities include the repair and reseed of dead or bare spots, control weeds by mechanical means and watering the seeded area to maintain optimum soil moisture level for germination and continued growth of grass. Restored areas will be maintained from the time of installation until Construction Completion, and for period of one year from the issuance of a Construction Completion Certificate to the date of Final Acceptance Certificate. After the Final Acceptance Certificate has been approved, the City of Edmonton will be responsible for restored areas.

**Thresholds or benchmarks:** until Final Acceptance the Contractor will be responsible for re-seeding bare spots or thin areas. A satisfactory condition of seeded areas includes the following:

- Within 12 weeks, germination over 80% of the area sown with no single bare area greater than 100 cm<sup>2</sup>.
- At time of acceptance, no bare spots greater than 15 cm<sup>2</sup>.

**Responsibilities:** the Contractor will be responsible to monitor the Project to achieve the above criteria. Inspections will be as per the City of Edmonton Landscaping Design and Construction Standards.

**Contingency plan:** if seed fails to germinate within four growing months, the Contractor will be responsible to recultivate and re-seed until germination takes place and the above criteria are met.

# 7. Public Consultation

The need for this Project was identified during the Lansdowne Neighbourhood Renewal public engagement, the following is a summary from the Building Great Neighbourhoods events (BGN, City of Edmonton 2014, 2015, 2016):

#### Lansdowne Meeting One with Community League Executive October 14, 2014:

Lansdowne Community League comment: We have no access to the river valley from the neighbourhood and would be interested in having stairs put in. We've tried in the past to get them put in but with no luck.

City of Edmonton response: Transportation Services and Community Services recently worked together to identify priority stair locations, including in Lansdowne. As of yet there is no funding available to complete the project. Community Services has put forward a budget request for the 2015- 18 budget cycle to renew or rehabilitate existing River Valley trails and parks.

#### Lansdowne Meeting Two March 17, 2015:

Stakeholder comment: I would like steps down the south hill (Lansdowne Dr and 42 ave) to the ravine walks. As a senior the hill is too steep and slippery/ice/mud.

Stakeholder comment: Stairs down from Lansdowne Drive (south end) down to snow valley Whitemud drive sidewalk.

Stakeholder comment: Please be mindful of quality. Better grade concrete. Better worker quality please. Stairs to ravine please.

City of Edmonton response: Thank you for your comments. We are currently assessing your suggestion on stairs from Lansdowne Drive to the shared use path along Whitemud.

#### Lansdowne Meeting Three February 11, 2016

Stakeholder request: Provide stairs from Lansdowne Drive down to snow valley and Whitemud drive sidewalk.

City of Edmonton response: Environmental review and geotechnical assessments will be done to determine how the area can be improved to connect top of bank to river valley trail below.

Access to Lansdowne was also noted during public meetings as part of Whitemud and Blackmud Ravines Trails Development Plan (City of Edmonton 1990).

Public engagement in fall 2018 provided an opportunity for Lansdowne residents and users of the public space to provide feedback on two proposed concept plans. The overall response to the proposed concept plans was well received with a majority of the respondents indicating support for the staircase. When asked '*Which option do you prefer? Option A (1) or Option B (2)?*', with the exception of a few responses, the majority of the respondents showed preference for the option with the fewer landings (Option B), refer **Appendix F** for a 'What We Head Report'. This process was guided by the City's Policy on Public Engagement (C593 – Public Engagement Policy, City of Edmonton 2017). An information session prior to the start of construction will be held for area residents. Information such as Project phasing, and stair usage access and impacts will be posted to the City's website.

# 8. Conclusions and Supporting Information

#### 8.1 Opinion of Probable Costs

AECOM's preliminary Opinion of Probable Costs for the Project has been included in **Appendix E** with the overall cost provided below. The costs include anticipated construction items (consultant fees not included) and are based on installing the stair on the alignment of the existing earthen trail:

• \$250,375 +/- 25% (\$312,968 to \$187,781, wooden stair and asphalt trail).

#### 8.2 Conclusion

Option B will be developed during preliminary design. The positive impact of the Project is very likely. The Project will restore an existing earthen trail with native plant material and provide a safe link for the community to the River Valley.

8.3 Tasks and Responsibilities to Complete the Project

The following table outlines the tasks and responsibilities as the Project progress through design, construction and completion.

| Task   | City Representative          | External Representative |
|--|------------------------------|-------------------------|
| Environmental Impact Assessment  | Open Space Planning & Design | AECOM                   |
| Site Location Study  | Open Space Planning & Design | AECOM                   |
| Preliminary Design   | Open Space Planning & Design | AECOM                   |
| Development Permit   | Open Space Planning & Design |                         |
| Detailed Design  | Open Space Delivery          |                         |
| Crossing Agreements  | Open Space Delivery          |                         |
| Topsoil testing  | Open Space Delivery          |                         |
| Tree Protection Plan   | Open Space Delivery          |                         |
| Tender and award   | Open Space Delivery          |                         |
| Pre-Construction: Public Engagement event and update                                       | Open Space Delivery          |                         |
| Pre-Construction: Neighbourhood<br>Resource Coordinator/ Revit Coordinator<br>notification | Open Space Delivery          |                         |
| Pre-Construction: nest search should work occur in nesting period                          | Open Space Delivery          |                         |
| Pre-Construction: Safety Plan  | Open Space Delivery          | Contractor              |
| Pre-Construction: Trail Closure Plan   | Open Space Delivery          | Contractor              |
| Pre-Construction: Construction Work Plan   | Open Space Delivery          | Contractor              |
| Pre-Construction: Contractor's<br>Environmental Responsibilities<br>Acknowledgement Form   | Open Space Delivery          | Contractor              |
| Pre-Construction: ECO Plan   | Open Space Delivery          | Contractor              |
| Pre-Construction: Erosion and Sedimentation Plan   | Open Space Delivery          | Contractor              |

#### Table 1. Tasks and Responsibilities to Complete the Project

| Task   | City Representative     | External Representative |
|--|-------------------------|-------------------------|
| Pre-Construction: Traffic Bylaw # 5590<br>Compliance Plan  | Open Space Delivery     | Contractor              |
| Pre-Construction: Community Standards<br>Bylaw # 14600 Compliance Plan   | Open Space Delivery     | Contractor              |
| Pre-Construction: Weed Management<br>Program   | Open Space Delivery     | Contractor              |
| Pre-Construction: Resource Planning and Land Development inspection  | Open Space Delivery     | Contractor              |
| Pre-Construction: Natural Areas and<br>Urban Forestry inspections  | Open Space Delivery     | Contractor              |
| Construction: Construction signage   | Open Space Delivery     | Contractor              |
| Construction: Alberta One-Call and all other utility providers clearance                                       | Open Space Delivery     | Contractor              |
| Construction: Construction Completion<br>Inspection. Parks Operations, Forestry,<br>Ecology                    | Open Space Delivery     | Contractor              |
| Post-Construction: Resource Planning and Land Development inspection   | Open Space Delivery     | Contractor              |
| Post-Construction: Natural Areas<br>Operations and Urban Forestry<br>inspections                               | Open Space Delivery     | Contractor              |
| One-year warranty period and monthly<br>monitoring from issuance of the<br>Construction Completion Certificate | Open Space Delivery     |                         |
| Final Acceptance Inspection. Parks<br>Operations, Forestry, Ecology  | Open Space Delivery     | Contractor              |
| Post Acceptance Maintenance  | River Valley Operations |                         |

# 9. References

Abacus Datagraphics, 'AbaData Internet Mapping Program' http://www.abacusdatagraphics.com/ (2018).

City of Edmonton, 'Biodiversity Report' (2008).

- City of Edmonton, 'Building Great Neighbourhoods BGN Lansdowne Public Meeting #3 Presentation' (2016).
- City of Edmonton, 'Building Great Neighbourhoods BGN Lansdowne What We Heard' (2014).
- City of Edmonton, 'Building Great Neighbourhoods BGN Lansdowne What We Heard' (2015).
- City of Edmonton, 'City Position on River Valley Policy and Development Proposals' (1974).
- City of Edmonton, 'City of Edmonton Maps SLIM' https://maps.edmonton.ca/map.aspx (2018).
- City of Edmonton, 'Corporate Tree Management Policy' (1989).
- City of Edmonton, 'Environmental Construction Operations (ECO) Plan Framework' (2017).
- City of Edmonton, 'Erosion and Sedimentation Guidelines and Field Manual' (2005).

City of Edmonton, 'Landscaping Design and Construction Standards' (2017). City of Edmonton, 'Neighbourhood Interactive Map' <u>http://maps.edmonton.ca/nim/</u> (2018).

City of Edmonton, 'Ribbon of Green' (1992).

City of Edmonton, 'North Saskatchewan River Valley Area Redevelopment Plan ARP Bylaw No. 7188' (2017).

City of Edmonton, 'North Saskatchewan River Valley and Ravine Master Plan Ribbon of Green' (1992).

City of Edmonton, 'Open Tree Map' https://www.opentreemap.org/edmonton/map/ (2018).

City of Edmonton, 'Public Engagement Policy C593' (2017).

City of Edmonton, 'Roadways Design Standards and Construction Specifications' (2015).

City of Edmonton, 'River Valley Map West Edmonton' (2018).

City of Edmonton, 'Traffic Bylaw 5590' (2018).

City of Edmonton, 'Urban Parks Management Plan UPMP 2006 - 2016' (2006).

City of Edmonton, 'Urban Primary Land and Vegetation Inventory UPLVI' <u>https://data.edmonton.ca/stories/s/uzm8-jc7c</u> (2018).

City of Edmonton, 'Whitemud and Blackmud Ravines Trails Development Plan' (1990).

City of Edmonton, 'Wildlife Passage Engineering Design Guidelines' (2010).

Energy Mines and Resources Canada, 'Edmonton 1924' (1924).

Government of Alberta, 'Alberta Conservation Information Management System ACIMS' (2018).

Government of Alberta, 'Alberta Land Titles Spatial Information System' http://alta.registries.gov.ab.ca/SpinII/ (2018).

Government of Alberta, 'Environmentally Significant Areas in Alberta: 2014 Update' (2014).

Government of Alberta, 'Fish and Wildlife Management Information System FWMIS' <u>https://maps.srd.alberta.ca/FWIMT\_Pub/</u> (2018).

Government of Alberta, 'GeoDiscover Alberta: Merged Wetland Inventory' https://geodiscover.alberta.ca (2018).

Government of Alberta, 'Historic Resources Act' (2000).

Government of Alberta, 'Landscape Analysis Tool' https://maps.alberta.ca/LAT (2018).

Government of Alberta, 'Listing of Historic Resources' (2018).

Government of Alberta, 'Online Permitting and Clearance OPAC Historic Resources Application' <u>https://www.opac.alberta.ca/</u> (2018).

Government of Alberta, 'Province of Alberta Wildlife Act' (2018).

Government of Alberta, 'Weed Control Act Weed Control Regulation' (2010).

Government of Alberta, 'Wild Species Status Search' <u>http://aep.alberta.ca/fish-wildlife/species-at-risk/wild-species-status-search.aspx</u> (2015).

Government of Canada, 'Committee on the Status of Endangered Wildlife in Canada COSEWIC' (2018).

Government of Canada, 'Migratory Bird Convention Act' (1994).

Government of Canada, 'Species at Risk Act' (2002).

Google Inc., 'Google Earth Pro Imagery' (2018).

Lansdowne Community League, 'History' http://www.lansdownecommunityleague.com/history.html (2018).

Natural Regions Committee, 'Natural Regions and Subregions of Alberta' (2006).

# Appendix A Background Information

- 1 Neighbourhood Maps
- 2 SLIM Maps
- 3 SLIM Maps, AbaData, yeg Treemap
- 4 Aerial Images
- 5 Aerial Images
- 6 Land Titles
- 7 Urban Primary Land and Vegetation Inventory
- 8 Edmonton 1924
- 9 Ribbon of Green
- 10 Wildlife Passage
- 11 Alberta Merged Wetland Inventory, Key Wildlife and Biodiversity Zone
- **12 Site Photos**

Neighbourhood Maps Source: http://maps.edmonton.ca/nim/





Whitemud Ravine North



Lansdowne Neighbourhood City Projects

Lansdowne Neighbourhood Context View



Lansdowne Neighbourhood Transit

SLIM Maps Source: https://maps.edmonton.ca/map.aspx





Parcels

2





Bike routes

Zoning

### **SLIM Maps** Source: https://maps.edmonton.ca/map.aspx



Zoning overlays

3

AbaData Source: http://www.abacusdatagraphics.com/



yegTreemap Source:https://www.opentreemap.org/edmonton/map/



Utilities



Sweet mountain pine Pinus mugo

Colorado Spruce Picea pungens 'Blue'



Aerial Images Source: Google earth





















### Land Titles Source: https://alta.registries.gov.ab.ca/spinii/legalnotice.aspx

6



#### S LINC SHORT LEGAL 0016 564 941 1800NY;23;15P

#### LEGAL DESCRIPTION

PLAN 1800NY BLOCK TWENTY THREE (23) LOT FIFTEEN-P (15-P) (RESERVE) CONTAINING 2.83 HECTARES (7.01 ACRES) MORE OR LESS EXCEPTING THEREOUT ALL MINES AND MINERALS

ATS REFERENCE: 4;25;52;13;S ESTATE: FEE SIMPLE

MUNICIPALITY: CITY OF EDMONTON

|              | 1          | REGISTERED | OWNER (S |
|--------------|------------|------------|----------|
| REGISTRATION | DATE (DMY) | DOCUMENT   | TYPE     |
|              |            |            |          |
| 232Z210F     | 06/04/1965 |            |          |

Title



Plan of survey



TITLE NUMBER 232Z210F

\_\_\_\_\_ S) VALUE CONSIDERATION

\_\_\_\_\_

### Urban Primary Land and Vegetation Inventory Source: https://data.edmonton.ca/stories/s/uzm8-jc7c







DISPLAYING 24,029 OF 24,029 URBAN PRIMARY LAND ANI Municipality: City of Edmonton Edmonton Ward: Ward 10 Edmonton Councillor: Michael Walters Edmonton Neighbourhood: Whitemud Creek R Land Cover: Modified Land Cover: Modified Primary Site Type: Non maintained Grass/Shrubs Primary Site Type Coverage (%): 80 Natural Stand Type (if applicable): Secondary Site Type (Tapplicable): Transplant Trees Secondary Site Type Coverage (%): 10 2 d Dr W Whitemud

Whitemud Drive Right of Way - modified land cover



Northeast- naturally non-wooded

Earthern trail - modified land cover

| VEGETATION  | INVENT  | ORY (I | JPLV | (I) FE | ATUF    | RES    |       |                                     | Edmonton            | () ()                 |
|-------------|---------|--------|------|--------|---------|--------|-------|-------------------------------------|---------------------|-----------------------|
| 1:          | 2516    |        |      | 12     | 420     | 2416   | Ξ     | Close                               | men                 | u 🕨                   |
|             | and the |        |      | E      |         |        | 12412 | Layers                              |                     | ▼                     |
|             | 47 . 4  | AVE NW |      | 40     | e Nu 47 | Ave NV | V     | ✓Urban Pr<br>Vegetation<br>Features | imary La<br>Invento | and and<br>ry (uPLVI) |
|             |         |        |      |        |         |        |       | Charts                              |                     | ▼                     |
|             |         |        |      |        |         |        | 12419 | Filters                             |                     | ▼                     |
| 125         |         |        |      |        |         |        |       | Preferen                            | ces                 | ▼                     |
| 1 AVE 12515 |         |        |      |        |         |        |       | Export                              |                     | T                     |
| 12512       |         |        |      |        |         |        |       |                                     |                     |                       |
| Lansdon     |         |        |      |        |         |        |       | Lar                                 | isdowne             | DrNW                  |
| Whe Dr N    | W       |        | Lans | sdowne | Dr NVV  |        |       |                                     |                     |                       |
|             |         |        |      |        |         |        |       |                                     |                     | 12419                 |
|             |         |        |      |        |         |        |       |                                     |                     |                       |
|             |         |        |      |        |         |        |       |                                     |                     | C'                    |
|             |         |        |      |        |         |        |       |                                     |                     |                       |
|             |         |        |      |        |         | ,      | White | mud I                               | Dr W                | 10 m                  |
| Dr. M       | 2       |        |      |        |         |        | W     | hitemu                              | d D                 | +                     |
|             |         |        |      |        |         |        |       |                                     |                     | -                     |
| Dr E        |         |        |      |        |         |        |       |                                     |                     | ٩                     |
|             |         |        |      |        |         |        |       |                                     |                     | 1 8 11000             |

Edmonton 1924 Source: http://centennial.eas.ualberta.ca/files/misc/Edmonton\_air\_photo\_1924.pdf



Aerial just north of Lansdowne Neighbourhood

9





O Project Area

# Edmonton's Ecological Network





# City of Edmonton Natural Areas in 2007

# Alberta Merged Wetland Inventory Source: https://geodiscover.alberta.ca



# Key Wildlife and Biodiversity Zone Source: https://maps.alberta.ca/LAT



Alberta Merged Wetland Inventory

Alberta Key Wildlife and Biodiversity Zone



Existing goat track view from bottom of slope (2017)



Maintained grass area at the top of slope (2017)



Existing goat track view from top of slope (2017)



Grass cut on slope (2018)

# Appendix B Geotechnical Investigation



# Lansdowne Stair and Trail Project

**Geotechnical Investigation** 

# City of Edmonton

Project number: 60577232 (431)

July, 2018

200

CP-6993 Lansdowne Stair Concept Design Integrated Infrastructure Services Building Great Neighbourhoods and Open Spaces Open Space Planning and Design

## **Statement of Qualifications and Limitations**

The attached Report (the "Report") has been prepared by AECOM Canada Ltd. ("AECOM") for the benefit of the Client ("Client") in accordance with the agreement between AECOM and Client, including the scope of work detailed therein (the "Agreement").

The information, data, recommendations and conclusions contained in the Report (collectively, the "Information"):

- is subject to the scope, schedule, and other constraints and limitations in the Agreement and the qualifications contained in the Report (the "Limitations");
- represents AECOM's professional judgement in light of the Limitations and industry standards for the preparation of similar reports;
- may be based on information provided to AECOM which has not been independently verified;
- has not been updated since the date of issuance of the Report and its accuracy is limited to the time period and circumstances in which it was collected, processed, made or issued;
- must be read as a whole and sections thereof should not be read out of such context;
- was prepared for the specific purposes described in the Report and the Agreement; and
- in the case of subsurface, environmental or geotechnical conditions, may be based on limited testing and on the assumption that such conditions are uniform and not variable either geographically or over time.

AECOM shall be entitled to rely upon the accuracy and completeness of information that was provided to it and has no obligation to update such information. AECOM accepts no responsibility for any events or circumstances that may have occurred since the date on which the Report was prepared and, in the case of subsurface, environmental or geotechnical conditions, is not responsible for any variability in such conditions, geographically or over time.

AECOM agrees that the Report represents its professional judgement as described above and that the Information has been prepared for the specific purpose and use described in the Report and the Agreement, but AECOM makes no other representations, or any guarantees or warranties whatsoever, whether express or implied, with respect to the Report, the Information or any part thereof.

Without in any way limiting the generality of the foregoing, any estimates or opinions regarding probable construction costs or construction schedule provided by AECOM represent AECOM's professional judgement in light of its experience and the knowledge and information available to it at the time of preparation. Since AECOM has no control over market or economic conditions, prices for construction labour, equipment or materials or bidding procedures, AECOM, its directors, officers and employees are not able to, nor do they, make any representations, warranties or guarantees whatsoever, whether express or implied, with respect to such estimates or opinions, or their variance from actual construction costs or schedules, and accept no responsibility for any loss or damage arising therefrom or in any way related thereto. Persons relying on such estimates or opinions do so at their own risk.

Except (1) as agreed to in writing by AECOM and Client; (2) as required by-law; or (3) to the extent used by governmental reviewing agencies for the purpose of obtaining permits or approvals, the Report and the Information may be used and relied upon only by Client.

AECOM accepts no responsibility, and denies any liability whatsoever, to parties other than Client who may obtain access to the Report or the Information for any injury, loss or damage suffered by such parties arising from their use of, reliance upon, or decisions or actions based on the Report or any of the Information ("improper use of the Report"), except to the extent those parties have obtained the prior written consent of AECOM to use and rely upon the Report and the Information. Any injury, loss or damages arising from improper use of the Report shall be bome by the party making such use.

This Statement of Qualifications and Limitations is attached to and forms part of the Report and any use of the Report is subject to the terms hereof.

AECOM: 2015-04-13 © 2009-2015 AECOM Canada Ltd. All Rights Reserved.

### Quality information

### Prepared by

Alex Tam Geotechnical Engineer-In-Training

Approved by



Seán MacEoin, M.Sc., P.Eng. Senior Geotechnical Engineer - Lead

PERMIT TO PRACTICE AECOM CANADA LTD. Signature 2018 Date PERMIT NUMBER: P 10450 The Association of Professional Engineers and Geoscientists of Alberta

### **Revision History**

| Revision | <b>Revision date</b> | Name     | Details    |
|----------|----------------------|----------|------------|
| 0        | June 5, 2018         | Alex Tam | Draft      |
| 1        | July 24, 2018        | Alex Tam | Draft Rev1 |
| 2        | July 27, 2018        | Alex Tam | Final      |

### **Distribution List**

| # Hard Copies | PDF Required | Association / Company Name |
|---------------|--------------|----------------------------|
|               | х            | City of Edmonton           |
|               |              |                            |
|               |              |                            |
|               |              |                            |
|               | 1977         |                            |

### Prepared for:

City of Edmonton John Quashie-Sam Senior Geotechnical Engineer Engineering Services Section Integrated Infrastructure Services Business Planning & Support City of Edmonton 11004 - 190 Street NW Edmonton, Alberta T5s 0G9

### Prepared by:

Alex Tam Geotechnical Engineer-In-Training

AECOM Canada Ltd. 101-18817 Stony Plain Road NW Edmonton, AB T5S 0C2 Canada

T: 780.486.7000 F: 780.486.7070 aecom.com

© 2018 AECOM Canada Ltd. All Rights Reserved.

This document has been prepared by AECOM Canada Ltd. ("AECOM") for sole use of our client (the "Client") in accordance with generally accepted consultancy principles, the budget for fees and the terms of reference agreed between AECOM and the Client. Any information provided by third parties and referred to herein has not been checked or verified by AECOM, unless otherwise expressly stated in the document. No third party may rely upon this document without the prior and express written agreement of AECOM.

# Table of Contents

| 1.    | Introduction                                     | 1   |
|-------|--|-----|
| 1.1   | General  | . 1 |
| 1.2   | Scope of work                                    | . 1 |
| 2.    | Methodology                                      | 2   |
| 2.1   | Planning and Coordination                        | . 2 |
| 2.2   | Desktop Study and Review of Existing Information | . 2 |
| 2.2.1 | Quatemary Geology                                | . 2 |
| 2.2.2 | Bedrock Geology                                  | . 2 |
| 2.3   | Site Reconnaissance                              | . 2 |
| 2.4   | Field Investigation                              | . 2 |
| 2.5   | Laboratory Testing Program                       | . 3 |
| 3.    | Subsurface Conditions                            | 4   |
| 3.1   | General Subsurface Conditions                    | . 4 |
| 3.1.1 | Organics   | . 4 |
| 3.1.2 | High Plasticity Clay                             | . 4 |
| 3.1.3 | Low Plasticity and Low to Medium Plasticity Clay | . 5 |
| 3.1.4 | Sand   | . 5 |
| 3.1.5 | Silt   | . 5 |
| 3.2   | Soil Chemical Analysis                           | . 5 |
| 3.3   | Groundwater                                      | . 6 |
| 3.4   | Frost Susceptibility                             | . 6 |
| 3.5   | Frost Penetration                                | . 7 |
| 4.    | General Site Recommendation                      | 8   |
| 4.1   | General site suitability                         | . 8 |
| 4.2   | Shallow Foundations - Stairs                     | . 8 |
| 4.3   | Deep Foundations - Stairs                        | . 9 |
| 4.3.1 | Introduction                                     | . 9 |
| 4.3.2 | Screw Piles                                      | . 9 |
| 4.3.3 | Pile Caps  | 10  |
| 4.4   | Slope Stability                                  | 10  |
| 4.5   | Subgrade Preparations for Trail                  | 10  |
| 4.6   | Pavement structure – Trail                       | 11  |
| 5.    | References 1                                     | 2   |

# Tables

| 3  |
|----|
| 4  |
| 4  |
| 4  |
| 5  |
| 5  |
| 5  |
| 6  |
| 6  |
| 6  |
| 7  |
| 9  |
| 11 |
| 11 |
|    |
## Appendices

Appendix A.FiguresAppendix B.TestholesAppendix C.Laboratory Test Results

## 1. Introduction

#### 1.1 General

The City of Edmonton project proposed is the construction of a new Staircase and Trail in the Lansdowne area. AECOM Canada Ltd. (AECOM) was retained by the City of Edmonton to support the construction of the proposed Staircase and Trail project in the Whitemud Creek area.

AECOM conducted an intrusive geotechnical investigation program in preparation for the Lansdowne Staircase and Trail Project. The proposed staircase location is southwest of Lansdowne Drive and north of Whitemud Drive. The proposed staircase will connect Lansdowne Drive with the walking trail leading to Rainbow Valley Road. This report summarizes the investigation methodology and subsurface conditions encountered. Based on the results of the geotechnical investigation program, general recommendations are provided. The testhole location plan is included in Appendix A and testhole logs are included in Appendix B. Laboratory testing results are included in Appendix C.

#### 1.2 Scope of work

The scope of work for this intrusive geotechnical investigation includes:

- Geotechnical Investigation Start-Up Meeting
- Background Documents Collection and Review
- Geotechnical Investigation
- Geotechnical Report

## 2. Methodology

#### 2.1 Planning and Coordination

Alberta One Call and Dig Shaw were contacted to identify underground utilities. A private locator was procured to verify testhole locations were clear of utilities.

#### 2.2 Desktop Study and Review of Existing Information

Review of existing information for the site was conducted to obtain information regarding the subsurface condition of the site. The project site is located in southwest Edmonton, between Lansdowne Drive and Whitemud Drive. Following a review of maps and cross sections from "Urban Geology of Edmonton" (Kathol C.P. and McPherson R.A. 1975), the expected stratigraphy consists of glaciolacustrine deposits of bedded sands, silts, and clays underlain by glacial till then bedrock. Surficial deposit thicknesses have been approximated by Kathol and McPherson (1975) and vary between 0 and 50 feet in thickness for the Whitemud Creek area.

The following documents were reviewed to determine subsurface geology:

- Quaternary Geology, Central Alberta map (Shetsen, 1990)
- Geological Map of Alberta (Alberta Geological Survey (AGS) and Alberta Energy Utilities Board (AEUB), 1999)
- Bedrock Geology of Alberta. Alberta Geological Survey (Prior G.J., et. al. 2013)
- Geological Map of Alberta (Green, 1970)
- Urban Geology of Edmonton. Alberta Research Council. (Kathol C.P. and McPherson R.A. 1975).

#### 2.2.1 Quaternary Geology

Near-surface geology of the project area was compiled from the Quaternary Geology, Central Alberta map (Shetsen, 1990). Edmonton consists mainly of fine sediment silt and clay, with stream and slopewash eroded deposits near the North Saskatchewan River. The site location suggests fine sediment deposits of silt and clay with potential for eroded deposits due to its proximity to the North Saskatchewan River. Quaternary geology of the project area as mapped by Shetsen (1990) is shown on Figure 2 in Appendix A.

#### 2.2.2 Bedrock Geology

Bedrock geology of the project area was compiled from the "Bedrock Geology Map of Alberta" (Prior G.J. et al. (2013)). The bedrock in the project area generally belongs to the non-marine to locally marginal marine Horseshoe Canyon Formation, consisting of grey feldspathic clayey sandstone, grey bentonitic mudstone and carbonaceous mudstone, concretionary sideritic layers and laterally continuous coal seams. This includes white, pedogenically altered sandstone and mudstone. Bedrock geology of the project area as mapped by Prior G.J. et al. (2013) is shown on Figure 3 in Appendix A.

#### 2.3 Site Reconnaissance

A site reconnaissance was conducted by AECOM personnel to assess, identify, and mark testhole locations on April 30, 2018. AECOM field personnel met with private locators, IVIS Inc. and drilling subcontractor, Canadian Geological Drilling Ltd., to assess testhole locations and drill rig access.

#### 2.4 Field Investigation

The geotechnical investigation conducted on May 4, 2018, included drilling three testholes and hand augering two testholes. Depths ranged from 2.0 to 10.4 metres below ground surface (mBGS). Alberta One-Call was contacted prior to drilling to locate underground utilities. Testholes were drilled by Canadian Geological Drilling, using a truck mounted solid stem auger drill rig and hand auger testholes

were augered by AECOM personnel. All testholes remained open upon completion and no groundwater was observed. Standpipe piezometers were installed in testholes TH18-02 and TH18-03.

During drilling, AECOM representatives logged and classified soils according to the Modified Unified Soil Classification System (MUSC). Standard Penetration Tests (SPTs) were performed in all drilled testholes. Disturbed samples were collected from the auger and split spoon sampler at regular intervals for laboratory testing. Testhole logs and laboratory testing results are included in Appendix B and Appendix C, respectively.

Flush mounted standpipe piezometers were installed to the termination depth in two testholes (TH18-02 and TH18-03). Standpipe piezometers were 50 millimetres (mm) in diameter and slotted to 1.5 metres (m) from the bottom of the testhole. Testholes without standpipe piezometers were backfilled with drill cuttings.

Table 2-1 below summarizes the drilling program.

| <u>Testhole</u> | Location  | <u>Depth</u><br>(mBGS) | Coordinates<br>Northing* | Coordinates<br>Easting* | Monitoring Well<br>Installed (Y/N) |
|-----------------|---|------------------------|--------------------------|-------------------------|------------------------------------|
| TH18-01         | Start of proposed path, closest testhole to Lansdowne Drive | 4.3                    | 5927975.7                | 29989.3                 | Ν                                  |
| TH18-02         | Crest of slope, top of staircase                            | 10.4                   | 5927965.9                | 29964.5                 | Y                                  |
| TH18-03         | Toe of slope, bottom of staircase                           | 10.1                   | 5927923.9                | 29910.2                 | Y                                  |
| HA18-01         | One third way down slope                                    | 2.0                    | 5927955.3                | 29948.6                 | N                                  |
| HA18-02         | Two thirds way down slope                                   | 2.0                    | 5927938.4                | 29928.7                 | N                                  |

#### Table 2-1 Summary of Drilling Program

\* Co-ordinates provided by the City of Edmonton

#### 2.5 Laboratory Testing Program

Soil samples collected during the site investigation were tested in AECOM's materials testing laboratory in Calgary, Alberta (AB), except the chemical testing, which was performed by ALS Canada Limited. Laboratory testing consists of the following:

- Moisture Content
- Grain Size Analysis (Hydrometer)
- Atterberg Limits Testing
- Unconfined Compression Tests
- Chemical Testing for pH, sulphates, chlorides, and resistivity

The test results are shown on the testhole logs, and are presented in Appendix C.

## 3. Subsurface Conditions

#### 3.1 General Subsurface Conditions

#### 3.1.1 Organics

Organics were encountered at the surface in testholes TH18-01, TH18-02, TH18-03, HA18-01 and HA18-02. The thickness of the organics varied from 100 mm to 150 mm. The organics were silty and had some rootlets. The organics were noted to be humid and black in colour.

#### 3.1.2 High Plasticity Clay

High plasticity clay was encountered in testholes TH18-01, TH18-02, TH18-03, and HA18-02. The clay was encountered at depths ranging from 0.1 mBGS to 8.4 mBGS. The thickness of the clay layers either varied from 1.2 m to 8.2 m, or extended to the termination depth of the testhole at 4.3 mBGS in TH18-01. The clay was silty, sandy grading to trace sand, trace gravel, and had trace to some oxidation. The clay was brown to dark brown in colour, and humid to moist. SPT N-values for the clay ranged from 7 to 39 blows per 300 mm of split spoon penetration, indicating that the clay was firm to hard. The average SPT N-value for the clay was 14. The moisture content of the clay samples varied from 17.5% to 35.2%. Atterberg Limits were determined for four samples and are summarized in Table 3-1.

| Testhole | Sample<br>Number | Depth<br>(mBGS) | USC | Moisture<br>(%) | Liquid<br>Limit (%) | Plastic<br>Limit (%) | Plasticity<br>Index (%) |
|----------|------------------|-----------------|-----|-----------------|---------------------|----------------------|-------------------------|
| TH18-01  | 2                | 0.8 – 1.2       | CH  | 22.6            | 61.1                | 22.2                 | 38.9                    |
| TH18-02  | 2                | 0.8 – 1.2       | СН  | 35.2            | 58.5                | 25.6                 | 33.0                    |
| TH18-03  | 3                | 1.5 – 1.8       | СН  | 25.7            | 53.2                | 19.4                 | 33.7                    |
| TH18-03  | 10               | 6.1 – 6.4       | CH  | 28.4            | 65.1                | 17.1                 | 48.0                    |

#### Table 3-1: Atterberg Limits for the Clay Layers

Based on the Atterberg Limits and observations during drilling, the clay was classified as highly plastic. Grain size analysis testing was also completed on the clay samples. Three grain size distribution tests were completed on the clay layer and are summarized in Table 3-2.

#### Table 3-2: Grain Size Analysis for High Plasticity Clay Layers

| Testhole | Sample<br>Number | Clay (%) | Silt<br>(%) | Sand<br>(%) | Gravel<br>(%) |
|----------|------------------|----------|-------------|-------------|---------------|
| TH18-01  | 2                | 54.9     | 31.1        | 12.7        | 1.3           |
| TH18-02  | 2                | 54.8     | 42.8        | 2.4         | 0.0           |
| TH18-03  | 3                | 49.2     | 37.7        | 12.9        | 0.2           |

Unconfined compressive strength testing was also completed on two clay samples. The unconfined compressive strengths for the two clay samples are summarized in Table 3-3.

Table 3-3: Unconfined Compressive Strength Results for the Clay Layer

| Testhole | Sample<br>Number | Depths<br>(mBGS) | Qu<br>(kPa) | Su<br>(kPa) |
|----------|------------------|------------------|-------------|-------------|
| TH18-02  | 8                | 5.3 – 5.9        | 149         | 74.5        |
| TH18-03  | 4                | 2.3 – 2.9        | 178         | 89          |

#### 3.1.3 Low Plasticity and Low to Medium Plasticity Clay

Low plasticity and low to medium plasticity clay was encountered in testholes TH18-02 and HA18-01. The clay was encountered at depths ranging from 0.1 mBGS to 6.0 mBGS. The thickness of the clay layers varied from a minimum of 1.1 m and extended to the termination depth of the testholes at 2.0 and 10.4 mBGS in HA18-01 and TH18-02, respectively. The clay was silty, sandy to containing some sand, trace gravel, and had trace to some oxidation. The clay was brown in colour, and humid to damp. SPT N-values for the clay ranged from 26 blows per 300 mm of split spoon penetration to refusal, indicating that the clay was very stiff to hard. The moisture content of the clay samples varied from 11.9% to 22.9%. Atterberg Limits were determined for one sample and this is presented in Table 3-4.

| Testhole | Sample | Depth  | USC | Moisture | Liquid    | Plastic   | Plasticity |
|----------|--------|--------|-----|----------|-----------|-----------|------------|
|          | Number | (mBGS) |     | (%)      | Limit (%) | Limit (%) | Index (%)  |

CL

#### Table 3-4: Atterberg Limits for Low and Low to Medium Plasticity Clay Layers

Based on the Atterberg Limits and observations during drilling, the clay was classified as highly plastic. Grain size analysis testing was also completed on the clay samples. One grain size distribution test was completed on the clay layer and is summarized in Table 3-5.

11.9

26.3

17.3

9.0

#### Table 3-5: Grain Size Analysis for Low and Low to Medium Plasticity Clay Layers

| Testhole | Sample<br>Number | Clay (%) | Silt<br>(%) | Sand<br>(%) | Gravel<br>(%) |
|----------|------------------|----------|-------------|-------------|---------------|
|          |                  |          | (/*/        | (/*)        | (/*/          |
| TH18-02  | 10               | 19.1     | 48.3        | 30.0        | 2.6           |

6.4 - 6.7

#### 3.1.4 Sand

TH18-02

10

Sand was encountered in testhole TH18-03. The sand layer extended from 8.4 mBGS to the termination depth of the testhole. The sand was silty, contained some clay, and was fine-grained. The sand was dark grey colour, and humid to dry. SPT N-values for the sand ranged from 77 blows per 300 mm of penetration to refusal, indicating that the sand was very dense. The moisture content of the sand samples varied from 14.2% to 17.5%.

#### 3.1.5 Silt

Silt was encountered in testhole HA18-02. The silt layer extended from 1.3 mBGS to the termination depth of the testhole. The silt was clayey, and contained trace sand and trace oxidation. The silt was light brown in colour, non-plastic, firm and humid. Moisture content of the silt sample was 12.4%.

Grain size analysis testing was completed on the silt sample. One grain size distribution test was completed on the silt layer and is summarized in Table 3-6.

| Testhole | Sample<br>Number | Clay (%) | Silt<br>(%) | Sand<br>(%) | Gravel<br>(%) |
|----------|------------------|----------|-------------|-------------|---------------|
| HA18-02  | 3                | 22.1     | 70.7        | 7.2         | 0.0           |

#### Table 3-6: Grain Size Analysis for Clay Layers

#### Soil Chemical Analysis 3.2

Chemical testing was conducted on select samples to determine pH, resistivity, chloride content, water soluble sulphate ion content and total sulphate ion content. The degree of corrosiveness and corrosion potential for sulphate attack are provided in Table 3-7 below in accordance with the Handbook of Corrosion Engineering and the Canadian Standards Association Guidelines.

| Table 3-7: Soil | Chemistry | Summary |
|-----------------|-----------|---------|
|-----------------|-----------|---------|

| Testhole | Depth<br>(mBGS) | USCS Soil<br>Classification | Resistivity<br>(ohm-cm) | Chloride<br>Content<br>(mg/kg) | Total<br>Sulphate Ion<br>Content (%) | рН   | Corrosion Potential | Sulphate<br>Attack |
|----------|-----------------|-----------------------------|-------------------------|--------------------------------|--------------------------------------|------|---------------------|--------------------|
| TH18-02  | 1.5 – 1.8       | СН                          | 345                     | 57                             | 0.132                                | 8.15 | Extremely Corrosive | Moderate           |
| TH18-02  | 5.9 - 6.4       | CL                          | 731                     | <8.9                           | 0.389                                | 7.61 | Extremely Corrosive | Severe             |
| TH18-03  | 3.4 – 3.7       | СН                          | 264                     | <20                            | 1.25                                 | 8.24 | Extremely Corrosive | Severe             |
| HA18-02  | 1.7 – 2.0       | ML                          | 550                     | 54                             | 0.888                                | 7.76 | Extremely Corrosive | Severe             |

Based on the above test results, the degree of corrosivity is expected to be highly to extremely corrosive at this site. The potential for sulphate attack in concrete is expected to be severe at this site.

#### 3.3 Groundwater

Groundwater levels were measured upon completion of drilling (May 4, 2018), on May 11, 2018, and again on May 18, 2018. No free groundwater was observed during drilling. The results of the groundwater measurements are summarized in Table 3-8.

#### Table 3-8: Summary of Groundwater Measurements

| Testhole | Depth of Standpipe<br>(mBGS) | Upon Completion of<br>Drilling May 4, 2018<br>(mBGS) | Groundwater<br>Monitoring May 11,<br>2018 (mBGS) | Groundwater<br>Monitoring May 18,<br>2018 (mBGS) |
|----------|------------------------------|--|--|--|
| TH18-02  | 9.9                          | Dry  | Dry  | Dry  |
| TH18-03  | 9.9                          | Dry  | 8.9  | 8.1  |

Measured groundwater depths are also shown on the testhole logs in Appendix B. It should be noted that the groundwater levels in Table 3-8 are relatively short term and may not be representative of stable groundwater conditions. Groundwater levels can vary in response to seasonal factors and precipitation. The groundwater conditions at the time of construction may vary from those recorded in this investigation.

#### 3.4 Frost Susceptibility

The surficial soils encountered at the site consist of clay (CL, CI, CH). The qualitative frost susceptibility of a soil is typically assessed using guidelines developed by Casagrande (1932) on the basis of the percentage by weight of the soil finer than 0.02 mm and plasticity index. This classification system has been adapted by the U.S. Army Corps of Engineers and the Canadian Foundation Engineering Manual (CFEM, 2006). Soils are classified as F1 through F4 in order of increasing frost susceptibility and loss of strength during thaw. The soil units encountered at the site and their frost group classifications are summarized in Table 3-9.

### Table 3-9: Frost Susceptibility

| Soil Unit | USC       | Finer than 0.02<br>mm (%) | Plasticity Index<br>(%) | Frost Group |
|-----------|-----------|---------------------------|-------------------------|-------------|
| Clay      | CL, CH    | -                         | PI > 12                 | F3          |
| Silt      | ML, MH    | -                         | -                       | F4          |
| Sand      | SM, SP-SM | 3 -15                     | -                       | F2          |

Generally, the surficial soils at this site were classified in the F3 and F4 frost group, which indicates the surficial soils are highly susceptible to frost.

#### 3.5 Frost Penetration

The clay deposits in the Edmonton area are highly susceptible to frost action. The depth of frost penetration for soils can be determined using the Canadian Foundation Engineering Manual (CFEM 4<sup>th</sup> Edition) guidelines. The depth of frost penetration for a 50 year return period corresponds to an estimated Design Freezing Index of 1750 degree Celsius days (°C-days). The depths of frost penetration for the soils encountered on site are summarized in Table 3-10.

#### Table 3-10: Frost Penetration Depth

| Soil Unit | Frost Penetration Depth (m) |
|-----------|-----------------------------|
| Clay      | 2.3                         |
| Silt      | 2.4                         |

The frost penetration depths provided above are based on a uniform soil type with no insulation cover. In areas covered with turf or snow cover, the depth of frost penetration will be less. Conversely, if well graded granular backfill is used, the depth of frost penetration will be greater. The depth of frost penetration is dependent on the in situ moisture content, relative density, grain and pore sizes, and permeability of the soil. As a result, frost penetration is expected to vary across the site as the subsurface materials and temperatures vary. The depth of frost penetration will also increase in snow-cleared paved areas such as trails.

## 4. General Site Recommendation

#### 4.1 General site suitability

The site is generally considered suitable for the proposed trail and staircase work. A visual inspection was completed during the drilling investigation and no obvious signs of recent slope movements were observed (e.g. slope failure scars, or sloping trees). There were some areas with exposed soil observed which may indicate localized small slope instabilities and/or erosion. The current hillside should not be loaded with additional fill or heavy structures without review by a geotechnical engineer, as this will increase the risk of slope instabilities. The soils encountered at the site were fine-grained (mainly clay and silt) and moderately to lightly covered with vegetation growth, making the soil susceptible to erosion. Disturbing the existing vegetation will increase the soil's susceptibility to erosion and/or slope instability. Areas traversed by pedestrians down the slope have reduced vegetation and exposed soil and may require erosion protection prior to staircase construction.

The native soils are susceptible to erosion; therefore, exposed soils should be protected against erosion before and after construction. In areas where heavy erosion may occur, erosion protection measures should be taken. Erosion protection measures that could be considered include rip rap placed on a medium weight, non-woven geotextile, and erosion protection mats. Erosion protection mats and silt fences may be required during construction to reduce erosion in the short term.

#### 4.2 Shallow Foundations - Stairs

High plasticity clay was encountered near the ground surface and extended to a depth of 8.4 mBGS. The expansive nature of these soils translates into significant volume changes upon interaction with moisture. Absorption of moisture in expansive soils results in volume increases, and loss of moisture results in shrinkage of the soil. Volume changes resulting from expansion (swelling) and contraction (shrinkage) are known to generate forces capable of causing damage to structures. These forces translate into uplifting forces in the case of expansion and loss of support and subsidence in the case of shrinkage. The potential for soils to swell or shrink is dependent on a variety of environmental factors and on the swell potential of the soil. The environmental factors include moisture content variation, stress change, and chemistry change. The swell potential is however, dependent on the geologic structure layering, mineral constituents, and pressure history. In general, compaction of a soil to a high density will increase the amount of swelling upon wetting, and compaction of soil at a water content above the Optimum Moisture Content (OMC) will reduce the amount of swelling upon wetting (CFEM 2006). The potential for swelling and shrinkage of the near surface soils should be addressed during the design of structures. One method of addressing the potential for swell and shrinkage is to support structures on deeper soils that are not expected to experience swell/shrinkage and to place a void form between the ground surface and structures.

The wooden staircase should meet City of Edmonton design Standards. Foundations should be installed below the frost penetration depth (Section 3.5) and designed to resist adfreeze/uplift forces within the frost penetration depth. Foundations above the frost penetration depth are susceptible to movement due to frost action.

If the structures are founded on footings then the base of the footing should be below the maximum frost penetration depth. This depth can be reduced with the use of insulation. Consideration may be given to using rigid polystyrene insulation (Styrofoam HI-40 or equivalent). The insulation should be applied vertically to the outside of the foundation from ground surface to the base of the footing, and should extend horizontally outwards away from the footing a minimum distance of 2.5 m. Horizontal insulation should be constructed with protective layers of sand below and above the insulation. Each protective layer should be 75 mm thick. Horizontal insulation should be constructed at a depth not exceeding 0.5 m measured to the top of the rigid insulation. The horizontal insulation should be sloped downward away from the foundation at a minimum of 2 %. The insulation should be at least 150 mm thick and installed in a manner that is consistent with the manufacturer's recommendations.

Adfreeze/uplift pressure acting on the sides of foundations and piles can be reduced by placing non-frost susceptible soil (well graded gravel) around structures, and providing good drainage. Because of the stabilizing effect of vegetation on the slope, this should be disturbed as little as possible. Any damage caused to the vegetation must be repaired as soon as reasonably practicable.

Good surface drainage should be provided during and after construction to reduce ponding. Ponding may result in lower foundation capacities, premature pavement failure, and slope instabilities. Surface water should be directed away from the trail and from foundations.

#### 4.3 Deep Foundations - Stairs

#### 4.3.1 Introduction

The stairs may be founded on piles. Driven piles and cast-in-place piles are unsuitable for the stairs. Both piling systems require relatively heavy plant which could not operate on the slope without substantial temporary support. The vibration from driving piles poses a risk to the stability of the slope. The plant required for screw pile installation is much lighter, and may successfully operate on the slope. The installation of screw piles does not cause significant vibration.

#### 4.3.2 Screw Piles

Screw piles are best suited for firm to very stiff clay soils free of large cobbles and boulders. Screw piles are considered suitable for use at the site to support the proposed stairs. Screw piles have a steel shaft with helical plates welded to the outside of the shaft near the base of the pile and/or at selected points on the shaft. The pile is advanced into the ground by a torque drive head. Bearing capacity is developed by compression bearing resistance from the soil below the helix/ helices and / or cylindrical shear resistance developed between multiple helices. The first helix (top helix) should be located at a minimum depth of 2.4 m (the frost penetration depth of the soil). Actual pile size and helix details vary from supplier to supplier. Helical screw piles are a proprietary system and their long term performance is highly dependent on the contractor's experience, installation methodology, and workmanship in construction. Design recommendations should come from an experienced helical pile contractor.

The skin friction resistance within the frost penetration depth and within one helix diameter of the uppermost helix should be neglected when designing helical piles. Cylindrical shaft resistance between helices and resistance along the shaft above the helices should generally be neglected during the design of the piles. In designing the piles, close consideration must be given to the variability of ground conditions on the site. In general, the design of screw piles for lightly loaded structures (such as stairs) in Edmonton is governed by the requirement to resist uplift forces from frost and not by the load bearing requirement to support the structure.

Recommended parameters based on soils encountered on site are presented in Table 4-1 below.

| Depth<br>(mBGS) | Undrained Shear<br>Strength<br>(kPa) | Internal Angle<br>of Friction<br>(degrees) | Bulk Unit<br>Weight<br>(kN/m³) | Effective Unit<br>Weight<br>(kN/m <sup>3</sup> ) |
|-----------------|--------------------------------------|--|--------------------------------|--|
| 0 to 2.4        | N/A <sup>1</sup>                     | N/A <sup>1</sup>                           | 18                             | 8  |
| 2.4 to 7        | 50                                   | 22   | 18                             | 8  |
| Below 7         | 200                                  | 27 to 34                                   | 18                             | 8  |

#### Table 4-1: Estimated Soil Parameters

<sup>1</sup> The maximum frost depth is anticipated to be 2.4 mBGS. Because it is anticipated that adfreeze forces will be acting on the pile within this frost zone, the benefit of resistance from the soil in this area should not be considered in the design. The adfreeze bond stress values to be utilized, range from 65 kPa (fine grained soils frozen to wood or concrete) to 100 kPa (fine grained soils frozen to steel) (CFEM).

#### 4.3.3 Pile Caps

Pile caps are usually required to transfer the loads onto the tops of the piles. If the bases of the pile caps are located within the frost penetration depth, precautions should be taken to prevent heaving of the pile cap due to frost heaving. The recommended construction procedure for reducing heave effect under the pile cap involves placement of crushable non-degradable void filler (such as Beaver Plastic Frost Cushion or equivalent) of at least 150 mm thickness under the pile cap.

#### 4.4 Slope Stability

A basic model of the slope at the proposed stairway location was created using SlopeW software by Geostudio. Subsurface conditions were modelled using the information gathered during the geotechnical investigation. Upon computing the analysis, the achieved Factor of Safety (FOS) indicated that the current slope will be stable, given that the existing quality of vegetation is maintained (if not improved).

It should be noted that given the practical and cost limitations, the level of detail of information required to carry out a detailed slope stability analysis, was not attained. Therefore, a simplistic subsurface stratigraphy model with limited survey information was used for the analysis.

#### 4.5 Subgrade Preparations for Trail

The subgrade conditions are potentially favourable for the construction of the trail at most locations. The subgrade is expected to be firm to very stiff high plasticity clay from 0.15 to 4.3 mBGS. High plasticity clays may be unfavorable due to increased frost susceptibility, greater swelling potential and greater compressibility. At some locations silt and low plastic clays may be encountered for the trail construction.

All surficial organics or topsoil, and deleterious materials should be stripped and removed from within the proposed paved areas. Excavation depths for trail subgrade preparation should be similar to the total pavement structure thickness provided in Section 4.5.

The prepared areas should then be proof-rolled to identify loose or soft areas. If soft or unstable areas, or areas of high plastic clay that give rise to the risk of damage due to swelling and frost heave are encountered, these areas should be over excavated to a firm base of suitable material or to a maximum of 600 mm below the design subgrade elevation. A layer of BX 1200 geogrid or equivalent, should be placed directly on the bottom of the subgrade when the soft deposit or high plastic deposits extends deeper than 600 mm below the design subgrade elevation. Areas that are over excavated should be replaced with select native, low to medium plastic clay material, imported granular fill of appropriate gradation or imported low to medium plastic clay, compacted to a minimum of 98% Standard Proctor Maximum Dry Density (SPMDD) at OMC, and in accordance with City of Edmonton specifications. Backfill should be free from gravel sizes larger than 200 mm in diameter and frozen, organic, or other deleterious materials. If coarse material is used as backfill, this must be drained. Subgrade soils should be inspected and evaluated by a geotechnical engineer during construction to confirm their suitability.

Alternatively, cement stabilization or biaxial geo-grid reinforcement may be used instead of the sub-cut if approved by the geotechnical engineer. The subgrade, subgrade improvements and final proof roll should be inspected by a qualified geotechnical engineer prior to placement of the granular base course.

Fill placed to raise the subgrade elevation to design grade should be moisture conditioned to within  $\pm 2\%$  of OMC and compacted to 98% of SPMDD. The fill should be placed in lifts not greater than 150 mm in compacted thickness. Proof rolling should be performed prior to placement of granular base course to confirm that the subgrade below the pavement structure is adequately prepared.

The final 150 mm layer of the subgrade should be compacted to 100% of the SPMDD.

#### 4.6 Pavement structure – Trail

It is understood that there is a new trail proposed for connecting Lansdowne Drive to the proposed staircase location. The trail is expected to service light foot and bicycle traffic. Table 4-2 and Table 4-3 are pavement and trail recommendations in accordance with the City of Edmonton engineering standards, shared use path drawings.

#### Table 4-2: Asphalt Pavement Design Recommendation

| Description             | Pavement Structure Material            | Pavement Structure<br>Thickness (mm) | Remarks  |
|-------------------------|--|--------------------------------------|--|
| New Trails              | Asphalt Concrete Pavement              | 75                                   | Asphalt should be placed in one layer            |
| throughout<br>Lansdowne | Crushed Granular Base<br>Course        | 150                                  | Compacted to 100% of SPMDD within ±2% of OMC     |
| Drive                   | Prepared Subgrade                      | (150)                                | Refer to Section 4.5 for Subgrade<br>Preparation |
| Total Paveme            | nt Structure (above prepared subgrade) | 225                                  |  |

#### Table 4-3: Concrete Pavement Design Recommendation

| Description                           | Pavement Structure Material            | Pavement Structure<br>Thickness<br>(mm) | Remarks   |
|---------------------------------------|--|---|---|
| New Trails<br>throughout<br>Lansdowne | Concrete Pavement                      | 120                                     | 30 MPa concrete, c/w 10M reinforcing<br>steel as per the City of Edmonton<br>Specifications |
| Drive                                 | Crushed Granular Base<br>Course        | 150                                     | Compacted to 100% of SPMDD within ±2% of OMC  |
|                                       | Prepared Subgrade                      | (150)                                   | Refer to Section 4.5 for Subgrade<br>Preparation  |
| Total Paveme                          | nt Structure (above prepared subgrade) | 225                                     |   |

The subgrade for the trail should be prepared in accordance with Section 4.5.

The Crushed Granular Base Course should be Designation 3, Class 20 granular material in accordance with City of Edmonton Engineering design standards. Note that the drawings in the design standards refer to this material as "3-20A Gravel".

A non-woven filter fabric should be provided between the base of the granular fill and subgrade to prevent migration of fine materials into the granular fill.

If the walkway is designated as an emergency access route by the Engineer, design requirements must be in accordance with City of Edmonton design and construction standards and pavement recommendations must be reassessed for suitability.

#### 5. References

- Alberta Geological Survey and Alberta Energy Utilities Board (1990), "Geological Map of Alberta", Edmonton, AB.
- CFEM (2006). Canadian Foundation Engineering Manual. 4th Edition. Canadian Geotechnical Society, Technical Committee on Foundations, BiTech Publishers, Vancouver B.C.

City of Edmonton (2015) "Design Standards Construction Specifications" Volume 2 Roadways

- Green, R. (1970) "Geological Map of Alberta" Alberta Geological Survey and Alberta Research Council
- Kathol C.P. and McPherson R.A. (1975). Urban Geology of Edmonton. Alberta Research Council.
- Livneh, M. (1989). Validation of Correlations between a Number of Penetration Tests and In Situ California Bearing Ratio Tests. Transportation Research Board.

Prior G.J., et. al. (2013). Bedrock Geology of Alberta. Alberta. Geological Survey.

Roberge, P. R. (2000). Handbook of Corrosion Engineering. New York: McGraw-Hill.

- Robert, Y. (1997). A few comments on pile design. Canadian Geotechnical Journal
- Shetsen, I. (1990) "Quaternary Geology, Central Alberta", Alberta Energy and Utilities Board and Alberta Geological Survey, Edmonton, AB.





Lansdowne Staircase and Trail Geotechnical Investigation City of Edmonton Project No.: 60577232 Date: 2018-05-10

Site Location Plan and Testhole Location Plan

aved by: FIERHELLERJ(2018-05-10) Last Plotted: 2018-05-10 ame: P:\60577232\900-CAD\_GIS\910-CAD\30-FIGURES\B\00\60577232-FIG-00-0000-B-0001.DW



HITEMUD DRIV

Figure 1



IMAGE SOURCE: Quaternary Geology, Central Alberta map (Shetsen, 1990)

Lansdowne Staircase and Trail Geotechnical Investigation City of Edmonton Project No.: 60577232 Date: 2018-05-09

ANSI B 279

8-05-10)

**IERH** 

2a Coarse sediment: sand and silt; undulating surface in places modified by wind.

2b Fine sediment: silt and clay; flat to gently undulating surface.

FLUVIAL DEPOSIT: gravel, sand, silt and clay, includes local till and bedrock exposures; up to 20 m thick; present on floors and terraces of river valleys and meltwater channels, and in deltas; flat to undulating topography.

3a Coarse sediment: gravel, gravel and sand, fine to coarse-grained sand, minor silt beds.

Fine sediment: fine sand, silt and clay, minor gravel beds.

STREAM AND SLOPEWASH ERODED DEPOSIT: exposed till and bedrock, local slump material; slopes of river valleys and meltwater channels, in places badiand type terrain.



**Issue Status: FINAL** 



Figure 2



Lansdowne Staircase and Trail **Geotechnical Investigation** City of Edmonton Project No.: 60577232 Date: 2018-05-09

£ ANSI

2 2 2 2 2 2 2 2

HELLERJ(201)



# Appendix **B**

## Testholes

- Testhole Logs
- Modified Unified Soil Classification Chart
- Explanation of Field and Laboratory Test Data
- General Statement; Normal Variability of Subsurface Conditions

| [                   | PROJECT: Lansdowne Staircase |      |                | sdowne Staircase   | CLIENT: City of Edmor            | CLIENT: City of Edmonton |             |          |         |              |                                       | TESTHOLE NO .: HA18-01 |               |  |  |
|---------------------|------------------------------|------|----------------|--|----------------------------------|--------------------------|-------------|----------|---------|--------------|---------------------------------------|------------------------|---------------|--|--|
|                     | LOCA                         | TION | I: Clo         | ser to top   | COORDINATES: Local               | N 5927955.3              | E 2         | 9948     | .6      |              | <b>PROJECT</b>                        | NO.: 60577232          |               |  |  |
|                     | CONT                         | RAC  | TOR:           |  | METHOD: Hand Auger               |                          |             |          |         |              | ELEVATIO                              | ON (m): 655.48         |               |  |  |
|                     | SAMP                         | LE T | YPE            | GRAB SHELBY  | TUBE SPLIT SPOC                  | N BU                     | LK          |          |         | $\square$    | NO RECOV                              |                        | -             |  |  |
|                     | DEPTH (m)                    | mUSC | SOIL SYMBOL    | SOIL DESC  | CRIPTION                         |                          | SAMPLE TYPE | SAMPLE # | PLASTIC | С М.<br>5 25 | .C. LIQUID                            | COMMENTS               | ELEVATION (m) |  |  |
| Ē                   | 0                            | OR   | <del>}}}</del> | TOPSOIL (100 mm) - silty, some clay, some root   | lets, brown, humid               |                          |             |          | :       |              |                                       |                        | -             |  |  |
| -                   | -1                           | CL   |                | CLAY - silty, sandy, trace gravel, trace oxidation,  | low plastic, stiff, brown, humid |                          |             | 1        |         | 17:2 · ·     | · · · · · · · · · · · · · · · · · · · |                        | 655           |  |  |
|                     | -2                           |      |                | - increasing clay content  |                                  |                          |             | 2        |         | .19.3<br>22. | 9                                     |                        | 654           |  |  |
|                     | 2                            |      |                | <ul> <li>hand augered to scheduled depth</li> <li>testhole open and dry upon completion</li> </ul> |                                  |                          |             |          |         |              |                                       |                        | 653 -         |  |  |
|                     | -3                           |      |                |  |                                  |                          |             |          |         |              |                                       |                        | 652           |  |  |
| 2@aecom.com         | _ E                          |      |                |  |                                  |                          |             |          |         |              |                                       |                        | 651 -         |  |  |
| /24/18 By:alex.tam: | -5                           |      |                |  |                                  |                          |             |          |         |              |                                       |                        | 650           |  |  |
| COC.GDT PRINT: 7    | -0                           |      |                |  |                                  |                          |             |          |         |              |                                       |                        | 649           |  |  |
| CASE.GPJ UMA_C      | -7                           |      |                |  |                                  |                          |             |          |         |              |                                       |                        | 648 -         |  |  |
| ANSDOWNE STAIR      | -8                           |      |                |  |                                  |                          |             |          |         |              |                                       |                        | 647           |  |  |
| HOLE 60577232 L/    | -9                           |      |                |  |                                  |                          |             |          |         |              |                                       |                        | 646           |  |  |
| TEST                | 10                           |      |                |  |                                  | LOGGED BY: E             | 3N          |          | •       |              | COMP                                  | LETION DEPTH: 2.00 m   |               |  |  |
| G OF                |                              |      |                | A=COM  |                                  | REVIEWED BY:             | : F/        | ١        | _       |              | COMP                                  | LETION DATE: 5/4/2018  |               |  |  |
| ŏ                   |                              |      |                |  |                                  | PROJECT MAN              | AG          | ER: S    | Sean Ma | acEoi        | n                                     | Page                   | 1 of 1        |  |  |

| PRO   | PROJECT: Lansdowne Staircase |      |             | sdowne Staircase   | CLIENT: City of Edmo            | onton          |             | TESTHOLE NO.: HA18-02 |                     |                                       |   |               |  |
|---|------------------------------|------|-------------|--|---------------------------------|----------------|-------------|-----------------------|---------------------|---------------------------------------|---|---------------|--|
| LOC   | CATI                         | ION  | : Clo       | ser to bottom  | COORDINATES: Loc                | al N 5927938.4 | E 2         | 9928                  | 3.7                 | PROJECT NO.: 60577232                 |   |               |  |
| CO  | NTR                          | AC   | TOR:        |  | METHOD: Hand Auge               | er             |             |                       |                     | ELEVATIO                              | N (m): 647.5  |               |  |
| SAN   | /IPLE                        | ΕT   | YPE         | GRAB SHELBY  | TUBE SPLIT SPC                  | DON BL         | JLK         |                       |                     | NO RECOVE                             |   |               |  |
| DEPTH (m)                                     |                              | mUSC | SOIL SYMBOL | SOIL DESC  | CRIPTION                        |                | SAMPLE TYPE | SAMPLE #              | PLASTIC M<br>12.5 2 | 1.C. LIQUID<br>5.0 37.5               | COMMENTS  | ELEVATION (m) |  |
| _ 0   | (                            | OR   | 3333        | TOPSOIL (130 mm) - silty, some rootlets, dark b  | rown, humid                     |                | -           |                       | :                   | · · ·                                 |   | :             |  |
| -<br>-<br>-<br>-<br>-<br>-<br>-<br>-          | (                            | СН   |             | CLAY - silty, sandy, trace gravel, trace oxidation,  | high plastic, firm, dark brown  | , humid        |             | 1                     |                     | 30.7                                  |   | 647 -         |  |
| Ē   |                              |      | $\square$   |  |                                 |                |             | 2                     | 22                  | 9                                     |   |               |  |
| -   |                              |      |             | SILT - clayey, trace sand, trace oxidation, non pl   | astic, firm, light brown, humid |                |             |                       |                     |                                       |   | 646 -         |  |
| -   |                              | ML   |             |  |                                 |                |             | 3                     | 12,4                | · · · · · · · · · · · · · · · · · · · | Sample 3:<br>Gravel - 0.0%  |               |  |
| -2<br>-<br>-<br>-<br>-<br>-                   |                              |      |             | END OF TESTHOLE at 2.00 mBGS<br>- hand augered to scheduled depth<br>- testhole open and dry upon completion |                                 |                |             |                       |                     | · · · · · · · · · · · · · · · · · · · | Sand - 7.2%<br>Silt - 70.7%<br>Clay - 22.1%<br>Resistivity - 550 ohm cm<br>Sulphate - 0.888%<br>Chloride - <0.0054% | 645 -         |  |
| 3<br>   |                              |      |             |  |                                 |                |             |                       |                     |                                       | . pn - 7.70   | 644 -         |  |
| n2@aecom.com<br>7 1 1 1 1 1 1 1<br>2          |                              |      |             |  |                                 |                |             |                       |                     |                                       |   | 643 -         |  |
| 7/24/18 By:alex.tar<br>7 1 1 1 1 1 1 1 1<br>0 |                              |      |             |  |                                 |                |             |                       |                     |                                       |   | 642 -         |  |
| COC.GDT PRINT:                                |                              |      |             |  |                                 |                |             |                       |                     | · · · · · · · · · · · · · · · · · · · |   | 641 —         |  |
| RCASE.GPJ UMA                                 |                              |      |             |  |                                 |                |             |                       |                     |                                       |   | 640 -         |  |
| ANSDOWNE STAI                                 |                              |      |             |  |                                 |                |             |                       |                     |                                       |   | 639 -         |  |
| HOLE 60577232 L.<br>T T T T T T T T T T T U   |                              |      |             |  |                                 |                |             |                       |                     | ·····                                 |   | 638 -         |  |
| TES   |                              |      |             |  |                                 | LOGGED BY:     | BN          | I                     | ·                   | COMPL                                 | ETION DEPTH: 2.00 m   | I             |  |
| G<br>F<br>O                                   |                              |      |             | A=CUM  |                                 | REVIEWED BY    | ': F/       | 4                     |                     | COMPL                                 | ETION DATE: 5/4/2018  |               |  |
| 9   |                              |      |             |  |                                 | PROJECT MAN    | VAG         | ER: S                 | Sean MacEo          | in                                    | Page  | 1 of 1        |  |



| PRC               | JJE  | CT:                   | Lan  | sdown       | e Staircase  | CLI   | ENT: City of Edmo                  | nton        |                              |           |              |   | TESTHOL   | E NO.: TH18-02  |               |
|-------------------|------|-----------------------|------|-------------|--|---|------------------------------------|-------------|------------------------------|-----------|--------------|---|---|---|---------------|
| LOC               | CAT  | ION                   | : To | p of Sl     | оре  | CO  | ORDINATES: Loca                    | al N 592796 | 65.                          | 9 E 2     | 29964        | .5  | PROJECT   | NO.: 60577232   |               |
| CON               | NTF  | RAC                   | TOR  | : Cana      | adian Geological Drillin   | g ME  | THOD: Solid Stem                   |             |                              |           |              |   | ELEVATIO  | N (m): 660.36   |               |
| SAN               | /IPL | E T                   | YPE  |             | GRAB   |   | SPLIT SPO                          | ON          |                              | BULK      |              |   |   |   |               |
| BAC               | CKF  | ILL -                 | ŢΥΡΙ | E, ,        | BENTONITE  | GRAVEL  | SLOUGH                             | •           |                              | GROL      | T            |   |   | SAND  |               |
| DEPTH (m)         |      | SLOTTED<br>PIEZOMETER | mUSC | SOIL SYMBOL | SC   | DIL DESCRII                                       | PTION                              |             | SAMPLE I YPE                 | SAMPLE #  | SPT (N)      | ◆ SPT (Star<br>(Bloy<br>25<br>PLASTIC<br>12.5 | ndard Pen Test) ♦<br>vs/300mm)<br>50 75<br>M.C. LIQUID<br>25.0 37.5 | COMMENTS  | ELEVATION (m) |
|                   |      |                       | OR   |             | CLAY - silty, sandy, some<br>plastic, firm, brown, humic           | , some rootlets, black,<br>rootlets, trace to som | humid<br>e oxidation, trace gravel | , high      |                              | 1         |              | 17.8  |   |   | 660 -         |
| -<br>1<br>1       |      |                       |      |             | - some sand, trace ice up  | to 10 mm diameter, no                             | o rootlets, firm, damp             | Z           |                              | 2         | 7            | •<br>•  | 35.2  | Sample 2:<br>Liquid Limit - 58.5%<br>Plastic Limit - 25.6%<br>Plasticity Index - 33.0%                                    | 650           |
| 2                 |      |                       |      |             | - decreasing sand content  |   |                                    |             |                              | 3         |              |   | 33.2  | Sand - 2.4%<br>Silt - 42.8%<br>Clay - 54.8%   |               |
|                   |      |                       |      |             |  |   |                                    |             | $\left\langle \right\rangle$ | 4         | 11           | <br>   <br>  ∳                                | 30,9  | Resistivity - 345 ohm cm<br>Sulphate - 0.132%<br>Chloride - 0.0057%<br>pH - 8.15  | 658 -         |
| 3                 |      |                       | СН   |             | - some oxidation, some sil<br>diameter                             | t pockets, trace to sor                           | ne black pockets 20 mm             | n           |                              | 5         |              |   | 29.8  |   | 657 -         |
| m2@aecom.com      |      |                       |      |             |  |   |                                    |             |                              | 6<br>7    | 13           |   | 29.5<br>34.7  |   | 656 -         |
| /18 By:alex.ta    |      |                       |      |             |  |   |                                    | -           |                              | 8         |              |   |   | <b>Sample 8:</b><br>Q <sub>u</sub> - 149 kPa<br>C <sub>u</sub> - 74.5 kPa   | 655 -         |
| C.GDT PRINT: 7/24 |      |                       | CL   |             | CLAY - silty, sandy, trace humid to damp                           | gravel, trace oxidation                           | , low plastic, very stiff, t       | prown,      | X                            | 9<br>10   | 26           | 17/1  | /   | Sample 9:<br>Resistivity - 731 ohm cm<br>Sulphate - 0.389%<br>Chloride - <0.00089%<br>pH - 7.61<br>Sample 10:             | 654           |
| SE.GPJ UMA_CO     |      |                       |      |             | - hard<br>CLAY - silty, some sand, t<br>low to medium plastic, har | race gravel, some oxid<br>d, brown, damp          | dation, some black inclu           | sions,      | X                            | 11        | 46           | 16/8  |   | Liquid Limit - 26.3%<br>Plastic Limit - 17.3%<br>Plasticity Index - 9.0%<br>Gravel - 2.6%<br>Sand - 30.0%<br>Silt - 48.3% | 653           |
| VE STAIRCAS       |      |                       |      |             |  |   |                                    |             |                              | 12        |              | •   |   | Clay - 19.1%  | 652           |
| 2 LANSDOWN        |      |                       | CL-C |             | - some sand pocket 20 mr<br>hard, dark brown                       | n diameter, some san                              | d layering 1 to 2 mm thi           | ck, very    | $\overline{\langle}$         | 13        | 73/<br>254mm | 17.7  | >>  | ◆   |               |
| HOLE 6057723      |      |                       |      |             |  |   |                                    |             |                              | 14        |              | 181   | · · · · · · /   |   | 651           |
| <u>10</u>         |      |                       | -    |             |  |   |                                    |             |                              | · /1      |              |   |   |   | -             |
| OF T              |      |                       |      |             | ΔΞΓ  |   |                                    | REVIEWE     | DE                           | <br>3Y: F | A            |   | COMPI   | ETION DATE: 5/4/2018  | 1             |
| POG               |      |                       |      |             |  |   |                                    | PROJECT     | M                            | ANAG      | BER: S       | Sean MacE                                     | oin   | Page  | 1 of 2        |

| Ρ   | PROJECT: Lansdowne Staircase CLIENT: City of Edmonto |                       |       |             | onton  |   |            |               | TI        | ESTHOLE     | NO.: TH18-02 |         |   |   |                      |  |
|---|--|-----------------------|-------|-------------|--|---|------------|---------------|-----------|-------------|--------------|---------|---|---|----------------------|--|
| L   | CA   | TION:                 | Тор   | of SI       | оре  |   | COORE      | DINATES: Loca | al N 5927 | 965         | .9 E 2       | 29964   | .5 P  | ROJECT I                                    | NO.: 60577232        |  |
| С   | ONT  | RACT                  | OR:   | Cana        | adian Geological Drilli  | ng  | METHC      | D: Solid Stem |           |             |              |         | E   | LEVATIO                                     | N (m): 660.36        |  |
| S   | AMP  | LE TY                 | ΈE    |             | GRAB   | SHELBY  | TUBE       | SPLIT SPO     | ON        |             | BULK         |         |   | O RECOVER                                   | RY CORE              |  |
| B   | ACK  | FILL T                | YPE   |             | BENTONITE  | GRAVEL  |            | SLOUGH        |           |             | GROL         | JT      | CI  | UTTINGS                                     | SAND                 |  |
|   | DEPTH (m)  | SLOTTED<br>PIEZOMETER | mUSC  | SOIL SYMBOL | S  | oil desc  | RIPT       | ON            |           | SAMPLE TYPE | SAMPLE #     | SPT (N) | ◆ SPT (Standard<br>(Blows/300<br>25 50<br>PLASTIC M.C.<br>12.5 25<br>18.3 | Pen Test) ♦<br>)mm)<br>75<br>LIQUID<br>37.5 | COMMENTS             | ELEVATION (m)  |
| - 1<br>-  | 0  |                       | CL-CI |             |  |   |            |               |           | X           | 15           | 83      |   | •   |                      |  |
| STAIRCASE.GPJ UMA_COC.GDT PRINT: 7/24/18 By:alex.tam2@aecom.com | 1<br>2<br>3<br>4<br>5<br>6<br>7<br>8                 |                       |       |             | END OF TESTHOLE at<br>- drilled to scheduled deg<br>- testhole open and dry u<br>- 50 mm diameter monito<br>- testhole dry on May 11,<br>- testhole dry on May 18, | 10.36 mBGS<br>th<br>pon completion<br>ring well installed<br>2018<br>2018 | l upon com | pletion       |           |             |              |         |   |   |                      | 649<br>649<br>648<br>647<br>647<br>644<br>644<br>643 |
| OWNE (  |  |                       |       |             |  |   |            |               |           |             |              |         |   |   |                      | 642 -  |
| TESTHOLE 60577232 LANSD(  | 9<br>20  |                       |       |             |  |   |            |               | LOGGEE    | ) BY        | : AT         |         |   | COMPLI                                      | ETION DEPTH: 10.36 m | 641  |
| Ч   |  |                       |       |             | Δ=Γ  |   |            |               | REVIEW    | ED I        | BY: F        | A       |   | COMPLI                                      | ETION DATE: 5/4/2018 |  |
| LOG   |  |                       |       |             |  |   |            |               | PROJEC    | ΤM          | ANAG         | GER: S  | Sean MacEoin  |   | Page                 | 2 of 2   |

| PROJECT: Lansdowne Staircase CLIENT: City |         |          |   |  |  | CLIENT: City of Edmo   | nton        |              |                |         |   | TESTHOLE   | NO.: TH18-03   |               |
|---|---------|----------|---|--|--|--|-------------|--------------|----------------|---------|---|--|--|---------------|
| LOC                                       | ATION   | I: Bo    | ottom of                                    | Slope  | (  | COORDINATES: Loca  | al N 592792 | 23.9         | 9 E 2          | 29910   | ).2   | PROJECT  | NO.: 60577232  |               |
| CON                                       | ITRAC   | TOR      | : Cana                                      | adian Geological Drillir   | igN  | METHOD: Solid Stem   |             | _            |                |         |   | ELEVATIO   | N (m): 641.61  |               |
| SAM                                       | 1PLE T  | YPE      |   | GRAB   |  |  | ON          | E            | BULK           |         |   | NO RECOVER   |  |               |
| BAC                                       | KFILL   | TYP      | E   | BENTONITE  | GRAVEL   | SLOUGH   |             |              | GROU           | Т       |   | CUTTINGS   | SAND   | 1             |
| DEPTH (m)                                 | SLOTTED | mUSC     | SOIL SYMBOL                                 | S  | DIL DESCF  | RIPTION  |             | SAMPLE I YPE | SAMPLE #       | SPT (N) | ◆ SPT (Stand<br>(Blows<br>25<br>PLASTIC N<br>12.5 2 | ard Pen Test) ♦<br>(300mm)<br>50 75<br>I.C. LIQUID<br>€.0 37.5 | COMMENTS   | ELEVATION (m) |
|   |         | OR       |   | TOPSOIL (150 mm) - silty<br>CLAY - silty, some sand,<br>some sand and silt lamina<br>- no rootlets<br>- decreasing silt and sand | <ul> <li>v, some rootlets, bla<br/>some rootlets, som<br/>ations, high plastic,</li> <li>layering</li> </ul> | ack, humid<br>e grey mottling, some blacł<br>stiff, brown, humid | < layering, | X            | 1<br>2<br>3    | 9       | 2<br>   | 54<br>26<br>7  | Sample 3:<br>Liquid Limit - 53.2%<br>Plastic Limit - 19.4%<br>Plasticity Index - 33.7%<br>Gravel - 0.2%  | 641           |
|   |         |          |   | - some oxidation, some lig   | ght brown silt pocke   | ts   |             |              | 4<br>5<br>6    | 12      |   | 26 2   | Sand - 12.9%<br>Silt - 37.7%<br>Clay - 49.2%<br>Sample 4:<br>$Q_u - 178 \text{ kPa}$<br>$C_u - 89 \text{ kPa}$<br>Sample 6:<br>Resistivity - 264 ohm cm<br>Sulphate - 1.25%<br>Chloride - <0.0020% | 639           |
| x.tam2@aecom.com                          |         | СН       |   | - moist  |  |  |             | X            | 7<br>8         | 11      |   | 26.9<br>5.6  | рН - 8.24  | 637 -         |
| CGDT PRINT: 7/24/18 By:ale                |         |          |   | - sandy, firm - increasing plasticity  |  |  |             |              | 9<br>10        | 8       |   | 28,4   | <b>Sample 10:</b><br>Liquid Limit - 65.1%<br>Plastic Limit - 17.1%<br>Plasticity Index - 48.0%   | 636           |
| STAIRCASE.GPJ UMA_COC                     |         |          |   | - some black mottling, so  | ne sand pockets, h<br>75 mm diameter   | ard  |             |              | 11             | 39      | 24<br>• 1725  | 32.2   |  | 634           |
| LE 60577232 LANSDOWNE S                   |         | SM       | 0.00.00.00.00<br>10.00.00.00<br>10.00.00.00 | SAND - silty, some clay, f   | ine grained, very de   | ense, dark grey, humid to d                                      | ry          | $\langle$    | 13<br>14<br>15 | 77      | 17:5<br>15  |  |  | 633 -         |
|   |         | <u>.</u> | 000   |  |  |  | k           | $\leq$       |                | 50/     |   |  |  |               |
| TE  |         |          |   |  |  |  | LOGGED E    | BŸ:          | AT             |         |   | COMPL  | ETION DEPTH: 10.36 m   |               |
| ð<br>g                                    |         |          |   | AEL  |  |  | REVIEWE     | DB           | BY: F          | A       |   | COMPL  | ETION DATE: 5/4/2018   | 4 6 6         |
| Ľ   |         |          |   |  |  |  | PROJECT     | MA           | ANAG           | ER: S   | Sean MacEo  | in   | Page   | 1 of 2        |

|                   | PROJ       | ECT:                  | Lans | down        | ne Staircase  | (  | CLIENT: City of                | Edmonton         |              |          |         |   | TESTHOLE   | NO.: TH18-03         |               |
|-------------------|------------|-----------------------|------|-------------|---|--|--------------------------------|------------------|--------------|----------|---------|---|--|----------------------|---------------|
|                   | LOCA       | TION:                 | Bot  | tom o       | f Slope   | (  | CORDINATES                     | : Local N 592792 | 23.          | 9 E 2    | 29910   | .2  | PROJECT  | NO.: 60577232        |               |
|                   | CONT       | RACT                  | OR:  | Can         | adian Geological Drilling   | Ν  | /IETHOD: Solid                 | Stem             |              |          |         |   | ELEVATIO   | N (m): 641.61        |               |
|                   | SAMF       | PLE TY                | ΈE   |             | GRAB  | SHELBY TU  | IBE 🛛 SPL                      | IT SPOON         |              | BULK     |         | $\square$   | NO RECOVER   | RY CORE              |               |
|                   | BACK       | FILL T                | YPE  |             | BENTONITE   | GRAVEL   | SLC                            | UGH              | •            | GROL     | Л       | $\square$   | CUTTINGS   | SAND                 |               |
|                   | DEPTH (m)  | SLOTTED<br>PIEZOMETER | mUSC | SOIL SYMBOL | SO  | IL DESCF   | RIPTION                        |                  | SAMPLE I YPE | SAMPLE # | SPT (N) | ◆ SPT (Standa<br>(Blows)<br>25 €<br>PLASTIC M<br>12 <u>4</u> 2 22 | ard Pen Test) ♦<br>300mm)<br>50 75<br>.C. LIQUID<br>5.0 37.5 | COMMENTS             | ELEVATION (m) |
|                   | _ 10       |                       |      | ØØ          | END OF TESTHOLE at 10   | 11 mBGS  |                                | >                | ≤            | 16       | 50mm    | •   |  |                      | -             |
|                   |            |                       |      |             | <ul> <li>- drilled to scheduled depth</li> <li>- testhole open and dry upo</li> <li>- 50 mm diameter monitorin</li> <li>- groundwater was at 8.9 mi</li> <li>- groundwater was at 8.1 mi</li> </ul> | n completion<br>g well installed u<br>BGS on May 11,<br>BGS on May 18, | oon completion<br>2018<br>2018 |                  |              |          |         |   |  |                      | 631 -         |
|                   | -          |                       |      |             |   |  |                                |                  |              |          |         |   |  |                      | 630 -         |
|                   | 12         |                       |      |             |   |  |                                |                  |              |          |         |   | · · · · · · · · · · · · · · · · · · ·                        |                      |               |
|                   | -          |                       |      |             |   |  |                                |                  |              |          |         |   |  |                      | 629 -         |
|                   | —13<br>    |                       |      |             |   |  |                                |                  |              |          |         |   | · · · · · · · · · · · · · · · · · · ·                        |                      | -             |
|                   |            |                       |      |             |   |  |                                |                  |              |          |         |   | · · · · · · · · · · · · · · · · · · ·                        |                      | 628 -         |
| 2@aecom.com       |            |                       |      |             |   |  |                                |                  |              |          |         |   |  |                      | 627 -         |
| 1/18 By:alex.tam  | - 13       |                       |      |             |   |  |                                |                  |              |          |         |   |  |                      | 626 -         |
| T PRINT: 7/24     | 16         |                       |      |             |   |  |                                |                  |              |          |         |   | · · · · · · · · · · · · · · · · · · ·                        |                      | -             |
| JMA_COC.GD        | <br>17<br> |                       |      |             |   |  |                                |                  |              |          |         |   |  |                      | 625           |
| RCASE.GPJ L       |            |                       |      |             |   |  |                                |                  |              |          |         |   |  |                      | 624 -         |
| <b>DWNE STAIR</b> |            |                       |      |             |   |  |                                |                  |              |          |         |   | · · · · · · · · · · · · · · · · · · ·                        |                      | -             |
| 232 LANSDC        | -19        |                       |      |             |   |  |                                |                  |              |          |         |   |  |                      | 623 -         |
| THOLE 60577.      | - 20       |                       |      |             |   |  |                                |                  |              |          |         |   | · · · · · · · · · · · · · · · · · · ·                        |                      | 622 -         |
| TES               | _~         |                       |      |             |   |  |                                | LOGGED E         | BY:          | : AT     |         |   | COMPL  | ETION DEPTH: 10.36 m |               |
| G OF              |            |                       |      |             | AELL  |  |                                | REVIEWED         | DE           | 3Y: F    | A       |   | COMPLI   | ETION DATE: 5/4/2018 |               |
| ŏ                 |            |                       |      |             |   |  |                                | PROJECT          | M/           | ANAG     | SER: S  | Sean MacEoi   | in   | Page                 | 2 of 2        |

|            | MAJOR DIVIS   | SION                     | LOG<br>SYMBOLS | MUCS             | TYPICAL DESC  | CRIPTION                              | LABOI<br>CLASSIFICA   | RATORY<br>TION CRITERIA   |
|------------|---|--------------------------|----------------|------------------|---|---------------------------------------|---|---|
|            |   |                          |                | GW               | WELL GRADED GRAVELS, LI                                     | TTLE OR NO FINES                      | $C_{U} \cdot \frac{D_{60}}{D_{10}} > 4$                     | $D_{c} \cdot \frac{(D_{30})^2}{D_{10} \times D_{60}} \cdot 1 \text{ to } 3$ |
|            | GRAVELS<br>(MORE THAN HALF  | (LITTLE OR NO<br>FINES)  |                | GP               | POORLY GRADED GRAVELS<br>MIXTURES, LITTLE OR NO FI          | AND GRAVEL-SAND<br>NES                | NOT MEETING ABO   | OVE REQUIREMENTS  |
|            | COARSE GRAINS<br>LARGER THAN<br>4.75 mm)  | DIRTY                    |                | GM               | SILTY GRAVELS, GRAVEL-S/                                    | AND-SILT MIXTURES                     | CONTENT OF  | ATTERBERG LIMITS<br>BELOW 'A' LINE<br>W <sub>P</sub> LESS THAN 4            |
|            |   | SOME FINES)              |                | GC               | CLAYEY GRAVELS, GRAVEL<br>MIXTURES                          | -SAND-CLAY                            | 12%   | ATTERBERG LIMITS<br>ABOVE 'A' LINE<br>W <sub>P</sub> MORE THAN 7            |
| NED        |   |                          |                | sw               | WELL GRADED SANDS, GRA<br>LITTLE OR NO FINES                | VELLY SANDS,                          | $C_{U} \cdot \frac{D_{60}}{D_{10}} > 6$                     | $D_c \cdot \frac{(D_{30})^2}{D_{10} \times D_{60}} \cdot 1 \text{ to } 3$   |
| E GRAI     | SANDS   | FINES)                   |                | SP               | POORLY GRADED SANDS, L                                      | ITTLE OR NO FINES                     | NOT MEETING AB  | OVE REQUIREMENTS  |
| COARS      | SMALLER THAN<br>4.75 mm)  |                          |                | SM               | SILTY SANDS, SAND-SILT MI                                   | XTURES                                | CONTENT OF  | ATTERBERG LIMITS<br>BELOW 'A' LINE<br>W <sub>P</sub> LESS THAN 4            |
|            |   | FINES)                   |                | sc               | CLAYEY SANDS, SAND-CLAY                                     | MIXTURES                              | 12%   | ATTERBERG LIMITS<br>ABOVE 'A' LINE<br>W <sub>P</sub> MORE THAN 7            |
|            | SILTS<br>(BELOW 'A' LINE  | W <sub>L</sub> < 50      |                | ML               | INORGANIC SILTS AND VER'<br>FLOUR, SILTY SANDS OF SL        | Y FINE SANDS, ROCK<br>IGHT PLASTICITY | CLASSIFICATIO<br>PLASTIC<br>(SEE                            | N IS BASED UPON<br>ITY CHART<br>BELOW)                                      |
|            | NEGLIGIBLE ORGANIC<br>CONTENT)  | W <sub>L</sub> > 50      |                | мн               | INORGANIC SILTS, MICACEC<br>DIATOMACEOUS FINE SAND          | OUS OR<br>Y OR SILTY SOILS            |   |   |
|            |   | W <sub>L</sub> < 30      |                | CL               | INORGANIC CLAYS OF LOW<br>GRAVELLY, SANDY, OR SILT<br>CLAYS | PLASTICITY,<br>Y CLAYS, LEAN          |   |   |
| ILS        | (ABOVE 'A' LINE<br>NEGLIGIBLE ORGANIC<br>CONTENT)   | 30 < W <sub>L</sub> < 50 |                | СІ               | INORGANIC CLAYS OF MEDI<br>SILTY CLAYS                      | UM PLASTICITY,                        |   |   |
| ED SO      |   | W <sub>L</sub> > 50      |                | сн               | INORGANIC CLAYS OF HIGH<br>CLAYS                            | PLASTICITY, FAT                       |   |   |
| GRAIN      | ORGANIC   | W <sub>L</sub> < 50      |                | OL               | ORGANIC SILTS AND ORGAN<br>LOW PLASTICITY                   | NIC SILTY CLAYS OF                    | WHENEVER THE N  |   |
| FINE       | (BELOW 'A' LINE)  | W <sub>L</sub> > 50      |                | он               | ORGANIC CLAYS OF HIGH P                                     | LASTICITY                             | IT IS DESIGNATED<br>E.G. SF IS A MIXT<br>SILT (             | D BY THE LETTER 'F'.<br>URE OF SAND WITH<br>DR CLAY                         |
|            | HIGHLY ORGAN  | IC SOILS                 |                | Pt               | PEAT AND OTHER HIGHLY C                                     | RGANIC SOILS                          | OFTEN FIBROUS TE  | DR ODOUR, AND<br>EXTURE   |
|            | BEDROC  | K                        |                | BR               | SEE REPORT DESCRIPTION                                      |                                       |   |   |
|            | 0   |                          |                |                  |   | SOIL COMPO                            |   | G RANGES OF   |
|            | 0   |                          |                |                  | FRACTION  |                                       |   | DE BY WEIGHT OF   |
|            |   |                          |                |                  | GRAVEL COARSE<br>FINE                                       | 75 19<br>19 4.75                      | PERCENT   |   |
|            |   | H H                      |                |                  | SAND COARSE<br>MEDIUM                                       | 4.75 2.00<br>2.00 0.425               | 50 - 35<br>5 35 - 20  | AND<br>Y  |
| NULLAN     | a we  |                          |                |                  | SILT (non plastic)  | 0.425 0.080                           | 20 - 10   | SOME  |
| 2          |   |                          |                |                  | CLAY (plastic)  | OVERSIZE MA                           |   | TRACE   |
| 1          |   | M                        | 70 60 50       | 107              | ROUNDED OR SUBRO<br>COBBLES 75 mm to 2<br>BOULDERS > 200    | DUNDED<br>200 mm<br>mm                | ANGULAR<br>ROCK FRAGMENTS<br>ROCKS > 0.75 m <sup>3</sup> IN | S > 75 mm<br>I VOLUME   |
|            | لك نم ت⊪ ≎  |                          |                |                  |   |                                       |   |   |
| NOTE<br>1. | BOUNDARY CLASSIFICAT<br>GROUPS ARE GIVEN GRO  | ION POSSESSING CH        | ARACTERISTICS  | OF TWO<br>GRADED |   |                                       |   | ATION   |
| L          | GROUPS ARE GIVEN GROUP STMBOLS, E.G. GW-GC IS A WELL GRADED<br>GRAVEL MIXTURE WITH CLAY BINDER BETWEEN 5% AND 12% |                          |                |                  | JUNE, 1995  |                                       |   |   |



## 1. Explanation of Field and Laboratory Test Data

The field and laboratory test results, as shown on the logs, are briefly described below.

#### 1.1 Natural Moisture Content and Atterberg Limits

The relationship between the natural moisture content and depth is significant in determining the subsurface moisture conditions. The Atterberg Limits for a sample should be compared to the natural moisture content and should be on the Plasticity Chart in order to determine their classification.

#### 1.2 Soil Profile and Description

Each soil stratum is classified and described noting any special conditions. The Modified Unified Soils Classification System (MUSCS) is used. The soil profile refers to the existing ground level. When available, the existing ground elevation is shown. The soil symbols used are shown in detail on the soil classification chart.

#### 1.3 Tests on Soil Samples

Laboratory and field tests on the logs are identified by the following:

- N (Standard Penetration Test (SPT) Blow Count) The SPT is conducted in the field to assess the in situ consistency of cohesive soils and the relative density of non-cohesive soils. The N value recorded is the number of blows from a 63.5 kg hammer dropped 760 mm which is required to drive a 51 mm split spoon sampler 300 mm into the soil.
- SO<sub>4</sub> (Water Soluble Sulphate Content) Conducted primarily to determine requirements for the use of sulphate resistant cement. Further details on the water soluble sulphate content are given in Section 1.6.
- $\gamma_{D}$  (Dry Unit Weight) kN/m<sup>3</sup> and  $\gamma_{T}$  (Total Unit Weight) kN/m<sup>3</sup>.
- **Q**<sub>U</sub> (Unconfined Compressive Strength) kPa May be used in determining allowable bearing capacity of the soil.
- C<sub>U</sub> (Undrained Shear Strength) kPa This value is determined by an unconfined compression test and may also be used in determining the allowable bearing capacity of the soil.
- **C**<sub>PEN</sub> (Pocket Penetrometer Reading) kPa Estimate of the undrained shear strength as determined by a pocket penetrometer.

The following tests may also be performed on selected soil samples and the results are given on the borehole logs: Grain Size Analysis; Standard or Modified Proctor Compaction Test; California Bearing Ratio; Unconfined Compression Test; Permeability Test; Consolidation Test; Triaxial Test



#### 1.4 Soil Density and Consistency

| Table 1.1       Cohesive Soils |             |                                |  |  |  |  |  |  |  |  |
|--------------------------------|-------------|--------------------------------|--|--|--|--|--|--|--|--|
| N                              | Consistency | C <sub>U</sub> (kPa) (approx.) |  |  |  |  |  |  |  |  |
| 0 - 1                          | Very Soft   | <10                            |  |  |  |  |  |  |  |  |
| 1 - 4                          | Soft        | 10 - 25                        |  |  |  |  |  |  |  |  |
| 4 - 8                          | Firm        | 25 - 50                        |  |  |  |  |  |  |  |  |
| 8 - 15                         | Stiff       | 50 - 100                       |  |  |  |  |  |  |  |  |
| 15 - 30                        | Very Stiff  | 100 - 200                      |  |  |  |  |  |  |  |  |
| 30 - 60                        | Hard        | 200 - 300                      |  |  |  |  |  |  |  |  |
| >60                            | Very Hard   | >300                           |  |  |  |  |  |  |  |  |

The SPT test described above may be used to estimate the consistency of cohesive soils and the density of cohesionless soils. These approximate relationships are summarized in the following tables:

| Tabl<br>Cohesion | e 1.2<br>Iless Soils |
|------------------|----------------------|
| N                | Density              |
| 0 - 5            | Very Loose           |
| 5 - 10           | Loose                |
| 10 - 30          | Compact              |
| 30 - 50          | Dense                |
| >50              | Very Dense           |

#### Sample Condition and Type 1.5

The depth, type, and condition of samples are indicated on the borehole logs by the following symbols:

Grab Sample 

A-Casing

 $\square$ Shelby Tube  $\square$ 

SPT Sample

 $\square$ No Recovery

Core Sample



#### 1.6 Water Soluble Sulphate Concentration

The following table from CSA Standard A23.1-94 indicates the requirements for concrete subjected to sulphate attack based upon the percentage of water soluble sulphate as presented on the borehole logs. CSA Standard A23.1-94 should be read in conjunction with the table.

| Table 1.3           Requirements for Concrete Subjected to Sulphate Attack |   |             |                |    |      |               |  |  |  |  |
|--|---|-------------|----------------|----|------|---------------|--|--|--|--|
| Class of<br>Exposure   | Water-Soluble     Sulphate (SO4)     Minimum     Maximum       Sulphate (SO4)     Sulphate (SO4)     Specified 28 d     Water/     Poil       Class of     Degree of     in Soil Sample     Samples     Strength     Materials     to       Exposure     %     mg/L     MPa†     Ratio†     U |             |                |    |      |               |  |  |  |  |
| S-1  | Very severe   | over 2.0    | over 10,000    | 35 | 0.40 | 50            |  |  |  |  |
| S-2  | Severe  | 0.20 - 2.0  | 1,500 - 10,000 | 32 | 0.45 | 50            |  |  |  |  |
| S-3  | Moderate  | 0.10 - 0.20 | 150 - 1,500    | 30 | 0.50 | 20§,40, or 50 |  |  |  |  |

- \* For sea water exposure see Clause 15.4
- † See Clause 15.1.4
- ‡ See Clause 15.1.5
- § Type 20 cement with moderate sulphate resistance (see Clause 3.1.2)

#### 1.7 Groundwater Table

The groundwater table is indicated by the equilibrium level of standing water in a standpipe installed in a borehole. This level is generally taken at least 24 hours after installation of the standpipe. The groundwater level is subject to seasonal variations and its highest level usually occurs in spring. The symbol on the borehole logs indicating the groundwater level is an inverted solid triangle ( $\underline{\phantom{v}}$ ).



#### AECOM Canada Ltd. General Statement; Normal Variability Of Subsurface Conditions

The scope of the investigation presented herein is limited to an investigation of the subsurface conditions as to suitability of the site for the proposed project. This report has been prepared to aid in the general evaluation of the site and to assist the design engineer in the conceptual design for the area. The description of the project presented in this report represents the understanding by the geotechnical engineer of the significant aspects of the project relevant to the design and construction of the subdivision, infrastructure and similar. In the event of any changes in the basic design or location of the structures, as outlined in this report or plan, AECOM should be given the opportunity to review the changes and to modify or reaffirm in writing the conclusions and recommendations of this report.

The analysis and recommendations represented in this report are based on the data obtained from the test holes drilled at the locations indicated on the site plans and from other information discussed herein. This report is based on the assumption that the subsurface conditions everywhere on the site are not significantly different from those encountered at the test locations. However, variations in soil conditions may exist between the test holes and, also, general groundwater levels and condition may fluctuate from time to time. The nature and extent of the variations may not become evident until construction. If subsurface conditions, different from those encountered in the test holes are observed or encountered during construction or appear to be present beneath or beyond the excavation, AECOM should be advised at once so that the conditions can be observed and reviewed and the recommendations reconsidered where necessary.

Since it is possible for conditions to vary from those identified at the test locations and from those assumed in the analysis and preparation of recommendations, a contingency fund should be included in the construction budget to allow for the possibility of variations which may result in modifications of the design and construction procedures.





# WATER CONTENT (ASTM D2216)

| CLIENT:               | City of Edmonton               |       |       |       |         |       |       |       |  |  |
|-----------------------|--------------------------------|-------|-------|-------|---------|-------|-------|-------|--|--|
| PROJECT:              | Lansdowne Staircase            |       |       |       |         |       |       |       |  |  |
| JOB No.:              | 60577232                       |       |       |       |         |       |       |       |  |  |
| DATE :                | May 11, 2018 TECHNICAN : GU/CK |       |       |       |         |       |       |       |  |  |
| HOLE No.              | TH18-01 TH18-02                |       |       |       |         |       |       |       |  |  |
| DEPTH                 |                                |       |       |       |         |       |       |       |  |  |
| SAMPLE No.            | 1                              | 2     | 3     | 4     | 5       | 6     | 1     | 2     |  |  |
| TARE No.              |                                |       |       |       |         |       |       |       |  |  |
| WT. SAMPLE WET + TARE | 508.5                          | 623.7 | 527.5 | 656.0 | 547.2   | 766.3 | 593.4 | 531.3 |  |  |
| WT. SAMPLE DRY + TARE | 429.9                          | 511.2 | 413.5 | 529.1 | 435.6   | 586.9 | 505.7 | 396.2 |  |  |
| WT. TARE              | 12.7                           | 12.7  | 12.7  | 12.7  | 12.7    | 12.7  | 12.7  | 12.7  |  |  |
| WATER CONTENT W%      | 18.8%                          | 22.6% | 28.4% | 24.6% | 26.4%   | 31.2% | 17.8% | 35.2% |  |  |
| HOLE No.              | TH18-02                        |       |       |       |         |       |       |       |  |  |
| DEPTH                 |                                |       |       |       |         |       |       |       |  |  |
| SAMPLE No.            | 3                              | 4     | 5     | 6     | 7       | 9     | 10    | 11    |  |  |
| TARE No.              |                                |       |       |       |         |       |       |       |  |  |
| WT. SAMPLE WET + TARE | 301.3                          | 355.1 | 597.7 | 576.9 | 558.9   | 328.8 | 389.6 | 484.1 |  |  |
| WT. SAMPLE DRY + TARE | 229.3                          | 274.2 | 463.4 | 448.5 | 418.1   | 282.7 | 349.5 | 403.6 |  |  |
| WT. TARE              | 12.7                           | 12.7  | 12.7  | 12.7  | 12.7    | 12.7  | 12.7  | 12.7  |  |  |
| WATER CONTENT W%      | 33.2%                          | 30.9% | 29.8% | 29.5% | 34.7%   | 17.1% | 11.9% | 20.6% |  |  |
| HOLE No.              | TH18-02                        |       |       |       | TH18-03 |       |       |       |  |  |
| DEPTH                 |                                |       |       |       |         |       |       |       |  |  |
| SAMPLE No.            | 12                             | 13    | 14    | 15    | 1       | 2     | 3     | 5     |  |  |
| TARE No.              |                                |       |       |       |         |       |       |       |  |  |
| WT. SAMPLE WET + TARE | 423.6                          | 627.1 | 565.3 | 612.0 | 699.2   | 676.5 | 649.5 | 360.6 |  |  |
| WT. SAMPLE DRY + TARE | 364.4                          | 534.8 | 480.6 | 519.5 | 560.0   | 539.5 | 519.2 | 289.1 |  |  |
| WT. TARE              | 12.7                           | 12.7  | 12.7  | 12.7  | 12.7    | 12.7  | 12.7  | 12.7  |  |  |
| WATER CONTENT W%      | 16.8%                          | 17.7% | 18.1% | 18.3% | 25.4%   | 26.0% | 25.7% | 25.9% |  |  |
| HOLE No.              | TH18-03                        |       |       |       |         |       |       |       |  |  |
| DEPTH                 |                                |       |       |       |         | 22.5' |       |       |  |  |
| SAMPLE No.            | 6                              | 7     | 8     | 9     | 10      | 11    | 12    | 13    |  |  |
| TARE No.              |                                |       |       |       |         |       |       |       |  |  |
| WT. SAMPLE WET + TARE | 372.5                          | 478.4 | 605.2 | 555.7 | 604.4   | 560.2 | 631.4 | 563.8 |  |  |
| WT. SAMPLE DRY + TARE | 297.7                          | 379.7 | 484.4 | 435.6 | 473.6   | 426.7 | 510.6 | 481.8 |  |  |
| WT. TARE              | 12.7                           | 12.7  | 12.7  | 12.7  | 12.7    | 12.7  | 12.7  | 12.7  |  |  |
| WATER CONTENT W%      | 26.2%                          | 26.9% | 25.6% | 28.4% | 28.4%   | 32.2% | 24.3% | 17.5% |  |  |



# WATER CONTENT (ASTM D2216)

| CLIENT:               | City of Edmonton               |       |       |         |       |       |  |   |  |
|-----------------------|--------------------------------|-------|-------|---------|-------|-------|--|---|--|
| PROJECT:              | Lansdowne Staircase            |       |       |         |       |       |  |   |  |
| JOB No.:              | 60577232                       |       |       |         |       |       |  |   |  |
| DATE :                | May 11, 2018 TECHNICAN : GU/CK |       |       |         |       |       |  |   |  |
| HOLE No.              | TH18-03                        |       |       |         |       |       |  |   |  |
| DEPTH                 |                                |       |       |         |       |       |  |   |  |
| SAMPLE No.            | 14                             | 15    | 16    |         |       |       |  |   |  |
| TARE No.              |                                |       |       |         |       |       |  |   |  |
| WT. SAMPLE WET + TARE | 563.8                          | 636.8 | 597.1 |         |       |       |  |   |  |
| WT. SAMPLE DRY + TARE | 481.8                          | 555.5 | 524.3 |         |       |       |  |   |  |
| WT. TARE              | 12.7                           | 12.7  | 12.7  |         |       |       |  |   |  |
| WATER CONTENT W%      | 17.5%                          | 15.0% | 14.2% |         |       |       |  |   |  |
| HOLE No.              | HA18-01                        |       |       | HA18-02 |       |       |  |   |  |
| DEPTH                 |                                |       |       |         |       |       |  |   |  |
| SAMPLE No.            | 1                              | 2     | 3     | 1       | 2     | 3     |  |   |  |
| TARE No.              |                                |       |       |         |       |       |  |   |  |
| WT. SAMPLE WET + TARE | 586.8                          | 538.3 | 469.4 | 211.4   | 165.3 | 209.7 |  |   |  |
| WT. SAMPLE DRY + TARE | 502.6                          | 453.3 | 384.3 | 164.7   | 136.9 | 188.0 |  |   |  |
| WT. TARE              | 12.7                           | 12.7  | 12.7  | 12.7    | 12.7  | 12.7  |  |   |  |
| WATER CONTENT W%      | 17.2%                          | 19.3% | 22.9% | 30.7%   | 22.9% | 12.4% |  |   |  |
| HOLE No.              |                                |       |       |         |       |       |  |   |  |
| DEPTH                 |                                |       |       |         |       |       |  |   |  |
| SAMPLE No.            |                                |       |       |         |       |       |  |   |  |
| TARE No.              |                                |       |       |         |       |       |  |   |  |
| WT. SAMPLE WET + TARE |                                |       |       |         |       |       |  |   |  |
| WT. SAMPLE DRY + TARE |                                |       |       |         |       |       |  |   |  |
| WT. TARE              |                                |       |       |         |       |       |  |   |  |
| WATER CONTENT W%      |                                |       |       |         |       |       |  |   |  |
| HOLE No.              |                                |       |       |         |       |       |  |   |  |
| DEPTH                 |                                |       |       |         |       |       |  |   |  |
| SAMPLE No.            |                                |       |       |         |       |       |  |   |  |
| TARE No.              |                                |       |       |         |       |       |  | ļ |  |
| WT. SAMPLE WET + TARE |                                |       |       |         |       |       |  |   |  |
| WT. SAMPLE DRY + TARE |                                |       |       |         |       |       |  |   |  |
| WT. TARE              |                                |       |       |         |       |       |  |   |  |
| WATER CONTENT W%      |                                |       |       |         |       |       |  |   |  |

# **ATTERBERG LIMITS (ASTM D4318)**



|                   |                     |             |                |        |          | 0 |          |
|-------------------|---------------------|-------------|----------------|--------|----------|---|----------|
| CLIENT :          | City of Edmonton    |             |                |        |          |   |          |
| PROJECT :         | Lansdowne Staircase |             |                |        |          |   |          |
| JOB No. :         | 60577232            |             |                |        |          |   |          |
| LOCATION :        |                     |             | SAMPLE:        |        | 2        |   |          |
| TESTHOLE:         | 18-01               |             | DEPTH :        |        |          |   |          |
| DATE :            | May 15, 2018        |             | TECHNICIA      | N :    | GU       |   |          |
|                   |                     | LIQUID LI   | MIT            |        |          |   |          |
| Trial No.         |                     | 1           |                |        |          |   |          |
| Number of Blows   |                     | 20          |                |        |          |   |          |
| Container Number  | r                   |             |                |        |          | 1 | l        |
| Wt. Sample (wet+  | tare)(g)            | 53.12       |                |        |          | ĺ |          |
| Wt. Sample (dry+f | are)(g)             | 38.89       |                |        |          | ĺ |          |
| Wt. Tare (g)      |                     | 16.22       |                |        |          |   |          |
| Wt. Dry Soil (g)  |                     | 22.7        |                |        |          | ĺ |          |
| Wt. Water (g)     |                     | 14.2        |                |        |          |   |          |
| Water Content (%  | .)                  | 62.8%       |                |        |          |   |          |
|                   | AVERAGE VALUES      |             |                | PLASTI | IC LIMIT |   |          |
| Liquid Limit      | 61.1                | Trial No.   |                |        | 1        |   |          |
| Plastic Limit     | 22.2                | Container N | lumber         |        |          |   |          |
| Plasticity Index  | 38.9                | Wt. Sample  | e (wet+tare)(ç | 3)     | 32.16    |   |          |
| SAI               | MPLE DESCRIPTION    | Wt. Sample  | e (dry+tare)(g | J)     | 28.52    | ĺ |          |
|                   |                     | Wt. Tare (g | )              |        | 12.09    |   |          |
| Classification    | : CH                | Wt. Dry Soi | l (g)          |        | 16.4     |   |          |
|                   |                     | Wt. Water ( | (g)            |        | 3.6      |   | <u> </u> |
|                   |                     | Water Cont  | ent (%)        |        | 22.2%    |   |          |
|                   |                     |             |                |        |          |   |          |
| 60                |                     |             |                |        |          |   |          |
|                   |                     |             |                |        |          |   |          |
| 50                |                     |             |                |        |          |   |          |
| 50                |                     |             |                |        |          |   |          |
|                   |                     |             |                |        |          |   |          |





# **GRAIN SIZE ANALYSIS (ASTM D422)**

AECOM Canada Ltd. Materials Testing Lab Bay#14-1511 Highfield Cres.SE Calgary, Alberta T2G 5M4

| CLIENT :            | City of Edmonton | l              |            |               |                        |                     |                       |         |
|---------------------|------------------|----------------|------------|---------------|------------------------|---------------------|-----------------------|---------|
| PROJECT :           | Lansdowne Staire | case           |            |               |                        |                     |                       |         |
| JOB No. :           | 60577232         |                |            |               |                        |                     |                       |         |
| LOCATION :          |                  |                |            |               | SAMPLE:                |                     | 2                     |         |
| TESTHOLE:           | 18-01            |                |            |               | DEPTH :                |                     |                       |         |
| DATE :              | May 14, 2018     |                |            |               | TECHNICIAN :           |                     | GU                    |         |
| Ditte: May 11, 2010 |                  |                | SIZE OF    | OPENING       |                        |                     |                       |         |
| TOTAL DRY WEIGHT (  | OF SAMPLE        | SIEVE NO. (µm) | APPROX.    | mm            | WEIGHT<br>RETAINED (a) | PERCENT<br>RETAINED | PERCENT FINER<br>THAN | REMARKS |
|                     |                  |                | INCHES     |               |                        |                     |                       |         |
| Before Washing      |                  | 150,000        | 6          | 150.0         |                        | 0%                  | 100%                  |         |
| Wet + Tare          |                  | 75,000         | 3          | 75.0          |                        | 0%                  | 100%                  |         |
| Dry+Tare            | 603.8            | 50,000         | 2          | 50.0          |                        | 0%                  | 100%                  |         |
| Tare                | 100.0            | 40,000         | 1 1/2      | 40.0          |                        | 0%                  | 100%                  |         |
| Wt. Dry             | 503.8            | 25,000         | 1          | 25.0          |                        | 0%                  | 100%                  |         |
| Moisture Content    |                  | 20,000         | 3/4        | 20.0          |                        | 0%                  | 100%                  |         |
| Wet + Tare          |                  | 16,000         | 5/8        | 16.0          |                        | 0%                  | 100%                  |         |
| Dry+Tare<br>        |                  | 12,500         | 1/2        | 12.5          |                        | 0%                  | 100%                  |         |
| lare                |                  | 10,000         | 3/8        | 10.0          |                        | 0%                  | 100%                  |         |
| MC (%)              | Passing          | 5,000          | 0.185      | 5.0           | 6.7                    | 1%                  | 98.7%                 |         |
| After Washing       |                  | 2,000          | 0.0937     | 2.0           | 12.6                   | 3%                  | 97.5%                 |         |
| Wt. Dry+Tare        |                  | 1,250          | 0.0469     | 1.25          | 18.5                   | 4%                  | 96.3%                 |         |
| Tare                |                  | 630            | 0.0234     | 0.63          | 26.4                   | 5%                  | 94.8%                 |         |
| Wt. Dry             |                  | 315            | 0.0116     | 0.315         | 38.1                   | 8%                  | 92.4%                 |         |
| Tare No.            |                  | 160            | 0.0059     | 0.160         | 59.8                   | 12%                 | 88.1%                 |         |
|                     |                  | 75             | 0.00295    | 0.075         | 70.6                   | 14%                 | 86.0%                 |         |
|                     |                  | PAN            |            |               |                        |                     |                       |         |
| HYDROMETER I        | DATA             | READING        | TIME (min) | DIAMETER (mm) | TEMP. (°C)             | CORR. READING       | PERCENT FINER<br>THAN | REMARKS |
| Wt Dry+Tare         | 603.8            | 48             | 0.5        | 0.052         | 25                     | 44                  | 85.4%                 |         |
| Wt Tare             | 100.0            | 47             | 1          | 0.037         | 25                     | 44                  | 84.5%                 |         |
| Wt Dry              | 503.8            | 47             | 2          | 0.026         | 25                     | 43                  | 83.5%                 |         |
| Sample Size :       | 50               | 46             | 5          | 0.017         | 25                     | 43                  | 82.5%                 |         |
| Wt Retained 2 mm:   | 12.6             | 46             | 15         | 0.010         | 25                     | 42                  | 81.6%                 |         |
| % Passing 2 mm:     | 97.5%            | 44             | 30         | 0.007         | 25                     | 41                  | 78.7%                 |         |
| Specific Gravity :  | 2.70             | 42             | 60         | 0.005         | 25                     | 39                  | 74.8%                 |         |
| Hydrometer No.:     | 43-9856          | 38             | 120        | 0.004         | 25                     | 35                  | 67.1%                 |         |
| Solution (g/L):     | 40               | 35             | 240        | 0.003         | 25                     | 32                  | 61.3%                 |         |
|                     |                  | 29             | 1440       | 0.001         | 24                     | 25                  | 48.3%                 |         |
|                     |                  | 26             | 2880       | 0.001         | 24                     | 23                  | 43.4%                 |         |

# **GRAIN SIZE ANALYSIS (ASTM D422)**

AECOM Canada Ltd. Materials Testing Lab Bay#14-1511 Highfield Cres.SE Calgary, Alberta T2G 5M4


# **ATTERBERG LIMITS (ASTM D4318)**



|                   |                     | •           |                | -     |           | Calgary, Alberta | 120 31014 |
|-------------------|---------------------|-------------|----------------|-------|-----------|------------------|-----------|
| CLIENT :          | City of Edmonton    |             |                |       |           |                  |           |
| PROJECT :         | Lansdowne Staircase |             |                |       |           |                  |           |
| JOB No. :         | 60577232            |             |                |       |           |                  |           |
| LOCATION :        |                     |             | SAMPLE:        |       | 2         |                  | l         |
| TESTHOLE:         | 18-02               |             | DEPTH :        |       |           |                  |           |
| DATE :            | May 15, 2018        |             | TECHNICIA      | N :   | GU        |                  |           |
|                   |                     | LIQUID L    | .IMIT          |       |           |                  |           |
| Trial No.         |                     | 1           |                |       |           | <u> </u>         |           |
| Number of Blows   |                     | 23          | T I            |       | T         |                  |           |
| Container Number  |                     |             |                | l     |           |                  | ļ         |
| Wt. Sample (wet+t | tare)(g)            | 53.71       |                | l     |           |                  | I         |
| Wt. Sample (dry+t | are)(g)             | 39.83       |                | l     |           |                  | I         |
| Wt. Tare (g)      |                     | 16.36       |                |       |           |                  | I         |
| Wt. Dry Soil (g)  |                     | 23.5        |                | l     |           |                  | I         |
| Wt. Water (g)     |                     | 13.9        |                |       | <u> </u>  |                  |           |
| Water Content (%) | )                   | 59.1%       |                |       |           |                  |           |
| A                 | VERAGE VALUES       |             |                | PLAST | TIC LIMIT |                  |           |
| Liquid Limit      | 58.5                | Trial No.   |                |       | 1         |                  |           |
| Plastic Limit     | 25.6                | Container N | Number         |       |           |                  |           |
| Plasticity Index  | 33.0                | Wt. Sample  | e (wet+tare)(g | 3)    | 31.90     |                  |           |
| SAM               | VPLE DESCRIPTION    | Wt. Sample  | e (dry+tare)(g | ı)    | 27.91     |                  |           |
|                   |                     | Wt. Tare (g | 3)             |       | 12.32     |                  |           |
| Classification:   | СН                  | Wt. Dry So  | il (g)         |       | 15.6      |                  |           |
|                   |                     | Wt. Water   | (g)            |       | 4.0       |                  |           |
|                   |                     | Water Con   | tent (%)       |       | 25.6%     |                  |           |
|                   |                     |             |                |       |           |                  |           |
| 60                |                     |             |                |       |           |                  |           |
|                   |                     |             |                |       |           |                  |           |
| 50                |                     |             |                |       |           |                  |           |
| 50                |                     |             |                |       |           |                  |           |
|                   |                     |             |                |       |           |                  |           |
| <b>Ŭ</b> 40 +−−   |                     |             |                | •     |           |                  | -         |
|                   |                     |             | 1              |       |           |                  |           |
| 20 –              |                     |             |                |       |           |                  |           |
|                   |                     |             |                |       |           |                  |           |
|                   |                     | CI          |                |       |           |                  |           |
|                   |                     |             |                |       |           |                  |           |
| L .               | CL                  |             |                | МН    |           |                  |           |
| 10                |                     |             |                |       |           |                  | -         |
|                   | CL-ML               | ML          |                |       |           |                  |           |
| 0 —               |                     |             | <u> </u>       |       |           |                  |           |

LIQUID LIMIT <sup>60</sup>



AECOM Canada Ltd. Materials Testing Lab Bay#14-1511 Highfield Cres.SE Calgary, Alberta T2G 5M4

| CLIENT :           | City of Edmonton | L              |                      |               |              |               |                 |         |
|--------------------|------------------|----------------|----------------------|---------------|--------------|---------------|-----------------|---------|
| PROJECT :          | Lansdowne Staire | case           |                      |               |              |               |                 |         |
| JOB No. :          | 60577232         |                |                      |               |              |               |                 |         |
| LOCATION :         |                  |                |                      |               | SAMPLE:      |               | 2               |         |
| TESTHOLE:          | 18-02            |                |                      |               | DEPTH :      |               |                 |         |
| DATE :             | May 14, 2018     |                |                      |               | TECHNICIAN : |               | GU              |         |
|                    |                  |                | SIZE OF              | OPENING       | WEIGUT       | DEDOENT       |                 |         |
| TOTAL DRY WEIGHT   | OF SAMPLE        | SIEVE NO. (µm) | APPROX.<br>INCHES    | mm            | RETAINED (g) | RETAINED      | THAN            | REMARKS |
| Before Washing     |                  | 150,000        | 6                    | 150.0         |              | 0%            | 100%            |         |
| Wet + Tare         |                  | 75,000         | 3                    | 75.0          |              | 0%            | 100%            |         |
| Dry+Tare           | 488.4            | 50,000         | 2                    | 50.0          |              | 0%            | 100%            |         |
| Tare               | 100.0            | 40,000         | 1 1/2                | 40.0          |              | 0%            | 100%            |         |
| Wt. Dry            | 388.4            | 25,000         | 1                    | 25.0          |              | 0%            | 100%            |         |
| Moisture Content   |                  | 20,000         | 3/4                  | 20.0          |              | 0%            | 100%            |         |
| Wet + Tare         |                  | 16,000         | 5/8                  | 16.0          |              | 0%            | 100%            |         |
| Dry+Tare<br>       |                  | 12,500         | 1/2                  | 12.5          |              | 0%            | 100%            |         |
| lare               |                  | 10,000         | 3/8                  | 10.0          |              | 0%            | 100%            |         |
| MC (%)             | Passing          | 5,000          | 0.185                | 5.0           |              | 0%            | 100%            |         |
| After Washing      |                  | 2,000          | 0.0937               | 2.0           |              | 0%            | 100%            |         |
| Wt. Dry+Tare       |                  | 1,250          | 0.0469               | 1.25          | 0.8          | 0%            | 99.8%           |         |
| Tare               |                  | 630            | 0.0234               | 0.63          | 1.6          | 0%            | 99.6%           |         |
| Wt. Dry            |                  | 315            | 0.0116               | 0.315         | 2.3          | 1%            | 99.4%           |         |
| Tare No.           |                  | 160            | 0.0059               | 0.160         | 5.4          | 1%            | 98.6%           |         |
|                    |                  | 75             | 0.00295              | 0.075         | 9.3          | 2%            | 97.6%           |         |
|                    |                  | FAN            |                      |               |              |               | PERCENT FINER   |         |
| HYDROMETER         | R DATA           | READING        | TIME (min)           | DIAMETER (mm) | TEMP. (°C)   | CORR. READING | THAN            | REMARKS |
| Wt Dry+Tare        | 488.4            | 53             | 0.5                  | 0.050         | 25           | 49            | 97.5%           |         |
| Wt Tare            | 100.0            | 52             | 1                    | 0.035         | 25           | 49            | 96.5%           |         |
| Wt Dry             | 388.4            | 51             | 2                    | 0.025         | 25           | 48            | 94.5%           |         |
| Sample Size :      | 50               | 49             | 5                    | 0.016         | 25           | 46            | 90.6%           |         |
| Wt Retained 2 mm:  | 0.0              | 47             | 15                   | 0.010         | 25           | 44            | 80.0%           |         |
| % Passing 2 mm:    | 100.0%           | 43             | 30                   | 0.007         | 25           | 40            | 78.7%<br>74.70/ |         |
| Specific Gravity : | 43 0856          | 41             | 120                  | 0.005         | 25           | 30            | 74.7%<br>68.8%  |         |
| Solution (all):    | 40-900<br>AU     | 30<br>24       | 120                  | 0.004         | 20           | 35            | 00.0%<br>60.0%  |         |
| Solution (g/L).    | 40               | 34<br>20       | 240<br>1 <i>11</i> 0 | 0.003         | 20           | 31            | 00.9%<br>AR 5%  |         |
|                    |                  | 26             | 2880                 | 0.001         | 24 24        | 23            | 44.6%           |         |

AECOM Canada Ltd. Materials Testing Lab Bay#14-1511 Highfield Cres.SE Calgary, Alberta T2G 5M4

Δ=ΓΟΝ



## **UNCONFINED COMPRESSION TEST** (ASTM-D2166)



| CLIENT :         | City of Edmor | nton      |                          |                      |              |                            |                            |
|------------------|---------------|-----------|--------------------------|----------------------|--------------|----------------------------|----------------------------|
| PROJECT :        | Lansdowne S   | taircase  |                          |                      |              |                            |                            |
| JOB No. :        | 60577232.000  | 00        |                          |                      |              |                            |                            |
| LOCATION :       |               |           |                          |                      | SAMPLE:      | 8                          |                            |
| BOREHOLE:        | TH18-02       |           |                          |                      | DEPTH :      | 17.5'                      |                            |
| DATE :           | May 14, 2018  |           |                          |                      | TECHNICIAN : | СК                         |                            |
| DENSIT           | Y DETERMIN    | ATION     | N                        | ATER CONTI           | ENT          | SAM                        | PLE DESCRIPTION            |
| Wt. Sample (g    | )             | 1007.6    | Tare Numbe               | r                    |              | CLAY - silty, tr           | ace sand, stiff, yellowish |
| Initial Length ( | mm)           | 147.7     | Wt. Sample               | (wet+tare) (g)       | 916.6        | orange                     |                            |
| Initial Diamete  | r (mm)        | 72.5      | Wt. Sample               | (drv+tare)(q)        | 793.8        |                            |                            |
| Wet Unit Weig    | ht (kN/m³)    | 16.2      | Wt. Tare (q)             | ( ) /(0/             | 198.5        |                            |                            |
| Dry Unit Weigh   | nt (kN/m³)    | 13.4      | Water Conte              | ent (%)              | 20.6%        |                            |                            |
|                  | LOAD DATA     |           | FAILURE DATA FAILURE MOD |                      |              | AILURE MODE                |                            |
| Ring #           |               | 3491      | Load (N)                 |                      | 645          | 45 <sup>0</sup> crack in m | iddle with some vertical   |
| Gears Used       |               | Humbolt   | % Strain :               |                      | 4.6%         | cracking                   |                            |
| Loading Rate     |               | .055"/min | Corrected G              | 0 <sub>∪</sub> (kPa) | 149          |                            |                            |
| Ŭ,               | l oad Dial    |           | Strain Dial              |                      |              |                            |                            |
| Time (min)       | (0.0001")     | Load (N)  | (0.001")                 | Strain (%)           | Area (mm²)   | Q <sub>∪</sub> (kPa)       | Comments                   |
| 0                | 0             | 0         | 1000                     | 0.0%                 | 4128         | 0.0                        |                            |
| 0.25<br>0.5      | 9.5<br>14     | 27<br>41  | 987<br>972               | 0.2%<br>0.5%         | 4137<br>4148 | 6.6<br>9.8                 |                            |
| 0.75             | 18            | 51        | 957                      | 0.7%                 | 4159         | 12.3                       |                            |
| 1                | 23<br>37      | 65<br>102 | 943<br>015               | 1.0%<br>1.5%         | 4169<br>4180 | 15.5                       |                            |
| 2                | 59            | 161       | 889                      | 1.9%                 | 4209         | 38.3                       |                            |
| 2.5              | 91<br>120     | 248       | 863                      | 2.4%                 | 4228         | 58.7                       |                            |
| 3.5              | 175           | 470       | 812                      | 3.2%                 | 4266         | 110.1                      |                            |
| 4                | 210           | 564       | 787                      | 3.7%                 | 4285         | 131.5                      |                            |
| 4.5<br>5         | 237<br>240    | 645       | 731                      | 4.1%                 | 4305         | 147.9                      |                            |
| 5.5              | 208           | 558       | 695                      | 5.2%                 | 4357         | 128.1                      |                            |
|                  |               |           |                          |                      |              |                            |                            |
|                  |               |           |                          |                      |              |                            |                            |
|                  |               |           |                          |                      |              |                            |                            |
|                  |               |           |                          |                      |              |                            |                            |
|                  |               |           |                          |                      |              |                            |                            |
|                  |               |           |                          |                      |              |                            |                            |
|                  |               |           |                          |                      |              |                            |                            |
|                  |               |           |                          |                      |              |                            |                            |
|                  |               |           |                          |                      |              |                            |                            |
|                  |               |           |                          |                      |              |                            |                            |
|                  |               |           |                          |                      |              |                            |                            |
|                  |               |           |                          |                      |              |                            |                            |
|                  |               |           |                          |                      |              |                            |                            |
|                  |               |           |                          |                      |              |                            |                            |
|                  |               |           |                          |                      |              |                            |                            |
|                  |               |           |                          |                      |              |                            |                            |
|                  |               |           |                          |                      |              |                            |                            |
|                  |               |           |                          |                      |              |                            |                            |

## **UNCONFINED COMPRESSION TEST (ASTM D2166)**

AECOM Canada Ltd. Materials Testing Lab Bay#14-1511 Highfield Cres.SE Calgary, Alberta T2G 5M4



FORM : CoE Lansdowne 18-02 #8 UCS.xls DATE: 5/15/2018

# ATTERBERG LIMITS (ASTM D4318)



|                  |                     | -                        |               | Calgary, Alberta 120 Jul+ |
|------------------|---------------------|--------------------------|---------------|---------------------------|
| CLIENT :         | City of Edmonton    |                          |               |                           |
| PROJECT :        | Lansdowne Staircase |                          |               |                           |
| JOB No. :        | 60577232            |                          |               |                           |
| LOCATION :       |                     | SAMPLE:                  | 10            |                           |
| TESTHOLE:        | 18-02               | DEPTH :                  |               |                           |
| DATE :           | May 15, 2018        | TECHNICIAN :             | : СК          |                           |
|                  |                     | LIQUID LIMIT             |               |                           |
| Trial No.        |                     | 1                        |               |                           |
| Number of Blows  | 3                   | 31                       |               | $\top$                    |
| Container Numbe  | er                  |                          |               |                           |
| Wt. Sample (wet  | .+tare)(g)          | 50.43                    |               |                           |
| Wt. Sample (dry- | +tare)(g)           | 42.62                    |               |                           |
| Wt. Tare (g)     |                     | 12.16                    |               |                           |
| Wt. Dry Soil (g) |                     | 30.5                     |               |                           |
| Wt. Water (g)    |                     | 7.8                      |               |                           |
| Water Content (? | %)                  | 25.6%                    |               |                           |
|                  | AVERAGE VALUES      |                          | PLASTIC LIMIT |                           |
| Liquid Limit     | 26.3                | Trial No.                | 1             | Τ                         |
| Plastic Limit    | 17.3                | Container Number         |               |                           |
| Plasticity Index | 9.0                 | Wt. Sample (wet+tare)(g) | 33.45         |                           |
| S/               | AMPLE DESCRIPTION   | Wt. Sample (dry+tare)(g) | 30.71         |                           |
|                  |                     | Wt. Tare (g)             | 14.85         |                           |
| Classification   | n: CL               | Wt. Dry Soil (g)         | 15.9          |                           |
|                  |                     | Wt. Water (g)            | 2.7           |                           |
|                  |                     | Water Content (%)        | 17.3%         |                           |
|                  |                     |                          |               |                           |
| 60               |                     |                          |               |                           |
|                  |                     |                          |               |                           |
|                  |                     |                          |               |                           |
| 50 —             |                     |                          |               |                           |
|                  |                     |                          |               |                           |
| i 🖌 🖌 🔶          |                     |                          |               |                           |
|                  |                     | Сн                       |               |                           |
| <b>≥</b> 20      |                     |                          |               |                           |





AECOM Canada Ltd. Materials Testing Lab Bay#14-1511 Highfield Cres.SE Calgary, Alberta T2G 5M4

| CLIENT :                              | City of Edmonton |                |             |               |              |               |                |         |
|---------------------------------------|------------------|----------------|-------------|---------------|--------------|---------------|----------------|---------|
| PROJECT :                             | Lansdowne Staire | case           |             |               |              |               |                |         |
| JOB No. :                             | 60577232         |                |             |               |              |               |                |         |
| LOCATION :                            |                  |                |             |               | SAMPLE:      |               | 10             |         |
| TESTHOLE.                             | 18-02            |                |             |               | DEPTH ·      |               |                |         |
| DATE :                                | May 14, 2018     |                |             |               | TECHNICIAN : |               | GU             |         |
|                                       | , <u> </u>       |                | SIZE OF     | OPENING       |              | DEDOENT       |                |         |
| TOTAL DRY WEIGHT                      | OF SAMPLE        | SIEVE NO. (µm) | APPROX.     | mm            | RETAINED (a) | RETAINED      | THAN           | REMARKS |
|                                       |                  |                | INCHES      |               |              |               | 110/03         |         |
| Before Washing                        |                  | 150,000        | 6           | 150.0         |              | 0%            | 100%           |         |
| Wet + Tare                            | 400.0            | 75,000         | 3           | 75.0          |              | 0%            | 100%           |         |
| Dry+Tare                              | 439.9            | 50,000         | 2           | 50.0          |              | 0%            | 100%           |         |
|                                       | 100.0            | 40,000         | 1 1/2       | 40.0          |              | 0%            | 100%           |         |
| Moisture Content                      | 559.9            | 25,000         | 3/4         | 20.0          |              | 0%            | 100%           |         |
| Wet + Tare                            |                  | 16,000         | 5/8         | 16.0          |              | 0%            | 100%           |         |
| Drv+Tare                              |                  | 12,500         | 1/2         | 12.5          | 73           | 2%            | 97.9%          |         |
| Tare                                  |                  | 10.000         | 3/8         | 10.0          | 7.3          | 2%            | 97.9%          |         |
| MC (%)                                |                  | 5,000          | 0.185       | 5.0           | 8.8          | 3%            | 97.4%          |         |
| . ,                                   | Passing          |                |             |               |              |               |                |         |
| After Washing                         |                  | 2,000          | 0.0937      | 2.0           | 9.7          | 3%            | 97.1%          |         |
| Wt. Dry+Tare                          |                  | 1,250          | 0.0469      | 1.25          | 11.0         | 3%            | 96.8%          |         |
| Tare                                  |                  | 630            | 0.0234      | 0.63          | 15.0         | 4%            | 95.6%          |         |
| Wt. Dry                               |                  | 315            | 0.0116      | 0.315         | 54.6         | 16%           | 83.9%          |         |
| Tare No.                              |                  | 160            | 0.0059      | 0.160         | 96.2         | 28%           | 71.7%          |         |
|                                       |                  | 75<br>PAN      | 0.00295     | 0.075         | 110.7        | 33%           | 67.4%          |         |
|                                       |                  |                |             |               |              |               | PERCENT FINER  |         |
| HYDROMETER                            | R DATA           | READING        | TIME (min)  | DIAMETER (mm) | TEMP. (°C)   | CORR. READING | THAN           | REMARKS |
| Wt Dry+Tare                           | 439.9            | 37             | 0.5         | 0.057         | 25           | 34            | 64.9%          |         |
| Wt Tare                               | 100.0            | 35             | 1           | 0.041         | 25           | 32            | 61.1%          |         |
| Wt Dry                                | 339.9            | 32             | 2           | 0.030         | 25           | 29            | 55.3%          |         |
| Sample Size :                         | 50               | 28             | 5           | 0.019         | 25           | 25            | 47.6%          |         |
| Wt Retained 2 mm:                     | 9.7              | 23             | 15          | 0.012         | 25           | 20            | 38.0%          |         |
| % Passing 2 mm:                       | 97.1%            | 21             | 30          | 0.008         | 25           | 18            | 34.1%          |         |
| Specific Gravity :<br>Hydromotor No : | 2.70<br>12.0956  | 18             | 120         | 0.006         | 25           | 15            | 28.4%          |         |
| Solution (all):                       | 40-9000<br>AU    | 10             | 120         | 0.004         | 20           | 13            | 24.3%          |         |
| Solution (g/L).                       | 40               | 14             | 240<br>1440 | 0.003         | 25           | 0 II          | 20.7%<br>17.3% |         |
|                                       |                  | 13             | 2880        | 0.001         | 24           | 9             | 16.3%          |         |

AECOM Canada Ltd. Materials Testing Lab Bay#14-1511 Highfield Cres.SE Calgary, Alberta T2G 5M4



# **ATTERBERG LIMITS (ASTM D4318)**



|                  |                     |             |                |               |             | 5 3 |       |
|------------------|---------------------|-------------|----------------|---------------|-------------|-----|-------|
| CLIENT :         | City of Edmonton    |             |                |               |             |     |       |
| PROJECT :        | Lansdowne Staircase |             |                |               |             |     | l     |
| JOB No. :        | 60577232            |             |                |               |             |     | ļ     |
| LOCATION :       |                     |             | SAMPLE:        | 3             | i           |     |       |
| TESTHOLE:        | 18-03               |             | DEPTH :        |               |             |     | ļ     |
| DATE :           | May 15, 2018        |             | TECHNICIA      | .N : <u>G</u> | <del></del> |     |       |
|                  |                     | LIQUID LI   | IMIT           |               |             |     |       |
| Trial No.        |                     | 1           |                |               |             |     |       |
| Number of Blow   | <u></u> S           | 20          |                |               |             |     | <br>  |
| Container Numb   | per                 |             |                |               |             | ļ   | 1     |
| Wt. Sample (we   | t+tare)(g)          | 59.86       |                |               |             | ļ   | 1     |
| Wt. Sample (dry  | /+tare)(g)          | 44.47       |                |               |             | ļ   | l     |
| Wt. Tare (g)     |                     | 16.29       |                |               |             | ļ   | 1     |
| Wt. Dry Soil (g) |                     | 28.2        |                |               |             | ļ   | 1     |
| Wt. Water (g)    |                     | 15.4        |                |               |             |     | l     |
| Water Content (  | %)                  | 54.6%       |                |               |             |     |       |
|                  | AVERAGE VALUES      |             |                | PLASTIC       | LIMIT       |     |       |
| Liquid Limit     | 53.2                | Trial No.   |                |               | 1           |     | <br>L |
| Plastic Limit    | 19.4                | Container № | lumber         |               |             |     |       |
| Plasticity Index | 33.7                | Wt. Sample  | e (wet+tare)(g | J)            | 30.49       | ļ   | 1     |
| S                | AMPLE DESCRIPTION   | Wt. Sample  | e (dry+tare)(g | )             | 27.50       | ļ   | 1     |
|                  |                     | Wt. Tare (g | )              |               | 12.12       | ļ   | l     |
| Classificatio    | n: <b>CH</b>        | Wt. Dry Soi | l (g)          |               | 15.4        | ļ   | l     |
| 1                |                     | Wt. Water ( | (g)            |               | 3.0         |     | I     |
| L                |                     | Water Cont  | ent (%)        |               | 19.4%       |     |       |
|                  |                     |             |                |               |             |     |       |
| 60 —             |                     | -           |                |               |             |     |       |
|                  |                     |             |                |               |             |     |       |
|                  |                     |             |                |               |             |     |       |
| 50 -             |                     |             |                |               |             |     |       |
|                  |                     |             |                |               |             |     |       |





AECOM Canada Ltd. Materials Testing Lab Bay#14-1511 Highfield Cres.SE Calgary, Alberta T2G 5M4

Δ=COM

| CLIENT :           | City of Edmonton | L              |            |               |              |               |                |         |
|--------------------|------------------|----------------|------------|---------------|--------------|---------------|----------------|---------|
| PROJECT :          | Lansdowne Staire | case           |            |               |              |               |                |         |
| JOB No. :          | 60577232         |                |            |               |              |               |                |         |
| LOCATION :         |                  |                |            |               | SAMPLE:      |               | 3              |         |
| TESTHOLE.          | 18-03            |                |            |               | DEPTH ·      |               |                |         |
| DATE :             | May 14, 2018     |                |            |               | TECHNICIAN : |               | GU             |         |
|                    |                  |                | SIZE OF    | OPENING       |              | DEDOENT       |                |         |
| TOTAL DRY WEIGHT   | F OF SAMPLE      | SIEVE NO. (µm) | APPROX.    | mm            | RETAINED (a) | RETAINED      | THAN           | REMARKS |
|                    |                  |                | INCHES     |               | RETAINED (g) | RETAINED      |                |         |
| Before Washing     |                  | 150,000        | 6          | 150.0         |              | 0%            | 100%           |         |
| Wet + Tare         | 010.1            | 75,000         | 3          | 75.0          |              | 0%            | 100%           |         |
| Dry+Tare           | 613.1            | 50,000         | 2          | 50.0          |              | 0%            | 100%           |         |
|                    | 100.0            | 40,000         | 1 1/2      | 40.0          |              | 0%            | 100%           |         |
| Moisture Content   | 513.1            | 25,000         | 3/4        | 25.0          |              | 0%            | 100%           |         |
| Wet + Tare         |                  | 20,000         | 5/4        | 20.0          |              | 0%            | 100%           |         |
| Drv+Tare           |                  | 12,500         | 1/2        | 12.5          |              | 0%            | 100%           |         |
| Tare               |                  | 10,000         | 3/8        | 10.0          |              | 0%            | 100%           |         |
| MC (%)             |                  | 5.000          | 0.185      | 5.0           | 1.2          | 0%            | 99.8%          |         |
| - ()               | Passing          | -,             |            |               |              |               |                |         |
| After Washing      |                  | 2,000          | 0.0937     | 2.0           | 2.1          | 0%            | 99.6%          |         |
| Wt. Dry+Tare       |                  | 1,250          | 0.0469     | 1.25          | 4.1          | 1%            | 99.2%          |         |
| Tare               |                  | 630            | 0.0234     | 0.63          | 8.2          | 2%            | 98.4%          |         |
| Wt. Dry            |                  | 315            | 0.0116     | 0.315         | 13.3         | 3%            | 97.4%          |         |
| Tare No.           |                  | 160            | 0.0059     | 0.160         | 36.8         | 7%            | 92.8%          |         |
|                    |                  | 75             | 0.00295    | 0.075         | 67.5         | 13%           | 86.8%          |         |
|                    |                  | PAN            |            |               |              |               |                |         |
| HYDROMETER         | R DATA           | READING        | TIME (min) | DIAMETER (mm) | TEMP. (°C)   | CORR. READING | THAN           | REMARKS |
| Wt Dry+Tare        | 613.1            | 46             | 0.5        | 0.053         | 25           | 43            | 84.3%          |         |
| Wt Tare            | 100.0            | 45             | 1          | 0.038         | 25           | 41            | 81.3%          |         |
| Wt Dry             | 513.1            | 43             | 2          | 0.027         | 25           | 40            | 78.4%          |         |
| Sample Size :      | 50               | 41             | 5          | 0.018         | 25           | 38            | 74.4%          |         |
| Wt Retained 2 mm:  | 2.1              | 39             | 15         | 0.010         | 25           | 36            | 70.5%          |         |
| % Passing 2 mm:    | 99.6%            | 37             | 30         | 0.007         | 25           | 34            | 66.6%          |         |
| Specific Gravity : | 2.70             | 35             | 60         | 0.005         | 25           | 32            | 62.6%          |         |
| Hydrometer No.:    | 43-9856          | 32             | 120        | 0.004         | 25           | 29            | 56.7%          |         |
| Solution (g/L):    | 40               | 30             | 240        | 0.003         | 25           | 27            | 52.7%          |         |
|                    |                  | 27<br>25       | 2880       | 0.001         | 24 24        | 23            | 43.4%<br>42.4% |         |

AECOM Canada Ltd. Materials Testing Lab Bay#14-1511 Highfield Cres.SE Calgary, Alberta T2G 5M4



## **UNCONFINED COMPRESSION TEST** (ASTM-D2166)



1

| PROJECT : Lansdowne Staircase   |                    |
|---|--------------------|
|   |                    |
| JOB No. : 60577232.0000   |                    |
| LOCATION : SAMPLE: 4  |                    |
| BOREHOLE: TH18-03 DEPTH : 7.5'  |                    |
| DATE : May 14, 2018 TECHNICIAN : CK   |                    |
| DENSITY DETERMINATION WATER CONTENT SAMPLE DE   | ESCRIPTION         |
| Wt. Sample (g) 1201.8 Tare Number CLAY - trace silt, trace  | ce gravel, trace   |
| Initial Length (mm) 146.9 Wt. Sample (wet+tare) (g) 1403.6 Oxidized inclusions, co  | coal, alkalines,   |
| Initial Diameter (mm) 72.7 Wt. Sample (dry+tare)(g) 1157.4  | ey                 |
| Wet Unit Weight (kN/m <sup>3</sup> ) 19.3 Wt. Tare (g) 204.5  |                    |
| Dry Unit Weight (kN/m <sup>3</sup> ) 15.4 Water Content (%) 25.8%   |                    |
| LOAD DATA FAILURE DATA FAILURE  | REMODE             |
| Ring #3491Load (N)84545° crack from top to I  | bottom corner with |
| Gears Used Humbolt % Strain : 13.6% bulging in the middle   | 9                  |
| Loading Rate .055"/min Corrected Q <sub>U</sub> (kPa) 178   |                    |
| Time (min)Load Dial<br>(0.0001")Load (N)Strain Dial<br>(0.001")Strain (%)Area (mm²)Qu (kPa)   | Comments           |
|   |                    |
| 0.25 39 107 989 0.2% 4159 25.8<br>0.5 69 188 977 0.4% 4168 45.2   |                    |
| 0.75 99 270 966 0.6% 4176 64.6  |                    |
| 1 129 348 952 0.8% 4186 83.2<br>1.5 175 470 933 1.2% 4200 111.8   |                    |
| 2 204 547 899 1.7% 4225 129.6   |                    |
| 2.5       219       588       871       2.2%       4246       138.5         3       231.5       621       842       2.7%       4268       145.4     |                    |
| 3.5       241       648       813       3.2%       4290       151.0   |                    |
| 4       249       669       784       3.7%       4312       155.2         4.5       256       688       754       4.3%       4335       158.8       |                    |
| 4.5       230       600       734       4.5%       4355       130.5         5       262.5       705       726       4.7%       4357       161.7     |                    |
| 5.5       269       724       694       5.3%       4383       165.1         6       274       727       665       5.8%       4406       167.2       |                    |
| 6       274       737       605       5.8%       4406       167.3         6.5       279       751       633       6.3%       4432       169.4       |                    |
| 7 283 761 605 6.8% 4455 170.9   |                    |
| 7.5       287       772       575       7.3%       4480       172.4         8       291       783       545       7.9%       4506       173.8       |                    |
| 8.5       294       791       516       8.4%       4530       174.7   |                    |
| 9 297 799 486 8.9% 4556 175.5<br>9.5 300 808 455 9.4% 4583 176.2  |                    |
| 3.5       300       808       435       9.4%       4383       170.2         10       303       816       424       10.0%       4610       176.9     |                    |
| 10.5       306       824       393       10.5%       4638       177.6         10.5       300       300       304       14.0%       4004       477.0 |                    |
| 11 308 829 364 11.0% 4664 177.8<br>11.5 310 835 332 11.6% 4693 177.8  |                    |
| 12 311 837 303 12.1% 4720 177.4   |                    |
| 12.5 311.5 837 272 12.6% 4749 176.3<br>13 313.5 843 241 13.1% 4778 176.4  |                    |
| 13.5 314 845 212 13.6% 4806 175.9   |                    |
| 14 314 845 183 14.1% 4834 174.9   |                    |
|   |                    |
|   |                    |
|   |                    |
|   |                    |
|   |                    |
|   |                    |

## **UNCONFINED COMPRESSION TEST (ASTM D2166)**





# ATTERBERG LIMITS (ASTM D4318)



|                  |                     |                          | -             | Calgary, Alberta 120 Jul4 |
|------------------|---------------------|--------------------------|---------------|---------------------------|
| CLIENT :         | City of Edmonton    |                          |               |                           |
| PROJECT :        | Lansdowne Staircase |                          |               |                           |
| JOB No. :        | 60577232            |                          |               | ļ                         |
| LOCATION :       |                     | SAMPLE:                  | 10            | ļ                         |
| TESTHOLE:        | 18-03               | DEPTH :                  |               | ļ                         |
| DATE :           | May 15, 2018        | TECHNICIAN :             | : <b>CK</b>   |                           |
|                  |                     | LIQUID LIMIT             |               |                           |
| Trial No.        |                     | 1                        |               |                           |
| Number of Blows  |                     | 33                       |               |                           |
| Container Numbe  | ۶r                  |                          |               |                           |
| Wt. Sample (wet+ | +tare)(g)           | 44.58                    |               |                           |
| Wt. Sample (dry+ | ·tare)(g)           | 31.89                    |               |                           |
| Wt. Tare (g)     |                     | 11.77                    |               |                           |
| Wt. Dry Soil (g) |                     | 20.1                     |               |                           |
| Wt. Water (g)    |                     | 12.7                     |               |                           |
| Water Content (% | ó)                  | 63.1%                    |               |                           |
|                  | AVERAGE VALUES      |                          | PLASTIC LIMIT |                           |
| Liquid Limit     | 65.1                | Trial No.                | 1             |                           |
| Plastic Limit    | 17.1                | Container Number         |               |                           |
| Plasticity Index | 48.0                | Wt. Sample (wet+tare)(g) | 32.80         |                           |
| SA               | MPLE DESCRIPTION    | Wt. Sample (dry+tare)(g) | 30.37         | 1                         |
|                  |                     | Wt. Tare (g)             | 16.19         |                           |
| Classification   | 1: CH               | Wt. Dry Soil (g)         | 14.2          |                           |
| 1                |                     | Wt. Water (g)            | 2.4           |                           |
|                  |                     | Water Content (%)        | 17.1%         |                           |
|                  |                     |                          |               |                           |
| 60               |                     |                          |               |                           |
|                  |                     |                          |               |                           |
|                  |                     |                          |               |                           |
| 50 —             |                     |                          |               |                           |
|                  |                     |                          |               |                           |
|                  |                     |                          |               |                           |
| ļ                |                     | СН                       |               |                           |
|                  |                     |                          |               |                           |
|                  |                     |                          |               |                           |





AECOM Canada Ltd. Materials Testing Lab Bay#14-1511 Highfield Cres.SE Calgary, Alberta T2G 5M4

| CLIENT :           | City of Edmonton | L              |            |               |              |               |                       |         |
|--------------------|------------------|----------------|------------|---------------|--------------|---------------|-----------------------|---------|
| PROJECT :          | Lansdowne Staire | case           |            |               |              |               |                       |         |
| JOB No. :          | 60577232         |                |            |               |              |               |                       |         |
| LOCATION :         |                  |                |            |               | SAMPLE:      |               | 3                     |         |
| TESTHOLE.          | HA18-02          |                |            |               | DEPTH ·      |               |                       |         |
| DATE :             | May 14, 2018     |                |            |               | TECHNICIAN : |               | GU                    |         |
|                    |                  |                | SIZE OF    | OPENING       | WEIGUT       | DEDOENT       |                       |         |
| TOTAL DRY WEIGHT   | OF SAMPLE        | SIEVE NO. (µm) | APPROX.    | mm            |              | RETAINED      | THAN                  | REMARKS |
|                    |                  |                | INCHES     |               |              |               |                       |         |
| Before Washing     |                  | 150,000        | 6          | 150.0         |              | 0%            | 100%                  |         |
| Wet + Tare         |                  | 75,000         | 3          | 75.0          |              | 0%            | 100%                  |         |
| Dry+Tare<br>-      | 277.5            | 50,000         | 2          | 50.0          |              | 0%            | 100%                  |         |
| Tare               | 100.0            | 40,000         | 1 1/2      | 40.0          |              | 0%            | 100%                  |         |
| Wt. Dry            | 177.5            | 25,000         | 1          | 25.0          |              | 0%            | 100%                  |         |
| Moisture Content   |                  | 20,000         | 3/4        | 20.0          |              | 0%            | 100%                  |         |
| Wet + Lare         |                  | 16,000         | 5/8        | 16.0          |              | 0%            | 100%                  |         |
| Dry+Tare           |                  | 12,500         | 1/2        | 12.5          |              | 0%            | 100%                  |         |
|                    |                  | 10,000         | 3/8        | 10.0          |              | 0%            | 100%                  |         |
|                    | Passing          | 5,000          | 0.165      | 5.0           |              | 0%            | 100%                  |         |
| After Washing      | 0                | 2,000          | 0.0937     | 2.0           |              | 0%            | 100%                  |         |
| Wt. Dry+Tare       |                  | 1,250          | 0.0469     | 1.25          | 0.4          | 0%            | 99.8%                 |         |
| Tare               |                  | 630            | 0.0234     | 0.63          | 1.8          | 1%            | 99.0%                 |         |
| Wt. Dry            |                  | 315            | 0.0116     | 0.315         | 4.6          | 3%            | 97.4%                 |         |
| Tare No.           |                  | 160            | 0.0059     | 0.160         | 9.2          | 5%            | 94.8%                 |         |
|                    |                  | 75             | 0.00295    | 0.075         | 12.8         | 7%            | 92.8%                 |         |
|                    |                  | PAN            |            |               |              |               |                       |         |
| HYDROMETER         | DATA             | READING        | TIME (min) | DIAMETER (mm) | TEMP. (°C)   | CORR. READING | PERCENT FINER<br>THAN | REMARKS |
| Wt Dry+Tare        | 277.5            | 49             | 0.5        | 0.051         | 25           | 46            | 90.6%                 |         |
| Wt Tare            | 100.0            | 47             | 1          | 0.037         | 25           | 44            | 86.6%                 |         |
| Wt Dry             | 177.5            | 44             | 2          | 0.027         | 25           | 41            | 80.7%                 |         |
| Sample Size :      | 50               | 39             | 5          | 0.018         | 25           | 36            | 70.8%                 |         |
| Wt Retained 2 mm:  | 0.0              | 32             | 15         | 0.011         | 25           | 29            | 56.9%                 |         |
| % Passing 2 mm:    | 100.0%           | 26             | 30         | 0.008         | 25           | 23            | 45.0%                 |         |
| Specific Gravity : | 2.70             | 22             | 60         | 0.006         | 25           | 19            | 37.1%                 |         |
| Hydrometer No.:    | 43-9856          | 20             | 120        | 0.004         | 25           | 17            | 33.2%                 |         |
| Solution (g/L):    | 40               | 18             | 240        | 0.003         | 25           | 15            | 29.2%                 |         |
|                    |                  | 11             | 1440       | 0.001         | 24           | 8             | 14.9%                 |         |
|                    |                  | 8              | 2080       | 0.001         | 24           | 5             | 0.9%                  |         |

AECOM Canada Ltd. Materials Testing Lab Bay#14-1511 Highfield Cres.SE Calgary, Alberta T2G 5M4





AECOM Canada Ltd. ATTN: Chris Keeley Suite 300, 48 Quarry Park Blvd SE Calgary AB T2C 5P2 Date Received: 10-MAY-18 Report Date: 30-MAY-18 11:40 (MT) Version: FINAL

Client Phone: 403-254-3301

# Certificate of Analysis

Lab Work Order #: L2093578

Project P.O. #: Job Reference: NOT SUBMITTED CITY OF EDMONTON-LANSDOWN STAIRCASE-60577232 LAB TESTING

C of C Numbers: Legal Site Desc:

Comments: Note: Total Sulphate Ion Content (SO4-T-CSA-A23-ED) results were <0.2% for all samples except -2,-3,-4, therefore Water Soluble Sulphate Ion Content (SO4-S-CSA-A23-ED) not required for analysis on -1.

Nelson Kwan, B.Sc. Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 2559 29 Street NE, Calgary, AB T1Y 7B5 Canada | Phone: +1 403 291 9897 | Fax: +1 403 291 0298 ALS CANADA LTD Part of the ALS Group An ALS Limited Company



www.alsglobal.com

**RIGHT SOLUTIONS RIGHT PARTNER** 

## ALS ENVIRONMENTAL ANALYTICAL REPORT

| Sample Details/Parameters                | Result           | Qualifier* | D.L.  | Units  | Extracted | Analyzed  | Batch     |
|--|------------------|------------|-------|--------|-----------|-----------|-----------|
|  |                  | #2         |       |        |           |           |           |
| Sampled By: CLIENT on 10 MAX 18          | NRCASE - 1010-02 | #3         |       |        |           |           |           |
|  |                  |            |       |        |           |           |           |
| Matrix: SOIL<br>Miscellaneous Parameters |                  |            |       |        |           |           |           |
| % Saturation                             | 100              |            | 10    | %      |           | 13-MAY-18 | R4042895  |
| Chloride (Cl)                            | 57               |            | 20    | ma/l   |           | 14-MAY-18 | R4042000  |
| Resistivity                              | 345              |            | 10    | ohm cm |           | 14-MAY-18 | R4043288  |
| Sulfur (as SO4)                          | 2770             |            | 6.0   | ma/l   |           | 13-MAY-18 | R4042270  |
| Total Sulphate Ion Content               | 0 132            |            | 0.050 | %      | 24-MAY-18 | 24-MAY-18 | R4059660  |
| pH in Saturated Paste                    | 8 15             |            | 0.000 | nH     | 21100110  | 13-MAY-18 | R4042895  |
| Salinity in mg/kg                        | 0.10             |            | 0.10  | Pri    |           |           | 141042000 |
| Chloride (Cl)                            | 57               |            | 20    | mg/kg  |           | 15-MAY-18 |           |
| Sulfur (as SO4)                          | 2770             |            | 6.0   | mg/kg  |           | 15-MAY-18 |           |
| L2093578-2 CITY OF EDMONTON-LANSDOWN STA | IRCASE - TH18-02 | #9         |       |        |           |           |           |
| Sampled By: CLIENT on 10-MAY-18          |                  |            |       |        |           |           |           |
| Matrix: SOIL                             |                  |            |       |        |           |           |           |
| Miscellaneous Parameters                 |                  |            |       |        |           |           |           |
| % Saturation                             | 44.3             |            | 1.0   | %      |           | 13-MAY-18 | R4042895  |
| Chloride (Cl)                            | <20              |            | 20    | mg/L   |           | 14-MAY-18 | R4043349  |
| Resistivity                              | 731              |            | 1.0   | ohm cm |           | 14-MAY-18 | R4043288  |
| Chloride (CI)                            | <8.9             |            | 8.9   | mg/kg  |           | 15-MAY-18 |           |
| Sulfur (as SO4)                          | 2680             |            | 6.0   | mg/L   |           | 28-MAY-18 | R4059807  |
| Total Sulphate Ion Content               | 0.389            |            | 0.050 | %      | 24-MAY-18 | 24-MAY-18 | R4059660  |
| Water Soluble Sulphate Ion Content       | 0.341            |            | 0.050 | %      | 29-MAY-18 | 29-MAY-18 | R4061811  |
| pH in Saturated Paste                    | 7.61             |            | 0.10  | pН     |           | 13-MAY-18 | R4042895  |
| L2093578-3 CITY OF EDMONTON-LANSDOWN STA | IRCASE - TH18-03 | #6         |       |        |           |           |           |
| Sampled By: CLIENT on 10-MAY-18          |                  |            |       |        |           |           |           |
| Matrix: SOIL                             |                  |            |       |        |           |           |           |
| Miscellaneous Parameters                 |                  |            |       |        |           |           |           |
| % Saturation                             | 100              |            | 1.0   | %      |           | 13-MAY-18 | R4042895  |
| Chloride (CI)                            | <20              |            | 20    | mg/L   |           | 14-MAY-18 | R4043349  |
| Resistivity                              | 264              |            | 1.0   | ohm cm |           | 14-MAY-18 | R4043288  |
| Chloride (Cl)                            | <20              |            | 20    | mg/kg  |           | 15-MAY-18 |           |
| Sulfur (as SO4)                          | 5860             |            | 6.0   | mg/L   |           | 28-MAY-18 | R4059807  |
| Total Sulphate Ion Content               | 1.25             |            | 0.050 | %      | 24-MAY-18 | 24-MAY-18 | R4059660  |
| Water Soluble Sulphate Ion Content       | 1.18             | DLHC       | 0.50  | %      | 29-MAY-18 | 29-MAY-18 | R4061811  |
| pH in Saturated Paste                    | 8.24             |            | 0.10  | pН     |           | 13-MAY-18 | R4042895  |
| L2093578-4 CITY OF EDMONTON-LANSDOWN STA | IRCASE - HA18-02 | #3         |       |        |           |           |           |
| Sampled By: CLIENT on 10-MAY-18          |                  |            |       |        |           |           |           |
| Matrix: SOIL                             |                  |            |       |        |           |           |           |
| Miscellaneous Parameters                 |                  |            |       |        |           |           |           |
| % Saturation                             | 63.3             |            | 1.0   | %      |           | 13-MAY-18 | R4042895  |
| Chloride (Cl)                            | 85               |            | 20    | mg/L   |           | 14-MAY-18 | R4043349  |
| Resistivity                              | 550              |            | 1.0   | ohm cm |           | 14-MAY-18 | R4043288  |
| Chloride (Cl)                            | 54               |            | 13    | mg/kg  |           | 15-MAY-18 |           |
| Sulfur (as SO4)                          | 2470             |            | 6.0   | mg/L   |           | 28-MAY-18 | R4059807  |
| Total Sulphate Ion Content               | 0.888            |            | 0.050 | %      | 24-MAY-18 | 24-MAY-18 | R4059660  |
| Water Soluble Sulphate Ion Content       | 0.675            |            | 0.050 | %      | 29-MAY-18 | 29-MAY-18 | R4061811  |
| pH in Saturated Paste                    | 7.76             |            | 0.10  | рН     |           | 13-MAY-18 | R4042895  |
|  |                  |            |       |        |           |           |           |
|  |                  |            |       |        |           |           |           |
|  |                  |            |       |        |           |           |           |

\* Refer to Referenced Information for Qualifiers (if any) and Methodology.

## Reference Information

### Sample Parameter Qualifier Key:

| DLHC   Detr     Test Method Refere     ALS Test Code     CL-PASTE-COL-CL     A soil extract produce     PH-PASTE-CL     A soil extract produce | ection Limit Raise<br>ences:<br>Matrix<br>Soil<br>ed by the saturate<br>Soil<br>ed by the saturate<br>E-CL Soil<br>ed out using proce<br>uur-Electrode Met | ed: Dilution required due to high concentration<br>Test Description<br>Chloride in Soil (Paste) by Colorimetry<br>ed paste extraction procedure is analyzed for C<br>pH in Saturated Paste<br>ed paste extraction procedure is analyzed by pH<br>PASTE RESISTIVITY<br>edures adapted from ASTM G57-95a (2001) | of test analyte(s).<br>Method Reference**<br>CSSS, APHA 4500-CI E<br>chloride by Colourimetry.<br>CSSS Ch. 15<br>H meter.<br>ASTM G57-95A   |
|--|--|---|---|
| Test Method Refere<br>ALS Test Code<br>CL-PASTE-COL-CL<br>A soil extract produce<br>PH-PASTE-CL<br>A soil extract produce                      | ences:<br>Matrix<br>Soil<br>ed by the saturate<br>Soil<br>ed by the saturate<br>E-CL Soil<br>ed out using proce<br>uur-Electrode Met                       | Test Description<br>Chloride in Soil (Paste) by Colorimetry<br>ed paste extraction procedure is analyzed for C<br>pH in Saturated Paste<br>ed paste extraction procedure is analyzed by pl<br>PASTE RESISTIVITY<br>edures adapted from ASTM G57-95a (2001)  | Method Reference**<br>CSSS, APHA 4500-CI E<br>chloride by Colourimetry.<br>CSSS Ch. 15<br>H meter.<br>ASTM G57-95A  |
| ALS Test Code<br>CL-PASTE-COL-CL<br>A soil extract produce<br>PH-PASTE-CL<br>A soil extract produce  | Matrix<br>Soil<br>ed by the saturate<br>Soil<br>ed by the saturate<br>E-CL Soil<br>ed out using proce<br>our-Electrode Met                                 | Test Description<br>Chloride in Soil (Paste) by Colorimetry<br>ed paste extraction procedure is analyzed for C<br>pH in Saturated Paste<br>ed paste extraction procedure is analyzed by pl<br>PASTE RESISTIVITY<br>edures adapted from ASTM G57-95a (2001)  | Method Reference**<br>CSSS, APHA 4500-CI E<br>chloride by Colourimetry.<br>CSSS Ch. 15<br>H meter.<br>ASTM G57-95A  |
| CL-PASTE-COL-CL<br>A soil extract produce<br>PH-PASTE-CL<br>A soil extract produce   | Soil<br>ed by the saturate<br>Soil<br>ed by the saturate<br>E-CL Soil<br>ed out using proce<br>pur-Electrode Met   | Chloride in Soil (Paste) by Colorimetry<br>ed paste extraction procedure is analyzed for C<br>pH in Saturated Paste<br>ed paste extraction procedure is analyzed by pl<br>PASTE RESISTIVITY<br>edures adapted from ASTM G57-95a (2001)  | CSSS, APHA 4500-CI E<br>chloride by Colourimetry.<br>CSSS Ch. 15<br>H meter.<br>ASTM G57-95A  |
| A soil extract produce<br>PH-PASTE-CL<br>A soil extract produce  | ed by the saturate<br>Soil<br>ed by the saturate<br>E-CL Soil<br>ed out using proce<br>uur-Electrode Met   | ed paste extraction procedure is analyzed for C<br>pH in Saturated Paste<br>ed paste extraction procedure is analyzed by pl<br>PASTE RESISTIVITY<br>edures adapted from ASTM G57-95a (2001)   | hloride by Colourimetry.<br>CSSS Ch. 15<br>H meter.<br>ASTM G57-95A   |
| PH-PASTE-CL<br>A soil extract produce  | Soil<br>ed by the saturate<br>E-CL Soil<br>ed out using proce<br>uur-Electrode Met   | pH in Saturated Paste<br>ed paste extraction procedure is analyzed by pl<br>PASTE RESISTIVITY<br>edures adapted from ASTM G57-95a (2001)  | CSSS Ch. 15<br>H meter.<br>ASTM G57-95A   |
| A soil extract produce   | ed by the saturate<br>E-CL Soil<br>ed out using proce<br>pur-Electrode Met   | ed paste extraction procedure is analyzed by pl<br>PASTE RESISTIVITY<br>edures adapted from ASTM G57-95a (2001)   | H meter.<br>ASTM G57-95A  |
|  | E-CL Soil<br>ed out using proce<br>our-Electrode Met   | PASTE RESISTIVITY<br>edures adapted from ASTM G57-95a (2001) "  | ASTM G57-95A  |
| RESISTIVITY-PASTE  | ed out using proce<br>our-Electrode Met  | edures adapted from ASTM G57-95a (2001) "   |   |
| This analysis is carrie<br>Using the Wenner Fo<br>paste. The sample is   | then placed direct   | hod". In summary, 200 to 500 grams of samp<br>ctly into a four electrode resistivity soil box and   | Standard Test Method for Field Measurement of Soil Resistivity<br>le is mixed with deionized water as required to create a saturated<br>measured for resistivity using a resistivity meter.                 |
| SAL-MG/KG-CALC-C   | L Soil   | Salinity in mg/kg   | Manual Calculation  |
| SAT-PCNT-CL  | Soil   | % Saturation  | CSSS 18.2-Calculation   |
| Saturation Percentage expressed as a perce   | e (SP) is the tota<br>entage, as describ   | l volume of water present in a saturated paste<br>bed in "Soil Sampling and Methods of Analysis   | (in mL) divided by the dry weight of the sample (in grams),<br>" by M. Carter.  |
| SO4-PASTE-ICP-CL   | Soil   | Sulphate (SO4)  | CSSS CH15/EPA 6010B   |
| A soil extract produce   | ed by the saturate   | ed extraction procedure is analyzed for sulfate l   | by ICPOES.  |
| SO4-S-CSA-A23-ED   | Soil   | Water Soluble Sulphate Ion Content  | CSA INTERNATIONAL A23.2   |
| Soluble sulphate ion of<br>for 6 hours. Analysis<br>NOTE: the CSA-A23<br>basis of a water extra  | content is determ<br>by ion chromatog<br>method states th<br>loction. This water   | ined by agitating the soil with water at a specif<br>graphy follows.<br>at for a total sulphate ion content greater than<br>extraction requires the total sulphate ion conte  | ic ratio determined by a preceding total sulphate ion content test,<br>0.2%, soluble sulphate ion content shall be determined on the<br>ent result to calculate the correct ratio for the water extraction. |
| SO4-T-CSA-A23-ED   | Soil   | Total Sulphate Ion Content  | CSA INTERNATIONAL A23.2   |
| Total sulphate conten<br>ion chromatography f<br>NOTE: the CSA-A23<br>basis of a water extra   | nt is determined b<br>follows.<br>method states th<br>action. This water   | y mixing soil with water then hydrochloric acid,<br>at for a total sulphate ion content greater than<br>extraction requires the total sulphate ion conte  | , and digesting just below boiling point, for 15 minutes. Analysis by 0.2%, soluble sulphate ion content shall be determined on the ent result to calculate the correct ratio for the water extraction.     |
| ** ALS test methods m  | ay incorporate m   | odifications from specified reference methods   | to improve performance.   |
| The last two letters of  | f the above test c   | ode(s) indicate the laboratory that performed a   | nalytical analysis for that test. Refer to the list below:  |

| Laboratory Definition Code | Laboratory Location                           |
|----------------------------|---|
| ED                         | ALS ENVIRONMENTAL - EDMONTON, ALBERTA, CANADA |
| CL                         | ALS ENVIRONMENTAL - CALGARY, ALBERTA, CANADA  |

### Chain of Custody Numbers:

## **Reference Information**

L2093578 CONTD .... PAGE 4 of 4 Version: FINAL

### **Test Method References:**

| ALS Test Code N | Matrix | Test Description | Method Reference** |
|-----------------|--------|------------------|--------------------|
|-----------------|--------|------------------|--------------------|

#### **GLOSSARY OF REPORT TERMS**

Surrogates are compounds that are similar in behaviour to target analyte(s), but that do not normally occur in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery. In reports that display the D.L. column, laboratory objectives for surrogates are listed there.

mg/kg - milligrams per kilogram based on dry weight of sample

mg/kg wwt - milligrams per kilogram based on wet weight of sample

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight

mg/L - unit of concentration based on volume, parts per million.

< - Less than.

D.L. - The reporting limit.

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory. UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION. Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



## Quality Control Report

|  |   | Workorder:                | L209357 | 8         | Report Date: 3 | D-MAY-18 | Pag       | e 1 of 3  |
|--|---|---------------------------|---------|-----------|----------------|----------|-----------|-----------|
| Client: A<br>Si<br>C                           | ECOM Canada Ltd.<br>uite 300, 48 Quarry Pa<br>algary AB T2C 5P2 | rk Blvd SE                |         |           |                |          |           |           |
| Contact: C                                     | hris Keeley   |                           |         |           |                |          |           |           |
| Test   | Matrix  | Reference                 | Result  | Qualifier | Units          | RPD      | Limit     | Analyzed  |
| CL-PASTE-COL-CL                                | Soil  |                           |         |           |                |          |           |           |
| Batch R40<br>WG2771264-15<br>Chloride (Cl)     | )43349<br>DUP   | <b>L2093578-4</b><br>85   | 85      |           | mg/L           | 0.0      | 30        | 14-MAY-18 |
| WG2771264-14<br>Chloride (Cl)                  | IRM   | SAL-STD9                  | 106.1   |           | %              |          | 70-130    | 14-MAY-18 |
| WG2771264-13<br>Chloride (Cl)                  | LCS   |                           | 99.9    |           | %              |          | 70-130    | 14-MAY-18 |
| WG2771264-11<br>Chloride (Cl)                  | МВ  |                           | <20     |           | mg/L           |          | 20        | 14-MAY-18 |
| PH-PASTE-CL                                    | Soil  |                           |         |           |                |          |           |           |
| Batch R40<br>WG2771264-15<br>pH in Saturated I | 042895<br>DUP<br>Paste  | <b>L2093578-4</b><br>7.76 | 7.80    | J         | рH             | 0.04     | 0.3       | 13-MAY-18 |
| pH in Saturated I                              | IRM<br>Paste  | SAL-STD9                  | 7.49    |           | рН             |          | 7.23-7.83 | 13-MAY-18 |
| RESISTIVITY-PAST                               | E-CL Soil   |                           |         |           |                |          |           |           |
| Batch R40                                      | 043288  |                           |         |           |                |          |           |           |
| WG2771904-4<br>Resistivity                     | DUP   | <b>L2093578-4</b><br>550  | 575     |           | ohm cm         | 4.4      | 20        | 14-MAY-18 |
| WG2771904-1<br>Resistivity                     | IRM   | SAL-STD9                  | 91.2    |           | %              |          | 70-130    | 14-MAY-18 |
| WG2771904-3<br>Resistivity                     | IRM   | SAL-STD9                  | 84.0    |           | %              |          | 70-130    | 14-MAY-18 |
| SAT-PCNT-CL                                    | Soil  |                           |         |           |                |          |           |           |
| Batch R40<br>WG2771264-15<br>% Saturation      | 042895<br>DUP   | <b>L2093578-4</b><br>63.3 | 64.0    |           | %              | 1.0      | 20        | 13-MAY-18 |
| WG2771264-14<br>% Saturation                   | IRM   | SAL-STD9                  | 94.9    |           | %              |          | 80-120    | 13-MAY-18 |
| S04-PASTE-ICP-CL                               | Soil  |                           |         |           |                |          |           |           |
| Batch R40                                      | )42270  |                           |         |           |                |          |           |           |
| WG2771264-14<br>Sulfur (as SO4)                | IRM   | SAL-STD9                  | 106.4   |           | %              |          | 70-130    | 13-MAY-18 |
| WG2771264-11<br>Sulfur (as SO4)                | МВ  |                           | <6.0    |           | mg/L           |          | 6         | 13-MAY-18 |



## Quality Control Report

|   | Workorder: L2093578 |        |           | Report Date: 3 | 0-MAY-18 | Page 2 of 3 |            |  |  |
|---|---------------------|--------|-----------|----------------|----------|-------------|------------|--|--|
| Test Matrix   | Reference           | Result | Qualifier | Units          | RPD      | Limit       | Analyzed   |  |  |
| SO4-PASTE-ICP-CL Soil                                 |                     |        |           |                |          |             |            |  |  |
| Batch R4059807  |                     |        |           |                |          |             |            |  |  |
| WG2771264-15 DUP                                      | L2093578-4          | 0.400  |           |                |          |             |            |  |  |
| Sultur (as SO4)                                       | 2470                | 2460   |           | mg/L           | 0.7      | 30          | 28-MAY-18  |  |  |
| SO4-S-CSA-A23-ED Soil                                 |                     |        |           |                |          |             |            |  |  |
| Batch R4061811  |                     |        |           |                |          |             |            |  |  |
| WG2782851-4 DUP                                       | L2093578-2          |        |           | 24             |          |             |            |  |  |
| Water Soluble Sulphate Ion Content                    | 0.341               | 0.367  |           | %              | 7.4      | 30          | 29-MAY-18  |  |  |
| WG2782851-3 IRM                                       | SALINITY_SO         | DIL5   |           | 0/             |          | 70 400      | 00 1414 40 |  |  |
|   |                     | 112.4  |           | 70             |          | 70-130      | 29-MAY-18  |  |  |
| WG2782851-2 LCS<br>Water Soluble Sulphate Ion Content |                     | 99.4   |           | %              |          | 70-130      | 20-MAV-18  |  |  |
| WC2782861_1 MB  |                     | 00.1   |           | <i>,</i> ,,    |          | 10-100      | 23-WAT-10  |  |  |
| Water Soluble Sulphate Ion Content                    |                     | <0.050 |           | %              |          | 0.05        | 29-MAY-18  |  |  |
| SO4-T-CSA-A23-ED Soil                                 |                     |        |           |                |          |             |            |  |  |
| Batch R4059660  |                     |        |           |                |          |             |            |  |  |
| WG2779217-3 CRM                                       | ED-634A_CE          | MENT   |           |                |          |             |            |  |  |
| Total Sulphate Ion Content                            |                     | 99.6   |           | %              |          | 80-120      | 24-MAY-18  |  |  |
| WG2779217-4 DUP                                       | L2093578-1          |        |           |                |          |             |            |  |  |
| Total Sulphate Ion Content                            | 0.132               | 0.103  |           | %              | 24       | 30          | 24-MAY-18  |  |  |
| WG2779217-1 MB  |                     |        |           | 24             |          |             |            |  |  |
| I otal Sulphate Ion Content                           |                     | <0.050 |           | %              |          | 0.05        | 24-MAY-18  |  |  |

### Workorder: L2093578

Report Date: 30-MAY-18

### Legend:

| Limit | ALS Control Limit (Data Quality Objectives) |
|-------|---|
| DUP   | Duplicate                                   |
| RPD   | Relative Percent Difference                 |
| N/A   | Not Available                               |
| LCS   | Laboratory Control Sample                   |
| SRM   | Standard Reference Material                 |
| MS    | Matrix Spike                                |
| MSD   | Matrix Spike Duplicate                      |
| ADE   | Average Desorption Efficiency               |
| MB    | Method Blank                                |
| IRM   | Internal Reference Material                 |
| CRM   | Certified Reference Material                |
| CCV   | Continuing Calibration Verification         |
| CVS   | Calibration Verification Standard           |
| LCSD  | Laboratory Control Sample Duplicate         |
|       |   |

#### Sample Parameter Qualifier Definitions:

| Qualifier | Description   |
|-----------|---|
| J         | Duplicate results and limits are expressed in terms of absolute difference. |

### Hold Time Exceedances:

All test results reported with this submission were conducted within ALS recommended hold times.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.

### Chain of Custody (COC) / Analytical **Request Form**



| COC Number: 12 - | r: 14 - |
|------------------|---------|
|------------------|---------|

Page 1 of 1

NA-FM-0325a v09 Frank/M Janvery 2014

| ٢o | 11 | Free: | 1 | 800 | 668 | 9878 |  |
|----|----|-------|---|-----|-----|------|--|
| -  |    |       |   |     | ~~~ | ~~~  |  |

| (ALS)           | )Environmenta                              | Canada <sup>-</sup>                             | foll Free: 1 800 <del>(</del>                 | 68 9878                                       | l                                      | L2093                          | 3578  | -CO              | FC            |           |          |             |           | F            | aye ,     |            | - <sup>10</sup> | <u>'</u>                                      |          |
|-----------------|--|---|---|---|--|--------------------------------|---|------------------|---------------|-----------|----------|-------------|-----------|--------------|-----------|------------|-----------------|---|----------|
|                 | www.alsglobal.com                          |   |   |   | i                                      |                                |   |                  |               |           |          | ķ           |           |              |           |            |                 |   |          |
| Report To       |  |   |   | Report Format                                 | t / Distribution                       | ·                              | I   | Se               | lect Sei      | VICE LE   | vei Beig | w(Rush      | Turnarc   | ound Tim     | e (TAT) i | is not av  | vailable        | for all te                                    | ests)    |
| Company:        | AECOM Canada Ltd.                          |   | Select Report F                               | Select Report Format: POF EXCEL EDD (DIGITAL) |  |                                | R Regular (Standard TAT if received by 3 pm - business days)                                |                  |               |           |          |             |           |              |           |            |                 |   |          |
| Contact:        | Chris Keeley                               |   | Quality Control                               | (QC) Report with F                            | Report 🛛 🕅 Ye                          | s 🗂 No                         | P [] Priority (2-4 bus, days if received by 3pm) 50% surcharge - contact ALS to confirm TAT |                  |               |           |          |             |           |              |           |            |                 |   |          |
| Address:        | 48 Quarry Park Blvd. SE, Suite 300         |   | Criteria on Rep                               | ort - provide details bel                     | ow If box checked                      |                                | E   | [_] Eu           | rgency        | / (1-2 bi | is. days | if received | і Бу Зрг  | n) 100%      | Surcharg  | je - cont  | tact ALS        | 3 to conf                                     | firm TAT |
|                 | Calgary, AB T2C 5P2                        |   | Select Distribut                              | ion: 🖸 EM                                     | AIL 🛄 MAIL                             | FAX                            | E2  | ∐Sa              | me day        | or week   | end eme  | rgency -    | contact   | ALS to co    | unfirm TA | v⊤ and s   | surcharg        | je  |          |
| Phone:          | 403.254.3301                               |   | Email 1 or Fax                                | chris.keeley@aec                              | om.com                                 |                                | Spec  | ify Da           | te Req        | uired f   | or E2,6  | E or P:     |           |              |           |            |                 |   |          |
|                 |  |   | Email 2                                       | brian.nguyen@ae                               | com.com                                |                                |   |                  |               |           |          | An          | alysis    | Reque        | st        |            |                 |   |          |
| Invoice To      | Same as Report To TYe                      | s IV No   |   | Invoice Di                                    | stribution                             |                                |   | Ind              | licate Fi     | itered (F | ), Prese | rved (P)    | or Filler | ed and P     | reserver  | d (F/P) t  | below           |   |          |
|                 | Copy of Invoice with Report                | s IV No   | Select Invoice                                | Distribution: 🕗                               | EMAIL MAIL                             | FAX                            |   | 1                | 1             | Γ         |          |             |           |              | T         | $\Box$     |                 |   |          |
| Company:        | AECOM Canada Ltd.                          |   | Email 1 or Fax                                | kristen.tackney@a                             | aecom.com                              |                                | <u> </u>  |                  | 1             |           |          |             |           | -            |           |            |                 |   | 1        |
| Contact:        | Kristen Tackney                            |   | Email 2                                       | • •   | ····                                   |                                | Ð   |                  |               |           |          |             |           |              |           |            |                 |   | 6        |
|                 | Project Information                        | -   | 0   | il and Gas Require                            | d Fields (client )                     | use)                           | kag   |                  | 1             |           |          |             |           |              |           |            |                 |   | Jei J    |
| ALS Quote #:    | ······································     |   | Approver ID:                                  | -   | Cost Center:                           | ·                              | bed.  | 5                |               |           |          |             |           |              |           |            |                 |   | ntai     |
| Job #:          | City of Edmonton-Lansdown Staircase        | 60577232 Lab Testing                            | GL Account:                                   |   | Routing Code:                          |                                | - <u>F</u>  | - qte            |               |           |          |             |           |              |           |            |                 |   | ပို      |
| PO/AFE:         |  |   | Activity Code:                                |   | d <u>-</u>                             | · · · · ·                      | , sal   | Ň                |               |           |          |             |           |              |           |            | i               |   | o<br>L   |
| LSD:            |  |   | Location:                                     |   |  | <u> </u>                       | aste  | S                |               |           |          |             |           |              |           |            |                 |   | đ        |
| ALS Lab Wo      | ork Order # (lab use only)                 | 357%  | ALS Contact:                                  | Nelson Kwan                                   | Sampler:                               | N/A                            | .TE via p   | лЕ - T/S         |               | 2         | Content  |             |           |              |           |            |                 |   | Ĩ        |
| ALS Sample #    | Sample Identifical                         | ion and/or Coordinates                          |   | Date  | Time                                   | 1                              | ₽₩  | PHA              |               | stivi     | nide     |             |           |              |           |            |                 |   | 1        |
| (lab use only)  | (This description v                        | ill appear on the report)                       |   | (dd-mmm-yy)                                   | (hh:mm)                                | Sample Type                    | L<br>S  | SUL              | Ŧ             | Resi      | 욹        |             |           |              |           |            |                 |   | 1        |
|                 | City of Edmonton-Lansdown Staircase        | - TH18-02 #3                                    |   | 10-May-18                                     | -                                      | Soil                           | R   | R                | R             | R         | R        |             |           | · · · ·      | ++        | <u> </u> † |                 |   | 1        |
|                 | City of Edmonton-Lansdown Staircase        | - TH18-02 #9                                    |   | 10-May-18                                     |  | Soil                           | R   | R                | R             | R         | R        |             |           |              |           |            |                 |   | 1        |
|                 | City of Edmonton-Lansdown Staircase        | - TH18-03 #6                                    |   | 10-May-18                                     | -                                      | Soil                           | R   | R                | R             | R         | R        |             |           |              |           |            |                 |   | 1        |
|                 | City of Edmonton-Lansdown Staircase        | - HA18-02 #3                                    |   | 10-May-18                                     | -                                      | Soil                           | R   | R                | R             | R         | R        |             |           |              |           |            |                 |   | 1        |
|                 |  |   |   |   |  |                                |   | 1                |               |           |          |             |           |              |           |            |                 |   |          |
|                 |  |   |   |   | 1                                      |                                |   |                  |               |           |          |             |           |              | 1         | †          |                 |   |          |
| ·               |  |   |   |   |  |                                |   | -                |               | 1         |          |             |           |              |           |            |                 | i t   |          |
|                 |  |   |   |   | 1                                      |                                |   |                  |               |           |          |             |           |              | +         |            |                 |   |          |
|                 |  |   |   |   |  |                                |   |                  |               |           |          |             |           | 1            |           |            |                 |   |          |
|                 |  |   |   |   |  |                                |   |                  | 1             |           |          |             |           |              |           |            |                 |   |          |
|                 |  |   |   |   |  |                                |   | 1                |               |           |          |             |           |              |           |            |                 |   |          |
|                 |  |   |   |   |  |                                |   |                  |               |           |          |             |           | -            |           |            |                 |   |          |
| 0-1-1-1-1       |  | Sarah   | Linetwettens ( Snoo                           | if: Criteria to add or                        | report (alignt line                    |                                |   | <u> </u>         |               | SAMP      | LE CO    | NDITIO      | NAS       | RECE         | VED (I    | ab use     | a only          | <u>,                                     </u> |          |
| Drinking        | g water (Dw) Samples' (client use)         | Specia  | instructions / Spec                           |   | r report (client Usi                   | <del>"</del> )                 | Froz  | en               |               |           |          |             | SIF Ob    | servati      | ons       | Yes        |                 | No  |          |
| Are samples tak | en from a Regulated DW System?<br>(es / No | Please report sulpha<br>via paste, salinity pac | ite results in % for S<br>ckage. Please repor | SO4-T/S CSA methors<br>t resistivity in ohm-o | od and results in<br>cm. Please report | mg/L for SO4<br>t chlorides in | lce p<br>Cool   | acks<br>ing Init | Yes<br>liated |           | No       |             | Custoc    | ly seat i    | ntact     | Yes        |                 | No  |          |
| Are samples for | human drinking water use?                  | mg/rg or mg/r                                   |   |   |  |                                | INI   | ITIAL C          | OOLER         | TEMPE     | RATUR    | ES℃         |           | FINA         | L COOL    | ER TEN     | MPERA           | TÜRES   | °C       |
| ΓY              | es (TNo                                    |   |   |   |  |                                | 1   | 14               |               |           |          |             |           |              |           |            |                 |   |          |
|                 | SHIPMENT RELEASE (client use)              |   | INITIAL S                                     | SHIPMENT RECEP                                | TION (lab use or                       | nly)                           |   | <u>+</u>         | d             | FIN       | AL SH    | IPMEN       | TREC      | <b>EPTIO</b> | N (lab    | use or     | aly)            |   | <u> </u> |
| Released by     | Ul Date: May10/18                          | Time: Rec                                       | eived by:                                     | 12m   | S/1/                                   | 270                            | Rec   | eived I          | by:           |           |          |             | ī         | Date:        |           | Time:      |                 |   |          |

REFER TO BACK PAGE FOR ALS LOCATIONS AND SAMPLING INFORMATION WHITE - LABORATORY COPY YELLOW - CLIENT COPY Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY. By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the back page of the white - report copy. 1. If any water samples are taken from aRegulated Drinking Water (DW) Systemplease submit using anAuthorized DW COC form

Alex Tam Geotechnical Engineer-In-Training

AECOM Canada Ltd. 101-18817 Stony Plain Road NW Edmonton, AB T5S 0C2 Canada

T: 780.486.7000 F: 780.486.7070 aecom.com

# Appendix C Environmental Scans

- **1** Fish and Wildlife Internet Mapping Tool
- 2 Alberta Conservation Information Management System
- **3** Historic Resources Application
- 4 Historical Resources Act Approval
- 5 Standard Requirements under the Historical Resources Act

Aberta Environment and Parks

## Fish and Wildlife Internet Mapping Tool (FWIMT)

(source database: Fish and Wildlife Management Information System (FWMIS))

### **Species Summary Report**

Report Created: 8-Jul-2018 16:16

| Species present within the | current extent : |                                    |                                   |  |  |  |
|----------------------------|------------------|------------------------------------|-----------------------------------|--|--|--|
| Fish Inventory             | Wildlife Invento | ory Stocke                         | d Inventory                       |  |  |  |
| BURBOT                     | BARRED OWL       | No S                               | No Species Found in Search Extent |  |  |  |
| LONGNOSE DACE              | NORTHERN LE      | OPARD FROG                         |                                   |  |  |  |
| LONGNOSE SUCKER            |                  |                                    |                                   |  |  |  |
| PEARL DACE                 |                  |                                    |                                   |  |  |  |
| RIVER SHINER               |                  |                                    |                                   |  |  |  |
| SPOTTAIL SHINER            |                  |                                    |                                   |  |  |  |
| WHITE SUCKER               |                  |                                    |                                   |  |  |  |
| Buffer Extent              |                  |                                    |                                   |  |  |  |
| Centroid (X,Y):            | Projection       | Centroid:<br>(Qtr Sec Twp Rng Mer) | Radius or Dimensions              |  |  |  |
| 596206, 5924664            | 10-TM AEP Forest | SE 13 52 25 4                      | 1 kilometers                      |  |  |  |
| Contact Information        |                  |                                    |                                   |  |  |  |

For contact information, please visit:

http://aep.alberta.ca/about-us/contact-us/fisheries-wildlife-management-area-contacts.aspx



Display may contain: Base Map Data provided by the Government of Alberta under the Alberta Open Government Licence. Cadastral and Dispositions Data provided by Alberta Data Partnerships.©GeoEye, all rights reserved. Information as depicted is subject to change, therefore the Government of Alberta assumes no responsibility for discrepancies at time of use. © 2018 Government of Alberta

## Search ACIMS Data

Date: 8/7/2018 Requestor: Consultant Reason for Request: Environmental Reporting SEC: 13 TWP: 052 RGE: 25 MER: 4



### Non-sensitive EOs: 4 (*Data Updated:October 2017*)

| M-RR-<br>TTT-<br>SS | EO_ID           | ECODE      | S_RANK | SNAME                      | SCOMNAME                    | LAST_OBS_D |
|---------------------|-----------------|------------|--------|----------------------------|-----------------------------|------------|
| 4-25-<br>052-<br>13 | 5541            | NLT0018380 | S1     | Micarea<br>melaena         | dot lichen                  | 1961-04-29 |
| 4-25-<br>052-<br>13 | 5642            | NLT0023840 | S2     | Pseudevernia<br>consocians | lichen                      | 1963-05-21 |
| 4-25-<br>052-<br>13 | 5985            | NLTEST5080 | S2S4   | Peltigera<br>horizontalis  | flat fruited<br>pelt lichen | 2011-06-09 |
| 4-25-<br>052-<br>13 | 3676            | NBMUS2N100 | S2S3   | Entodon<br>schleicheri     | Schleicher's<br>silk moss   | 2002-12-01 |
| Next St             | eps: <u>See</u> | FAQ        |        |                            |                             |            |

Sensitive EOs: 0 (*Data Updated:October 2017*)

| M-RR-TTT  | EO_ID | D ECODE S_RANK SNAME SCOMNAME LAST_OBS_ |  |  |  |  |  |  |  |  |  |
|---|-------|---|--|--|--|--|--|--|--|--|--|
| No Sensitive EOs Found: Next Steps - <u>See FAQ</u> |       |   |  |  |  |  |  |  |  |  |  |
| Protocted Areas: 0 (Data Undeted: October 2017)     |       |   |  |  |  |  |  |  |  |  |  |

Protected Areas: 0 (Data Updated: October 2017)

| M-RR-TTT-SS | PROTECTED AREA NAME | TYPE | IUCN |
|-------------|---------------------|------|------|
|             |                     |      |      |

| M-RR-TTT-SS   | PROTECTED AREA NAME | TYPE | IUCN |  |  |  |  |  |
|---|---------------------|------|------|--|--|--|--|--|
| No Protected Area   | s Found             |      |      |  |  |  |  |  |
| Crown Reservations/Notations: 0 (Data Updated:October 2017) |                     |      |      |  |  |  |  |  |
| M-RR-TTT-SS NAME TYPE                                       |                     |      |      |  |  |  |  |  |
| No Crown Reservations/Notations Found                       |                     |      |      |  |  |  |  |  |

.

### Historic Resources Application

| Application Type                       |              |                                   |                                |            | A<br>R<br>S<br>S       | Application<br>Revision N<br>Submitted<br>Status: | n Numbe<br>umber:<br>Date: | r:01473<br>00<br>New | 79122     |
|--|--------------|-----------------------------------|--------------------------------|------------|------------------------|---|----------------------------|----------------------|-----------|
| Now/First Time Drais                   | at Cubmi     |                                   |                                |            |                        |   |                            |                      |           |
| O Amendment/Supplen<br>Project Number) | nentary S    | ubmission (applicant              | must provide HRM               |            | HRM Project Nu         | umber:  | 4725 -                     | -                    | (if known |
| Project Category:                      | Recre        | eation and Tourism (4             | 725)                           |            |                        |   |                            |                      |           |
| Application Purpose                    | :            | · ·                               | ,                              |            |                        |   |                            |                      |           |
| Purpose:                               | _            |                                   |                                |            |                        |   |                            |                      |           |
|  | $\checkmark$ | Requesting HRA                    | Approval / Requirements        |            |                        |   |                            |                      |           |
|  |              | Amendment or                      | Jpdate to Project Submitted P  | reviously  |                        |   |                            |                      |           |
|  |              | Requesting Res                    | oonse to Baseline Proposal     |            |                        |   |                            |                      |           |
|  |              | Requesting Res                    | oonse to Baseline Study        |            |                        |   |                            |                      |           |
|  |              | Submission of F                   | inal Project Plans             |            |                        |   |                            |                      |           |
|  |              | Submission of F                   | Istoric Resource Avoidance Pla | an         |                        |   |                            |                      |           |
|  |              | Update to Proje                   | ct Name and/or Ownership       |            |                        |   |                            |                      |           |
|  |              | Submission of A                   | s-Built Plans                  |            |                        |   |                            |                      |           |
| Lands Affected:                        | -            | Notification of P                 | roject Cancellation            |            |                        |   |                            |                      |           |
|  |              | Additional Land                   | 5                              |            |                        |   |                            |                      |           |
|  |              | No New Lands                      |                                |            |                        |   |                            |                      |           |
| Development Inform                     | nation       |                                   |                                |            |                        |   |                            |                      |           |
|  |              |                                   |                                |            |                        |   |                            |                      |           |
| Project Type:                          |              | Campground                        |                                |            |                        |   |                            |                      |           |
|  |              | Golf Course                       |                                |            |                        |   |                            |                      |           |
|  |              | Sports / Recreation               | on Facility                    |            |                        |   |                            |                      |           |
|  |              | Cultural / Enterta                | nment Facility                 | Other      | Project Type Desci     | ription:  |                            |                      |           |
|  |              | Hotel / Resort / C                | lubhouse                       | Wood       | en stair along a trail |   |                            |                      |           |
|  |              | Park Development                  | :                              |            |                        |   |                            |                      |           |
|  |              | Boat Launch                       |                                |            |                        |   |                            |                      |           |
|  | $\checkmark$ | Trail                             |                                |            |                        |   |                            |                      |           |
|  |              | Other Recreationa                 | l Development                  |            |                        |   |                            |                      |           |
|  |              | Parking Lot                       |                                |            |                        |   |                            |                      |           |
|  |              | <b>,</b>                          |                                |            |                        |   |                            |                      |           |
|  |              |                                   | 0.033ha. 110 lin.m. lenght x   | 3.0m width |                        |   |                            |                      |           |
|  |              |                                   | 0.6m to 2.0m at post location  | IS         |                        |   |                            |                      |           |
|  |              | Wasto Managomo                    | <b></b>                        |            |                        |   |                            |                      |           |
|  |              | Waste Manageme                    | it.                            |            |                        |   |                            |                      |           |
|  | ×            | Other                             |                                |            |                        |   |                            |                      |           |
| Project Identifier:                    | Lans<br>Proi | downe Stair and Trail<br>ect Name |                                |            |                        |   |                            |                      |           |
| Anti-instad common                     |              | fland davalanman                  | <b>.</b> .                     | May 2010   |                        |   |                            |                      |           |
| Anticipated terminat                   | ion of la    | nd development:                   |                                | June 2019  | ,                      |   |                            |                      |           |
| Key Contact                            |              |                                   |                                |            |                        |   |                            |                      |           |
| Title:                                 |              |                                   |                                |            | *Address:              | 101, 18   | 817 Stor                   | ıy Plain             | Road NW   |
| First Name:                            | Brian        |                                   | Initials:                      |            | ******                 | F-1   |                            |                      |           |
| Last Name:<br>Affiliation:             | NOIAN        | M                                 |                                |            | *Province/State        | AB *  | on<br>Country              | Canac                | la        |
| Email:                                 | brian.       | nolan@aecom.com                   |                                |            | *Postal Code/Zip:      | T5S0C2  | 2                          | Sanat                |           |
| Work Number:                           | (780)        | 486-7000                          |                                |            |                        |   |                            |                      |           |
| Cell Number:                           | ()           | -                                 |                                |            |                        |   |                            |                      |           |
| Fax Number:<br>Applicant Ref. #:       | ( )          | -                                 |                                |            |                        |   |                            |                      |           |
|  |              |                                   |                                |            |                        |   |                            |                      |           |

| Please<br>Com<br>Cont<br>Cont<br>Cont<br>Cont<br>Fax I<br>Emai<br>CC E | e complete :<br>pany Nam<br>act Title:<br>act First N<br>act Last N<br>act Positic<br>ne Number:<br>Number:<br>I:<br>mail: | the details (<br>e: ()<br>lame: ()<br>ame: 2<br>on: ()<br>:: ()<br>() | below, if the Pr<br>City of Edmont<br>Ms.<br>Heather<br>Ziober<br>Program Manag<br>20anning and D<br>(780) 496-4790<br>( ) -<br>heather.ziober(<br>oe.ebeid@wsp | oponent is no<br>on<br>ger Integrated<br>esign<br>0<br>@edmonton.c<br>.com | ot the si<br>d Infras<br>a     | ame as the Ke<br>Ir<br>tructure Servi | ey Contact.<br><b>hitials:</b><br>ces   Open Sp | HZ                    | Address:<br>City:<br>Province/State:<br>Postal Code/Zip: | 12th Floor, Edmonton Tower<br>10111-104 Avenue NW Edmonton<br>Edmonton<br>AB <b>Country:</b> Canada<br>T5J 0J4 |
|--|--|---|---|--|--------------------------------|---------------------------------------|---|-----------------------|--|--|
| *Prop  | osed Dev   | elopment  | Area  |  |                                |                                       |   |                       |  |  |
|  | MER  | RGE   | тwр   | SEC  |                                | LSD List                              |   |                       |  |  |
|  | 4  | 25  | 52  | 13   |                                | 2                                     |   |                       |  |  |
|  |  |   |   |  |                                |                                       |   |                       |  |  |
|  | Listed L   | ands Affe   | cted  |  |                                |                                       |   |                       |  |  |
|  | MER  | RGE   | TWP   | SEC  | LSD                            | HRV                                   | Category  |                       |  |  |
|  | 4  | 25  | 52  | 13   | 2                              | 5                                     | а   |                       |  |  |
|  | 4  | 25  | 52  | 13   | 2                              | 5                                     | р   |                       |  |  |
| *Atta  | Chments<br>Upload/0  | Illustrati<br>Justificat<br>Created Da                                | ve material is r<br>ion and Action<br>ite Type  | equired prior<br>Matrix docur  | <sup>-</sup> to subi<br>nents. | mittal of the a                       | pplication. If a                                | vailable,             | also supply  |  |
|  | Descrit  |   |   |  | 6                              | . F                                   |   |                       |  |  |
|  | Descrip  | tion  |   |  | Sen                            | it Fro                                | om  |                       |  |  |
| Addit  | ional Info   | rmation   |   |  |                                |                                       |   |                       |  |  |
|  |  |   |   |  |                                |                                       |   |                       |  |  |
| Com  | ments:<br>An Archa<br>An Archa<br>If so  | eological<br>eological  | Permit applic<br>Permit Repor<br>ne Permit Numi   | ation has be<br>t is being su<br>ber:                                      | een sub                        | omitted and s                         | studies are po                                  | ending -<br>s applica | requesting HRA Req<br>tion.                              | uirements.   |
|  | A Palaeo   | ntological  | Permit applic   | ation has b  | een su                         | bmitted and                           | studies are p                                   | ending ·              | - requesting HRA Red                                     | juirements.  |
|  | A Palaeo   | ntological  | Permit Repo   | t is being s   | ubmitte                        | ed in conjune                         | ction with thi                                  | s applic              | ation.   |  |







2018-08-10 Date: CITY OF EDMONTON Project No.: 60562757

ANSDOWNE STAIR AND TRAI

ALIGNMENT AND RESTORATION OPTION 1



RESTORATION, TOPSOIL AND SEED PARKS MAINTENANCE #1







CITY OF EDMONTON Project No.: 60562757 Date: 2018-08-10

ANSDOWNE STAIR AND TRAI

ALIGNMENT AND RESTORATION OPTION 2

AECOM

DRAFT

Figure: 03

HRA Number: 4725-18-0037-001 October 26, 2018

## Historical Resources Act Approval

| Proponent:          | City of Edmonton |   |  |  |  |  |  |
|---------------------|------------------|---|--|--|--|--|--|
|                     | 12th Floo        | or, Edmonton Tower, 10111-104 Avenue NW, Edmonton, AB T5J 0J4 |  |  |  |  |  |
| Contact:            | Ms. Heat         | ther Ziober   |  |  |  |  |  |
| Agent:              | AECOM            |   |  |  |  |  |  |
| Contact:            | Brian Nolan      |   |  |  |  |  |  |
| Project Name:       | I                | Lansdowne Stair and Trail                                     |  |  |  |  |  |
| Project Components: |                  | Trail   |  |  |  |  |  |
|                     | (                | Other - Wooden stair and asphalt trail                        |  |  |  |  |  |
| Application Purp    | oose: F          | Requesting HRA Approval / Requirements                        |  |  |  |  |  |

*Historical Resources Act* approval is granted for the activities described in this application and its attached plan(s)/sketch(es) subject to Section 31, "a person who discovers an historic resource in the course of making an excavation for a purpose other than for the purpose of seeking historic resources shall forthwith notify the Minister of the discovery." The chance discovery of historical resources is to be reported to the contacts identified within <u>Standard Requirements under the Historical Resources Act</u>. Reporting the Discovery of Historic Resources.

Martina Purdon Head, Regulatory Approvals & Information Management

| Lands Affected: All New Lands |                     |           |           |                       |          |  |  |  |
|-------------------------------|---------------------|-----------|-----------|-----------------------|----------|--|--|--|
| Proposed Development Area:    |                     |           |           |                       |          |  |  |  |
| MER                           | RGE                 | TWP       | SEC       |                       | LSD List |  |  |  |
| 4                             | 25                  | 52        | 13        |                       | 2        |  |  |  |
| Docum                         | Documents Attached: |           |           |                       |          |  |  |  |
| Docum                         | ent Nam             | ne        |           | Document Type         |          |  |  |  |
| Layout                        | options             | for stair | and trail | Illustrative Material |          |  |  |  |

Abertan Culture and Tourism

## STANDARD REQUIREMENTS UNDER THE HISTORICAL RESOURCES ACT: REPORTING THE DISCOVERY OF HISTORIC RESOURCES

If development proponents and/or their agents become aware of historic resources during the course of development activities, they are required, under Section 31 of the *Historical Resources Act*, to report these discoveries to the Heritage Division of Alberta Culture and Tourism. This requirement applies to all activities in the Province of Alberta.

### 1.0 REPORTING THE DISCOVERY OF ARCHAEOLOGICAL RESOURCES

The discovery of archaeological resources is to be reported to Eric Damkjar, Head, Archaeology, at 780-431-2346 (toll-free by first dialing 310-0000) or <u>eric.damkjar@gov.ab.ca</u>.

### 2.0 REPORTING THE DISCOVERY OF PALAEONTOLOGICAL RESOURCES

The discovery of palaeontological resources is to be reported to Dan Spivak, Head, Resource Management, Royal Tyrrell Museum of Palaeontology, at 403-820-6210 (toll-free by first dialing 310-0000) or <u>dan.spivak@gov.ab.ca</u>.

### 3.0 REPORTING THE DISCOVERY OF HISTORIC PERIOD SITES

The discovery of historic structures to be reported to Rebecca Goodenough, Manager, Historic Places Research and Designation Program, at 780-431-2309 (toll-free by first dialing 310-0000) or <u>rebecca.goodenough@gov.ab.ca</u>. Please note that some historic structure sites may also be considered Aboriginal traditional use sites.

### 4.0 REPORTING THE DISCOVERY OF ABORIGINAL TRADITIONAL USE SITES

The discovery of any Aboriginal traditional use site that is of a type listed below is to be reported to Valerie Knaga, Director, Aboriginal Heritage Section, at 780-431-2371 (toll-free by first dialing 310-0000) or <u>valerie.k.knaga@gov.ab.ca</u>.

Aboriginal Traditional Use sites considered by Alberta Culture and Tourism to be historic resources under the *Historical Resources Act* include:

Historic cabin remains; Historic cabins (unoccupied); Cultural or historical community camp sites;
Albertan Culture and Tourism

#### STANDARD REQUIREMENTS UNDER THE HISTORICAL RESOURCES ACT: REPORTING THE DISCOVERY OF HISTORIC RESOURCES

Ceremonial sites/Spiritual sites; Gravesites; Historic settlements/Homesteads; Historic sites; Oral history sites; Ceremonial plant or mineral gathering sites; Historical Trail Features; and, Sweat/Thirst/Fasting Lodge sites

#### 5.0 FURTHER SALVAGE, PRESERVATIVE OR PROTECTIVE MEASURES

If previously unrecorded historic resources are discovered, proponents may be ordered to undertake further salvage, preservative or protective measures or take any other actions that the Minister of Alberta Culture and Tourism considers necessary.

## Appendix D Design Information

- **1** Environmental Sensitivities Map
- 2 Alignment and Restoration Option 1
- 3 Alignment and Restoration Option 2
- 4 Option 1 and Option 2 Profiles
- 5 Notes and Details









2018-08-10 Date: CITY OF EDMONTON Project No.: 60562757

ANSDOWNE STAIR AND TRAI

ALIGNMENT AND RESTORATION OPTION 1



RESTORATION, TOPSOIL AND SEED PARKS MAINTENANCE #1







CITY OF EDMONTON Project No.: 60562757 Date: 2018-08-10

ANSDOWNE STAIR AND TRAI

ALIGNMENT AND RESTORATION OPTION 2

AECOM

DRAFT

Figure: 03





Profile View of Lansdowne Option 2





#### GENERAL NOTES:

SITE WORK

£

NSI

Z

- CONTRACTOR TO CALL ALBERTA ONE CALL AT 1-800-242-3447, AND ALL OTHER UTILITY PROVIDERS, AS REQUIRED, TO HAVE EXISTING UTILITIES LOCATED PRIOR TO START OF ANY CONSTRUCTION.
- 2. CONTRACTOR TO VISIT THE SITE TO CONFIRM ALL SITE CONDITIONS PRIOR TO SUBMITTING BIDS. ANY DISCREPANCIES ARE TO BE REPORTED TO THE CITY OF EDMONTON REPRESENTATIVE FOR CLARIFICATION.
- 3. CONTRACTOR IS RESPONSIBLE FOR MAINTAINING EXISTING DRAINAGE PATTERNS AND REQUIREMENTS OF THE CITY OF EDMONTON EROSION AND SEDIMENTATION GUIDELINES AND FIELD MANUAL.
- 4. CONTRACTOR TO MINIMIZE THE DISTURBANCE TO EXISTING PLANT MATERIAL AND IS RESPONSIBLE FOR THE HOARDING OF ALL TREES WITHIN OR ADJACENT TO CONSTRUCTION AREAS, TO THE SATISFACTION OF THE CITY OF EDMONTON REPRESENTATIVE. "TREE" GRAPHICS DEPICT TREE CANOPY LOCATIONS ONLY.
- 5. CONTRACTOR IS RESPONSIBLE FOR THE ADJUSTMENT OF ALL EXISTING CATCHBASINS, CATCHBASIN MANHOLES, MANHOLES, WATER VALVES, HYDRANTS ETC. TO MATCH PROPOSED GRADES.
- 6. CONTRACTOR IS RESPONSIBLE FOR HAULING OF ALL EXCESS MATERIALS OFF THE SITE TO A LOCATION APPROVED BY THE THE CITY OF EDMONTON REPRESENTATIVE. ALL WORKS SHALL ADHERE TO THE CITY OF EDMONTON TRAFFIC BYLAW #5590.
- 7. CONTRACTOR IS RESPONSIBLE FOR GENERAL SITE CLEANUP.
- 8. CONTRACTOR IS RESPONSIBLE FOR ANY DAMAGE TO LANDSCAPED AREAS AND MUST MAKE ALL NECESSARY RESTORATIONS AND REPAIRS, TO THE SATISFACTION OF THE CITY OF EDMONTON REPRESENTATIVE.
- 9. THE CITY OF EDMONTON WILL PROVIDE SURVEY FOR GENERAL LAYOUT OF TRAIL. TWO (2) SURVEYS WILL BE PROVIDED TO THE CONTRACTOR. ANY ADDITIONAL SURVEY REQUIRED BY THE CONTRACTOR WILL BE THE CONTRACTORS RESPONSIBILITY.
- 10. CONTRACTOR RESPONSIBLE FOR ALL REHABILITATION REQUIRED DUE TO THE REMOVAL OF EXISTING TRAIL SURFACE AND ANY OTHER FEATURES TO BE REMOVED. REHABILITATION OF TOP AND BOTTOM OF STAIRS, AND GRASSED AREAS TO MEET THE CITY OF EDMONTON DESIGN AND CONSTRUCTION STANDARDS FOR LANDSCAPE CONSTRUCTION (CURRENT EDITION). 11. MATERIALS AND COMPACTION TESTING TO BE COMPLETED BY THE CITY OF EDMONTON
- 12. FINAL LAYOUT OF THE STAIRS AND TRAIL TO BE REVIEWED AND APPROVED BY THE LANDSCAPE CONSULTANT AND CITY OF EDMONTON REPRESENTATIVE.
- 13 TRAIL SIGNAGE TO BE PROVIDED BY THE CITY OF EDMONTON REPRESENTATIVE REFER TO PLANS FOR LOCATION
- 14 PROJECT SIGNAGE AND FENCING: CONTRACTOR TO PROVIDE 'DETOUR' AND 'TRAIL CLOSED' SIGNAGE, AS WELL AS CONSTRUCTION FENCE AS REQUIRED BY THE CITY OF EDMONTON. LOCATION OF SIGNS TO BE CONFIRMED ON SITE WITH THE CITY OF EDMONTON REPRESENTATIVE, TRAIL CLOSURES SHALL ADHERE TO THE CITY OF EDMONTON TRAIL CLOSURE PROCEDURE 15. ONE YEAR WARRANTY AND MAINTENANCE PERIOD ON CONSTRUCTION.

#### MATERIALS

- 1. THE CONTRACTOR SHALL SUPPLY ALL MATERIAL IN QUANTITIES SUFFICIENT TO COMPLETE THE WORK SHOWN ON THE DRAWINGS. ANY DISCREPANCIES IN QUANTITIES SHALL BE REPORTED TO THE CITY OF EDMONTON REPRESENTATIVE DIRECTION.
- 2. NO SUBSTITUTION OF MATERIAL, PRODUCTS OR QUANTITIES SHALL BE PERMITTED WITHOUT PRIOR CONSENT OF THE CITY OF EDMONTON REPRESENTATIVE

#### GENERAL

- . ALL LANDSCAPE CONSTRUCTION TO MEET CITY OF EDMONTON DESIGN AND CONSTRUCTION STANDARDS (CURRENT EDITION). 2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE WRITTEN SPECIFICATIONS, DRAWINGS AND DETAILS FOR THIS PROJECT.
- 3. UNDER GROUND UTILITIES ARE SHOWN ON THESE LANDSCAPE DRAWINGS FOR INFORMATION ONLY. RECORD ENGINEERING DESIGN DRAWINGS SHOULD BE REFERRED TO FOR SIZE AND LOCATION OF ALL SANITARY, STORM, WATER, GAS CABLE AND ELECTRICAL U.G. SERVICING KIOSKS AND BOW'S
- 4. ANY AMBIGUITY IN THIS DRAWING OR ACCOMPANYING DETAILS IS TO BE REPORTED TO THE CITY OF EDMONTON REPRESENTATIVE FOR DIRECTION. THE CONTRACTOR IS NOT TO PROCEED IN UNCERTAINTY.
- 5. LIMITS OF THE WORK ARE TO BE CLEARLY UNDERSTOOD BY THE CONTRACTOR PRIOR TO ANY WORK TAKING PLACE ON SITE. THE CONTRACTOR IS TO CONTACT THE CITY OF EDMONTON REPRESENTATIVE FOR CLARIFICATION IF REQUIRED.
- 6. THE CONTRACTOR IS TO VERIFY ALL DIMENSIONS AND REPORT ANY DISCREPANCIES TO THE CITY OF EDMONTON REPRESENTATIVE. 7. ON-SITE LAYOUT IS TO BE APPROVED BY THE CITY OF EDMONTON REPRESENTATIVE PRIOR TO START OF CONSTRUCTION.
- 8. ALL MEASUREMENTS ARE IN MILLIMETRES UNLESS OTHERWISE SPECIFIED.

#### 9. ALL SITE ACCESS TO BE OFF LANSDOWNE DRIVE.

#### PLANTING NOTES:

- 1. THE CITY OF EDMONTON REPRESENTATIVE MAY REQUEST RANDOM SQIL TESTS FOR ANY AND/OR ALL SQIL TYPES AND MIXES. INSTALLED WITHIN THE PROJECT. THIS MAY BE REQUESTED AT ANY TIME DURING THE PROJECT UNTIL CONSTRUCTION COMPLETION CERTIFICATE IS RECEIVED FROM THE APPROVING AUTHORITY. SOIL SAMPLE LOCATIONS TO BE SELECTED BY THE CITY OF EDMONTON REPRESENTATIVE. THE CONTRACTOR WILL BE REQUIRED TO REPLACE OR AMEND DEFICIENT SOILS/SOIL MIXES TO MEET SPECIFICATIONS SHOULD THE TEST RESULTS INDICATE DEFICIENCIES. THE CITY OF EDMONTON REPRESENTATIVE TO SELECT SOIL SAMPLE LOCATIONS AFTER REPLACEMENT/AMENDMENTS OCCUR AND CONTRACTOR TO PROVIDE SOIL TESTING TO CONFIRM SPECIFICATIONS HAVE BEEN MET. ALL SOIL TESTING COSTS TO BE BORNE BY THE CONTRACTOR.
- 2. CONTRACTOR RESPONSIBLE FOR VERIFYING ALL QUANTITIES AND NOTIFYING THE CITY OF EDMONTON REPRESENTATIVE OF ANY OMISSIONS.

3. SEED MIXES

-13)

- PARKS MAINTENANCE #1 MIX ## m<sup>2</sup> 30% TOUCHDOWN KENTUCKY BLUEGRASS 20% BANFF KENTUCKY BLUEGRASS 30% CREEPING RED FESCUE
- 20% FIESTA II PERENNIAL RYE GRASS

#### CENTRAL PARKLAND SEED MIX - ## m<sup>2</sup>

| 0   |                       |  |
|-----|-----------------------|--|
| 15% | AWNED WHEATGRASS      | AGROPYRON TRACHYCAULUM VAR. UNILATERALE  |
| 15% | SLENDER WHEATGRASS    | AGROPYRON TRACHYCAULUM VAR. TRACHYCAULUM |
| 15% | WESTERN WHEATGRASS    | AGROPYRON SMITHII                        |
| 5%  | SLOUGHGRASS           | BECKMANNIA SYZIGACHNE                    |
| 5%  | IDAHO FESCUE          | FESTUCA IDAHOENSIS                       |
| 5%  | ALKALI BLUEGRASS      | POA SECUNDA SSP. JUNCIFOLIA              |
| 5%  | JUNEGRASS             | KOELERIA MACRANTHA                       |
| 5%  | SANDBERG BLUEGRASS    | POA SECUNDA                              |
| 20% | GREEN NEEDLEGRASS     | STIPA VIRIDULA                           |
| 10% | ROCKY MOUNTAIN FESCUE | FESTUCA SAXIMONTANA                      |
|     |                       |  |

4. CONTRACTOR TO ENSURE ADEQUATE SEED GERMINATION FOR CONSTRUCTION COMPLETION CERTIFICATE AND NATURALIZED TURF SHOULD BE ESTABLISHED BY FINAL ACCEPTANCE CERTIFICATE INSPECTIONS WITH THE CITY OF EDMONTON.

- 5. TRAIL EDGE REHABILITATION TO USE CLASS 'B' TOPSOIL FROM WEED FREE SOURCE AS PER THE CITY OF EDMONTON STANDARDS. TOP DRESS AND SEED ANY AND ALL DAMAGE CAUSE, BY CONSTRUCTION ACTIVITIES.
- 6. LANDSCAPE MAINTENANCE TO INCLUDE 1 YEAR WARRANTY AND MAINTENANCE PERIOD ON REHABILITATION









2018-08-10 ē. Dat

02 Figure: (

## Appendix E Opinion of Probable Cost

| nsdo | wne Stair and Trail Project  | Unit       | Quantity    | Unit Rate             | Total           |
|------|--|------------|-------------|-----------------------|-----------------|
|      |  |            |             |                       |                 |
| 1.0  | Mobilization and De-mobilization   | l . '      |             | <b>*</b> 40.000       | <b>*</b> 40,000 |
| I    | a) Initial mobilization and de-mobilization - including but not limited to - 2 trail closed signs - to City or   | l.s.       | 1.0         | \$10,000              | \$10,000        |
| I    | Edmonton Standards, laydown area, rencing  |            | 10          | \$5,000               | \$5,000         |
| 1    | D) Allowance for Occupational Health and Salety  | 1.5.<br>Is | 1.0         | φ0,000<br>\$500       | φ0,000<br>\$500 |
| I    |  | 1.5.       | 1.0         | φυυυ                  | ψυυυ            |
| 2.0  | Removals   |            |             |                       |                 |
| I    | a) Remove and dispose off site existing earthen trail (goat track) material                                      | l.m.       | 75.0        | \$80                  | \$6,000         |
| 3.0  | Grading and Earthwork  |            |             |                       |                 |
|      | a) Grading and rototill of areas to be rehabilitated   | l.s.       | 1.0         | \$10,000              | \$10,000        |
| 1    | b) Miscellaneous earthwork - including but not limited to ensuring drainage patterns remain during               | l.s.       | 1.0         | \$13,250              | \$13,250        |
| I    | construction, ensuring all earthworks at tie-ins to existing trails and roads are handled                        |            |             |                       |                 |
| 4.0  | Trail Rehabilitation and Stair Construction  |            |             |                       |                 |
| I    | a) Trail restoration (slope) - existing informal earthen trails (goat track) rehabilitate any and all damage     | m2         | 330.0       | \$30                  | \$9,900         |
| I    | caused by construction activities. Erosion control blanket to slopes steeper than 1 in 3                         |            |             |                       |                 |
| I    | b) Restoration (upland) - rehabilitate any and all damage disturbed area caused by construction activities.      | m2         | 335.0       | \$20                  | \$6,700         |
| 1    | Erosion control blanket to slopes steeper than 1 in 3  | 1          |             |                       |                 |
| 1    | c) Asphalt trail - to tie into elevations at top of stairs and back of curb - based on 3.0 m average trail width | m2         | 150.0       | \$300                 | \$45,000        |
| 1    | (including excavation, 150 mm compacted subgrade preparation, minimum 150 mm depth 20 mm dia.                    |            |             |                       |                 |
| 1    | crush gravel, 75 mm asphalt, geotextile fabric) (Detail 5160)  | '          | 70.0        | ¢1.600                | ¢112.000        |
| 1    | d) Stair construction - City of Edmonton wooden Stairs and Support Structure (price per linear metre             | I.fn.      | 70.0        | φ1,000                | <b>⊅⊺⊺∠,000</b> |
| 1    | a) 70 mm caliner deciduous tree  | each       | 9.0         | \$625                 | \$5.625         |
| 1    | f) 3.5 m in height coniferous tree   | each       | 2.0         | \$750                 | \$1,500         |
| 1    |  | 0401.      | 2.0         | ψ                     | ÷.,             |
| 5.0  | Fences and Signage   |            |             |                       |                 |
| 1    | a) Project sign - 1.2m x 4m City of Edmonton and Consultant sign   | l.s.       | 2.0         | \$2,650               | \$5,300         |
| 1    | b) Silt fence and general erosion control - to City of Edmonton Standards  | l.s.       | 1.0         | \$5,000               | \$5,000         |
| I    | c) Compost filter sock   | l.m.       | 35.0        | \$160                 | \$5,600         |
| 6.0  | Maintenance  |            |             |                       |                 |
| 1    | a) Landscape maintenance - to include 1 year maintenance and warranty period on landscape                        | month      | 6.0         | \$1,000               | \$6,000         |
| 1    | rehabilitation, 1 year maintenance on trail and site furnishings   |            |             |                       |                 |
|      | b) Stair maintenance - to include 1 year maintenance and warranty period on stairs                               | month      | 6.0         | \$500                 | \$3,000         |
|      |  | Total - La | ansdowne St | air and Trail Project | \$250,375       |
|      |  |            |             |                       |                 |
|      | NOTES:   |            |             |                       |                 |

1) Prices do not include GST.

2) Estimate does not include design and construction contingency.

3) Estimate does not include City of Edmonton Project Administration.

4) Estimate does not include any further Public Engagements.

5) Site remediation is not in Contract.

6) Estimate accuracy range - 30% to + 50%.

Without in any way limiting the generality of the foregoing, any estimates or opinions regarding probable construction costs or construction schedule provided by AECOM represent AECOM's professional judgement in light of its experience and the knowledge and information available to it at the time of preparation. Since AECOM has no control over market or economic conditions, prices for construction labour, equipment or materials or bidding procedures, AECOM, its directors, officers and employees are not able to, nor do they, make any representations, warranties or guarantees whatsoever, whether express or implied, with respect to such estimates or opinions, or their variance from actual construction costs or schedules, and accept no responsibility for any loss or damage arising therefrom or in any way related thereto. Persons relying on such estimates or opinions do so at their own risk.

## Appendix F Public Consultation

- 1 Public Engagement Plan
- 2 Public Engagement Session Postcard
- **3 Public Engagement Session Notice**
- 4 Public Engagement Road Sign
- 5 **Project Website Update**
- 6 Public Engagement Boards
- 7 What We Heard

# **Involving Edmonton Public Plan**

| Project:                             | Lansdowne Stair & Trail               |
|--------------------------------------|---------------------------------------|
| Department/Branch<br>Responsible:    | IIS Open Space Planning & Development |
| Project Manager:                     | Heather Ziober / OPSD Kevin Brygidyr  |
| Consultant:                          | AECOM                                 |
| Draft or Final:                      | Draft                                 |
| Other city participants or partners: | River Valley Operations               |

### Background:

| DESCRIPTION OF THE<br>OVERALL PROJECT OR<br>INITIATIVE:       | The Lansdowne neighbourhood residents provided input on March<br>17, 2015 at the Building Great Neighbourhoods Lansdowne Public<br>Engagement Meeting Two. Part of the comments were several<br>requests to add a trail and stairs from SW Lansdowne Drive down to<br>the shared use path along Whitemud Drive.<br>OSPD has engaged a consultant to provide feasibility study,<br>concept planning, and preliminary design to add a stair and trail at<br>this location. Intent is to proceed to detailed design through to<br>construction upon confirmation of design and available funds. |
|---|--|
| THE DECISION BEING<br>MADE IS:                                | OSPD will use the first event to have the residents provide input on<br>their preferred concept design.<br>OSPD will use a second event to have the residents provide input<br>on the preliminary design for any further comments.   |
| DECISION MAKERS   | The OSPD Project Team will select the preferred concept designs created by the consultant AECOM.<br>The OSPD Project Team will approve the final preliminary designs created by the consultant AECOM.  |
| THE SCOPE (IMPACT,<br>AND COMPLEXITY) OF<br>THIS DECISION IS: | There are limited options on how these stairs can be constructed<br>due to the location and technical requirements. The project team<br>will use public engagement to understand the impact of installing<br>these stairs and use their input to choose a preferred concept plan.<br>The preferred option will then proceed into further preliminary<br>design.  |
| THE TIMELINE FOR THIS<br>DECISION IS:                         | Concept plans will be available for view end of September 2018 and input from public engagement will be used to develop Preliminary drawings by November 2018 for distribution.  |
| THE PUBLIC IS BEING<br>INVOLVED IN BECAUSE:                   | The project team requires their input to understand needs and provide an appropriate design.<br>The project team would also like to understand any possible impacts of installation of the stairs and trail will have for the adjacent residents, to determine what mitigation can be included in design.  |

|  | The role of the public will be: to REFINE the two concept options to one plan and to ADVISE on the preliminary designs.  |  |  |
|--|--|--|--|
| ROLES OF THE PUBLIC:                                       | The public is<br>consulted by<br>the City to share<br>feedback and<br>perspectives that<br>are considered<br>for policies,<br>programs,<br>projects, or<br>services.   |  |  |
| THE SPECIFIC<br>INFORMATION BEING<br>SOUGHT IS:            | How do you currently use this hill to access the river valley?<br>What opportunities are there to consider when designing this<br>stairway?<br>What possible impacts will this have to you as an adjacent<br>landowner / resident / user?<br>Is there any final input we need to consider when finalizing the<br>preliminary design? |  |  |
| HOW WILL INFORMATION<br>BE USED IN THE<br>DECISION MAKING? | The input gathered will be used to REFINE from two concept plans<br>to one concept plan. ADVICE from the public will be used to finalize<br>the preliminary plan.  |  |  |

## Public Involvement Methods Strategy

| Potential Participants     | Proposed Level of<br>Involvement | Involvement Strategy  |
|----------------------------|----------------------------------|---|
| Lansdowne<br>neighbourhood | Refine / Advise                  | public engagement event and referral to<br>website<br>Community conversation at public event and /<br>or online survey. |
| Community League           | Refine / Advise                  | Attendance at a community league board meeting.   |
| Surrounding users          | Refine / Advise                  | public engagement event and referral to website   |

|  | Community conversation at public event and / or online survey. |
|--|--|
|  |  |

### Special Outreach Strategy

| Public Requiring Outreach        | Strategy  |
|----------------------------------|---|
| Adjacent homeowners/residents    | There may need to be an onsite meeting with adjacent owners to discuss strong concerns should they arise.   |
| Cycling enthusiasts              | There may be cycling enthusiasts that wish to provide input on this development. This may arise during the initial public engagement event.                       |
| Nature / environment enthusiasts | There may be nature / environment enthusiasts that<br>wish to provide input on this development. This<br>may arise during the initial public engagement<br>event. |

### **Resource Strategy**

#### Public Involvement Budget

| Staff/Contractors                   | OSPD PM and PC (WSP)                          |
|-------------------------------------|---|
| Technical information and materials | Part of AECOM's design scope                  |
| Communication                       | Communication Advisor<br>OSPD PM and PC (WSP) |
| Logistics                           | OSPD PM and PC (WSP)                          |
| Participant Expenses                |   |
|                                     |   |
|                                     |   |
| Total Expenses                      |   |

### Staff time for

| Event planning and participation | OSPD PM   |
|----------------------------------|---|
| Special meetings                 | OSPD PM<br>Communication Advisor<br>Public Engagement Advisor |

| Communication with stakeholders | Claire                       |
|---------------------------------|------------------------------|
| Display preparation             | Part of AECOM's design scope |
|                                 |                              |

### Data Management Strategy

Information collected is to be stored/recorded in Consultation Manager. Contact the Office of Public Involvement to add this Public Involvement Project.

| Information gathered  | How it will be recorded/managed/integrated into planning considerations   |
|---|---|
| Input from public engagement event and online survey  | The same input questions will be asked at both the public engagement<br>event and the online survey. This input will be considered alongside<br>technical requirements and city policy to create the final preliminary<br>plan for development. |
| If required, stakeholder<br>conversation input from onsite<br>gathering and / or special<br>stakeholder meeting | This input will be considered alongside technical requirements and city policy to create the final preliminary plan for development.  |
|   |   |

#### Communications Strategy

Communication Tactics Outline - Lansdowne Staircase and Trail Project

| Target Audience                       | Key Messages and Timing | Information Sharing Tool                                       |
|---------------------------------------|-------------------------|--|
| Lansdowne neighbourhood               |                         | Mail drop / community newsletter                               |
| Surrounding users                     |                         | Outdoor signs  |
| Neighbourhood Resource<br>Coordinator |                         | WSP has contacted NRC Michael Goth via phone and email.        |
| City Councillor                       |                         | Ward Councillor - notification via email from<br>PM's Director |
| Parks Operations                      |                         | РМ   |
| River Valley Operations               |                         | РМ   |

### **Evaluation Strategy**

| What are the indicators of success for the public involvement process? | High attendance with active participation and constructive feedback.   |  |  |
|--|--|--|--|
| What will we measure or evaluate about the public involvement process? | <ul> <li>Participant evaluation</li> <li>% understand how their input will be used</li> <li>% had enough information to participate in the conversation</li> <li>% felt respected</li> <li>% felt views were heard</li> <li>% felt input was adequately captured and recorded</li> <li>% felt input will be considered by the City</li> <li>% felt was a good use of time</li> </ul> |  |  |
| When and how?  | Feedback form at public engagement events / and stakeholder<br>meetings<br>Online survey PE questions for those who access feedback in<br>this manner.   |  |  |
| What will we do with the results of the evaluation?                    | Use feedback information from initial event to identify gaps in stakeholders and adjust future engagement on preliminary plan.   |  |  |

## You're invited to provide your feedback and help us adjust our approach to design the Lansdowne Staircase and Trail Project

Public Engagement Session

SEPT N
6:30 to 8:00 p.m.
Lansdowne Community Hall
(4915 124 Street NW, Edmonton)

Learn more about this project at edmonton.ca/?? or Call 311

SHARE YOUR VOICE SHAPE OUR CITY

# You're invited to provide your feedback and help us adjust our approach to design the Lansdowne Staircase and Trail Project

# **Public Engagement Session** SEPT 6:30 to 8:00 p.m. Lansdowne Community Hall (4915 124 Street NW, Edmonton)

Learn more about this project at **edmonton.ca/??** or Call **311** 

SHARE YOUR VOICE SHAPE OUR CITY





# SHARE YOUR FEEDBACK LANSDOWNE STAIRCASE & TRAIL SEPT 25, 6:30-8:30 PM FOR MORE INFO call 311 EDMONTON.CA/LANSDOWNESTAIRS

#### Lansdowne Project Website Update

The City is beginning the process of conceptual design to add a stair and trail from SW Lansdowne Drive down to the shared use path along Whitemud Drive.

As part of the Building Great Neighbourhoods Meetings held in 2014 - 2016, Lansdowne residents had the opportunity to provide their input about the neighbourhood preliminary design and pose questions and suggestions to City representatives. During the March 11, 2015 Meeting Two, several requests to add a trail and stairs from SW Lansdowne Drive down to the shared use path along Whitemud Drive were raised.

The City of Edmonton, Integrated Infrastructure Services has engaged a consultant to provide geotechnical investigation reporting, feasibility and environmental impact assessment study, concept planning, and preliminary design to add a stair and trail at this location. The status of this project is currently at the end of the feasibility study. The hill and existing goat trail separating Lansdowne Drive and the shared use path has been deemed feasible for the proposed enhancements of a stair and trail.

We will be engaging the residents and users of the public space in a public engagement meeting in late September 2018. At this point, two concept plans will be created by the consultant and presented welcoming participants to provide input on their preferred concept design. We will also be looking for a better understanding on how this trail is currently being used, what the stairs will be used for, understand needs, and provide an appropriate solution. This information will be used to further refine the preferred concept design and provide the basis for preliminary design.

#### Summer 2018

- Consultant procurement for feasibility and design.
- Geotechnical investigation
- Feasibility Environmental Impact Assessment Study

#### Fall 2018

- Concept Options Planning
- Public Engagement Event for Preferred Concept Option
- Concept Design

#### Winter 2018

- Preliminary Design
- Public Engagement: Distribution and update of Preliminary Design with email provided for feedback.

#### 2019 - 2022

- Detailed design and construction – currently unfunded

# Lansdowne Staircase and Trail Project

You are invited to provide feedback and help us make adjustments to the two concept design options for the proposed Lansdowne Staircase and Trail.

Learn more by going to: edmonton.ca/LansdowneStairs

# **SHARE** YOUR VOICE **SHAPE** OUR CITY





# Lansdowne Staircase and Trail Project

- The Lansdowne Staircase and Trail Project was initiated +based on feedback gathered during public engagement for Lansdowne Neighbourhood Renewal.
- This project proposes development of an asphalt path connecting Lansdowne Drive to the existing paved path adjacent to Whitemud Drive, as well as a new staircase on the slope.
- Your feedback today will help us to confirm one preferred + concept design for this project. Future construction is dependent on funding approval.

Learn more by going to: edmonton.ca/LansdowneStairs



# SHARE YOUR VOICE Shape our city



# **Option** A



Learn more by going to: edmonton.ca/LansdowneStairs

# SHARE YOUR VOICE Shape our city



ш



# **Option B**



Learn more by going to: edmonton.ca/LansdowneStairs

# SHARE YOUR VOICE Shape our city



ш





CONCEPT





Project identified at Lansdowne Neighbourhood Renewal public engagement.



September Open House.

Learn more by going to: edmonton.ca/LansdowneStairs

# BUILD

**OPERATE** 

# 18

Preliminary design completion. Plans will be provided on **Project website for community** review.

# Future

**Construction is dependent on** funding approval.



# SHARE YOUR VOICE Shape our city









What We Heard Lansdowne Staircase & Trail Project

> SHARE YOUR VOICE SHAPE OUR CITY

## What We Heard Concept Phase

#### **PROJECT BACKGROUND**

Residents of the Lansdowne neighbourhood provided input in Spring 2015 at a public engagement meeting for the Building Great Neighbourhoods Program. Feedback gathered indicated the community's need for a formalized trail and staircase connecting South West Lansdowne Drive down to the shared-use-path along Whitemud Drive.

The City of Edmonton heard from residents that the existing 'goat trail', which had formed from frequent use of the hill, was unsafe. This project was initiated, beginning with concept design.

An external consultant was hired to provide geotechnical investigation reporting, feasibility and environmental impact assessment study, concept planning and preliminary design for a staircase and trail at this location. Through testing, the hill and existing 'goat trail' separating Lansdowne Drive and the shared-use-path was deemed feasible for this proposed enhancement project.

Public engagement in Fall 2018 provided an opportunity for Lansdowne residents and users of the public space to provide feedback on two proposed concept plans.



#### **CONCEPT PHASE ENGAGEMENT**

**Who:** General Public, Lansdowne Residents/Businesses, Edmonton Mountainbike Alliance and Councillor Walters

What: Drop-in Public Engagement Session

Where: Lansdowne Community Hall, 4915 124 Street NW

When: Tuesday, September 25, 2018 6:30 – 8:30 p.m.

**Why:** The engagement event was held to gather public feedback to inform the finalized concept plan and bring the project to the next phase of design.

The engagement event was promoted with a mailout and email invitations, and was advertised on the City of Edmonton website. Approximately 30 members of the public attended, with the majority identifying as residents of the Lansdowne Community.

#### WHAT WE HEARD

#### **RESPONSE – COMMENT FORM, CONVERSATIONS AND INQUIRIES**

The overall response to the proposed concept plans was well received with a majority of the respondents indicating support for the staircase.

When asked "What are your thoughts on the information provided", feedback was mostly positive with some of the following points or questions raised:

- Benches attendees at the public engagement session were very interested in the inclusion of benches as part of the design. Comments varied from benches at the top to benches on the various landings. Final design may include a combination of options. Furthermore, some comments inquired whether an existing bench in close proximity to the top of the proposed stair would be removed.
- + Lighting addition of lighting close to top and bottom of trail was raised by multiple participants.
- Grandview Staircase multiple comments inquired whether the proposed Lansdowne Staircase was comparable to the Grandview Staircase.
- Whitemud Ravine concerns were expressed that the proposed bike rail was promoting biking in the Whitemud Nature Reserve area. Clarification was provided that the proposed staircase would connect to an existing shared-use-path. The plan for this project respects Whitemud Creek as a nature reserve and does not encourage biking in restricted areas. Mitigation measures will be considered as the project progresses.
- Switchbacks vs. Stairs a few attendees inquired whether switchbacks instead of a staircase was considered. Current slope is too steep for switchbacks to be feasible. Additionally, switchbacks would have a greater impact environmentally.

When asked "Which option do you prefer? Option A or Option B?" With the exception of a few responses, the majority of the respondents showed preference for the option with the fewer landings (Option B).

#### WHAT'S NEXT

Conclusion of Concept Phase

- Input from public engagement will be reviewed and considered in potential adaptations of the design.
- Technical and Operational input will be reviewed and incorporated.
- Project cost estimate will be updated accordingly.

Transition to Design Phase

- Preliminary Design will reflect input from the Concept Phase and further define project details and cost.
- + Project updates and information will be available on the project website.

#### **MORE INFORMATION**

Please visit the project website: edmonton.ca/LansdowneStairs

Learn more by going to: edmonton.ca/**Lansdownestairs** or call 311

SHARE YOUR VOICE SHAPE OUR CITY



## Appendix G Circulation Comments

|                    |          | Classifier |                                 |                                |  | OS18-049 Lansdowne Staircase Project  | :t  |
|--------------------|----------|------------|---------------------------------|--------------------------------|--|---|---|
|                    | Edmonton |            |                                 |                                | Circulation Range: August 14, 2018 - August 28, 2018 |   |   |
|                    |          |            |                                 |                                |  |   |   |
|                    |          |            |                                 |                                |  |   |   |
| Timestamp          | Name     |            | Email Address                   | Responding On Behalf Of        | Do you support this project                          | Comments  | OSPD Response   |
| 8/14/2018 9:30:42  | achyu    | t adhikari | achyut.adhikari@edmont<br>on.ca | Parks & Biodiversity           | Support with conditions<br>(as outlined in comments) | This project will require EIA and SLS for environmental<br>review fulfilling River Valley ARP (Bylaw 7188). The<br>project team is now working on preparing both<br>documents after consultation with River Valley Team. We<br>will support this project upon the completion of both<br>report as well as council approval. | EIA will be circulated in the near future for further<br>Envirnomntal Review.   |
| 8/14/2018 13:24:22 | Kari Z   | ral        | kari.zral@edmonton.ca           | River Valley &<br>Horticulture | Support with conditions<br>(as outlined in comments) | Need more details regarding impacts to the trail during<br>the construction and to ensure there will be a detour and<br>signage plan. Naturalized area on the hill side will need to<br>be managed appropriately.   | We reviewed this comment in coordination with the<br>Design Consultant on this project and our response is as<br>follows:<br>1. It is anticipated that access for construction will be off<br>of Lansdowne Drive with a small laydown area<br>designated in the existing grassed upland area at the top<br>of the slope. Construction impacts to the existing shared-<br>use path (running parallel to Whitemud Drive) should be<br>minimal. Limits of work will be added to the Drawing. If<br>required, closure of the existing shared-use path will<br>require approval by the City and shall adhere to the City<br>of Edmonton trail closure procedure including<br>appropriate detour and signage plan.<br>2. Restored areas will be maintained to meet the<br>Landscaping Design and Construction Standards |

|                     |       | Classics       |                                  |   |   | TF18-67 Lansdowne Stair and Trail EIA  | and SLS   |
|---------------------|-------|----------------|----------------------------------|---|---|--|---|
|                     |       | Comonton       |                                  |   |   | Circulation Range: November 7, 2018 - November 23, 20  | 18.   |
|                     |       |                |                                  |   |   |  |   |
|                     |       |                |                                  |   |   | -  |   |
| Timestamp           | Na    | me             | Email Address                    | Responding On Behalf Of   | Do you support this project?                      | Comments 1) Please he advised that all prohibited povious and  | OSPD Response   |
| 11-16-2018 11:08:00 | ) Co  | urtney Teliske | courtney.teliske@edmont<br>on.ca | Natural Areas   | Support with conditions (as outlined in comments) | (i) rease be advised that an pollinoid and involus and noxious weeds are to be controlled by the proponent within the project limits for the duration of the construction period, as well as the maintenance period (Weed Control Act 2008). Prohibited noxious weeds (Schedule 1) are to be removed and noxious weeds (Schedule 2) are to be controlled.  | Noted and will be required as part of the Contract Documents.   |
| 11-16-2018 11:08:00 | ) Co  | urtney Teliske | courtney.teliske@edmont<br>on.ca | Natural Areas   | Support with conditions (as outlined in comments) | 2) Please work with Natural Areas Operations and Urban<br>Forestry to assess the area and determine any tree<br>protection requirements. The tree identified as 'to be<br>retained' is in close proximity to the landing area and the<br>root structure will need to be assessed. Please try to<br>remain 5 meters from any trees to mitigate the potential<br>of damage during construction and reduce future<br>maintenance.   | Noted. Inspection with Natural Areas Operations and<br>Urban Forestry has been identified in the EIA Table:<br><i>Tasks and Responsibilities</i> to Complete the Project.   |
| 11-16-2018 11:08:00 | ) Co  | urtney Teliske | courtney.teliske@edmont<br>on.ca | Natural Areas   | Support with conditions (as outlined in comments) | <ol> <li>Please send construction and landscape drawings for<br/>review prior to approval. Option 2 is preferred.</li> </ol>   | Option B will be developed during preliminary design.<br>Construction Drawings are not complete at this time -<br>the Open Space team will circulate to Natural Areas<br>when available. The Limit of Project disturbance shown<br>dashed on Environmental Sensitivities Map is the<br>construction footprint for this project. |
| 11-16-2018 11:08:00 | ) Co  | urtney Teliske | courtney.teliske@edmont<br>on.ca | Natural Areas   | Support with conditions (as outlined in comments) | 4) A pre and post construction inspection will be<br>conducted by Natural Areas. Please contact Erin Belva<br>at erin.belva@edmonton.ca to make arrangements for<br>the inspection prior to accessing the site.  | Noted. Inspection with Natural Areas has been identified<br>in the EIA Table: <i>Tasks and Responsibilities</i> to<br>Complete the Project.   |
| 11-29-2018 11:08:00 | ) Ac  | hyut Adhikari  | achyut.adhikari@edmont<br>on.ca  | Network Integration   City<br>Planning   Urban Form and<br>Corporate Strategic<br>Development | Support with conditions (as outlined in comments) | My major comments would be around the development<br>of monitoring plan that includes future action, timeline<br>and responsible party for execution. This project is still at<br>conceptual stages so there are couple of items that<br>required clear direction at the preliminary design,<br>detailed design, and construction stages attention for<br>consideration. You have to create a clear chart showing<br>details on roles and responsibilities defined for next<br>stages e.g. preliminary drawings, landscaping plan and<br>drawings review and approval, CCC and FAC, Eco Plan,<br>ESC Measures etc. | Tasks and Responsibilities to Complete the Project have been added to the EIA.  |
| 12-4-2018 15:38:00  | ) Tre | evor Thistle   | trevor.thistle@edmonton.<br>ca   | Parks Operations  | Support with conditions (as outlined in comments) | According to the Environmental Impact Assessment, tree<br>clearing is not within the scope of this project. However,<br>construction activity is proposed within 5 m of a city<br>tree(s). Therefor, a site meeting with a urban forester will<br>be required prior to start up, in order to discuss tree<br>protection requirements.<br>As per The Corporate Tree Management Policy, Forestry<br>will require equitable compensation for the value of<br>removed trees, or for the post construction treatment of<br>any trees that are negatively impacted by construction<br>activities.                        | Noted. Inspection with Urban Forestry has been<br>identified in the EIA Table: <i>Tasks and Responsibilities</i> to<br>Complete the Project.  |

Brian Nolan, AALA, CSLA Project Manager Buildings + Places T: 780-732-9437 M: 780-868-9327 E: brian.nolan@aecom.com

AECOM Canada Ltd. 101-18817 Stony Plain Road NW Edmonton, AB T5S 0C2 Canada

T: 780.486.7000 F: 780.486.7070 aecom.com