# EdmontonREZONING APPLICATIONCALGARY TRAIL NORTH

### 4607 – CALGARY TRAIL NW

### 4710 – GATEWAY BOULEVARD NW

To allow for a temporary storage use, with appropriate screening and additional signage opportunities.



### **RECOMMENDATION AND JUSTIFICATION**

City Planning is in SUPPORT of this application because:

- It is in general conformance with the *Calgary Trail Land Use Study* (LUS) which designates the subject site for commercial uses;
- It provides the opportunity for aesthetic enhancements to the site including appropriate landscaping and screening; and
- It meets the technical requirements of City Departments and utility agencies.

### THE APPLICATION

BYLAW 18271 proposes to amend the Zoning Bylaw to adding a Temporary Storage use (limited to 3 years), with additional landscaping requirements and additional signage opportunities to the existing (DC2.782) Site Specific Development Control Provision. The existing DC2 Direct Control Provision allows for the redevelopment of an underutilized brownfield site into a mixed use development including a hotel, an apartment hotel, office buildings, exhibition and convention facilities and complementary uses that will enhance a major south entrance to Alberta's Capital City and be a catalyst for development in the area. The development will consist of high rise Towers set back on low-rise podiums, stepped-back and articulated architecture, active building frontages and integration of public and private interfaces. The proposal also includes an administrative update to reflect current DC2 standards and definitions.

The proposed rezoning has resulted from recognition that existing uses on the site are not permitted under the current DC2 Direct Control Provision.

### SITE AND SURROUNDING AREA

The site is located south of 48 Avenue NW and east of Calgary Trail NW / west of Gateway Boulevard.



AERIAL VIEW OF APPLICATION AREA

	EXISTING ZONING	CURRENT USE
SUBJECT SITE	(DC2.782) Site Specific Development Control Provision	Vacant / vehicle storage
CONTEXT		
North	(CSC) Shopping Centre Zone Grocery Store	
East	(CB2) General Business Zone	Commercial uses
	(CHY) Highway Corridor Zone	Bar
South	(CHY) Highway Corridor Zone	Hotel
West	(DC2.239) Site Specific Development Mixed Use Commercial Building Control Provision	

### **PLANNING ANALYSIS**

The proposed rezoning is in general conformance with the Calgary Trail Land Use Study which designates the subject site for commercial uses.

The subject site has been operating as a temporary storage use without an approved development permit or business license in place. In order to continue to operate the business in conformance with the Zoning Bylaw the applicant has submitted this rezoning application.

The proposed rezoning allows the temporary storage use to operate for 3 years with no possibility of extension without council approval. The applicant has submitted landscaping plan which will form an appendix to the proposed DC2 and will ensure landscaping and screening are provided around the temporary storage use.

### **TECHNICAL REVIEW**

All comments from affected City Departments and utility agencies have been addressed.

### **PUBLIC ENGAGEMENT**

ADVANCE NOTICE August 23, 2017	<ul><li>Number of recipients: 13</li><li>No responses received</li></ul>
PUBLIC MEETING	Not held

### CONCLUSION

City Planning recommends that City Council APPROVE this application.

### **APPENDICES**

- 1 Context Plan Map
- 2 DC2 Track Changes
- 3 Application Summary



CITY BOUNDARY

#### (DC2) SITE SPECIFIC DEVELOPMENT CONTROL PROVISION

#### 1. General Purpose

To accommodate the comprehensive redevelopment of an underutilized brownfield site into a mixed use development including a hotel, an apartment hotel, office buildings, exhibition and convention facilities and complementary uses that will enhance a major south entrance to Alberta's Capital City and be a catalyst for development in the area. The development will consist of high rise <u>Towerstowers</u> set back on low-rise podiums, stepped-back and articulated architecture, active building frontages and integration of public and private interfaces. <u>The site may be used for a temporary storage use with</u> <u>appropriate landscaping for a period limited to three years (2021).</u>

#### 2. Area of Application

This Provision shall apply to the 2.34 hectare (5.78 acres site) legally identified as Lots 2 and 3, Block 28, Plan 7620205, at 4607 Calgary Trail NW and 4710 Gateway Boulevard NW, in the neighbourhood of Calgary Trail North, as shown on Bylaw Schedule "A".

#### 3. Uses

- a. Apartment Hotels, up to a maximum of 325 units in total for the development
- b. Bars and Neighbourhood Pubs<del>, for less than 200 occupants and 240 m<sup>2</sup> of Publie Space,</del> and only as an ancillary use to Apartment Hotels or Hotels
- c. Broadcasting and Motion Picture Studios, only as an ancillary use to Professional, Financial and Office Support Services
- d. Business Support Services, only as an ancillary use to Apartment Hotels, Hotels, or Professional, Financial and Office Support Services
- e. Convenience Retail Stores, only as an ancillary use to Apartment Hotels, Exhibition and Convention Facilities, Hotels, or Professional, Financial and Office Support Services
- f. Convenience Vehicle Rentals, only as an ancillary use to Apartment Hotels or Hotels
- g. Hotels, up to a maximum of 400 units in total for the development
- h. Minor Alcohol Sales, only as an ancillary use to Apartment Hotels or Hotels
- i. Minor Amusement Establishments, only as an ancillary use to a Restaurant
- j. Nightclubs<del>, for less than 200 occupants and 240 m<sup>2</sup> of Public Space,</del> and only as an ancillary use to Apartment Hotels or Hotels
- k. Personal Service Shops, only as an ancillary use to Apartment Hotels, Hotels, or Professional, Financial and Office Support Services

- Professional, Financial, and Office Support Services, for a maximum of 23,000 m<sup>2</sup> in total for the development.
- m. Restaurants<del>, for less than 200 occupants and 240 m<sup>2</sup> of Public Space,</del> and only as an ancillary use to Apartment Hotels, Exhibition and Convention Facilities, Hotels, or Professional, Financial and Office Support Services
- n. Specialty Food Services, each for less than 100 occupants and 120 m<sup>2</sup> of Public Space, and only as an ancillary use to Apartment Hotels, Exhibition and Convention Facilities, Hotels, or Professional, Financial and Office Support Services
- o. Government Services, only as an ancillary use to Apartment Hotels, Exhibition and Convention Facilities, Hotels, or Professional, Financial and Office Support Services
- p. Exhibition and Convention Facilities, for a maximum gross <u>Floor Area</u>floor area of 12,300 m<sup>2</sup> in total for the development
- q. Indoor Participant Recreation Services, only as an ancillary use to Apartment Hotels, Exhibition and Convention Facilities, Hotels, or Professional, Financial and Office Support Services
- r. Temporary Storage
- s. Fascia On-Premises Signs
- t. Freestanding On-premises Signs
- u. Projecting On-premises Signs
- v. Temporary On-premises Signs
- w. Freestanding Off-premises Signs

#### 4. Special Considerations for Specific Uses

- a. Apartment Hotels, shall have cumulative maximum of 325 units in total for the development.
- b. Bars and Neighbourhood Pubs, shall be for less than 200 occupants and 240 m<sup>2</sup> of <u>Public Space.</u>
- c. Hotels, shall be up to a cumulative maximum of 400 units in total for the development.
- d. Nightclubs, shall be for less than 200 occupants and 240 m<sup>2</sup> of Public Space.
- e. Professional, Financial, and Office Support Services, shall have a cumulative maximum of 23,000 m<sup>2</sup> in total for the development.
- f. Restaurants, shall be for less than 200 occupants and 240 m<sup>2</sup> of Public Space.
- g. Specialty Food Services, shall be for less than 100 occupants and 120 m<sup>2</sup> of Public Space.

Comment [LC1]: New added use

#### Comment [LC2]: New added use

#### h. Exhibition and Convention Facilities, shall have a cumulative maximum gross Floor Area of 12,300 m<sup>2</sup> in total for the development

#### 4.5. Organization of Sections

The following sections are organized with an Intent Statement followed by Development Regulations:

Intent: A statement explaining the design purpose of the development regulations. The intent should be used to help interpret the application of a development regulation in a specific situation. In cases where special conditions arise that are not specifically addressed by the development regulation, the intent statement should serve as the basis for determining the appropriateness of the proposed design

Development Regulation: A statement representing the baseline requirement of the development. Development Regulations are mandatory statements, indicated by the use of shall in the language.

#### 5.6. Development Concept and Staging

#### Intent

The proposed design and its future staged implementation aim at encouraging creativity and diversity of architecture and site design within a coherent environmental design, to protect access to sunlight, to preserve desirable views and to define and reinforce the development as a landmark in Alberta's Capital City.

#### a. Development Concept

i. The Development Concept shall represent a multi-purpose building complex using urban design techniques of applying high-rise <u>Towerstowers</u> set back on low-rise podiums, stepped-back and articulated architecture, active building frontages and integration of public and private interfaces. The following graphic representations, Figures 1 and 2 provide a possible conceptual application of the Development Concept.

Figure 1: Conceptual podium-outline showing how the <u>Tower</u> would be set back on the podium





*Figure 2: Illustrative west elevation showing the potential* <u>*Towertower*</u> *form and podium details* 

#### b. Development Staging

- i. Development <u>Ppermit applications for this site shall be permitted to</u> proceed as individual or as a combination of stages.
- A stage of the development shall include at least one "anchor" land use and may include several associated ancillary land use classes. Within each stage there may be a number of development permit applications. Additions to a stage may be allowed at the discretion of the Development Officer.
- iii. There shall be a maximum of four principal "anchor" land uses: Apartment Hotels, Hotels, Professional Financial, and Office Support Services and Exhibition and Convention Facilities. All other land use classes shall be ancillary to the four anchor land uses, or as otherwise directed in Section 3 of this DC2 Provision.
- iv. Notwithstanding Section 720.3 (2) of the Zoning Bylaw, no Site Plan is appended to this Provision.
- iv. For context and Development Officer's interpretation purposes, a generalized, non-binding, interim Site Plan for the entire site shall be submitted at each <u>Development Ppermit</u> stage to illustrate how the proposed development will integrate with existing and future on-site development, to the satisfaction of the Development Officer. Site Plans shall outline the boundary of the stage.

- An interim Landscape Plan for the entire site shall be submitted with the first <u>D</u>development <u>P</u>permit application to the satisfaction of the Development Officer\_in accordance with Section 55 of the Zoning Bylaw.
- vi. Each stage of the development shall respect the intent of the overall development concept, addressing all <u>F</u>facades with appropriate architectural treatment. All <u>F</u>façades whether final or part of a staging shall appear finished.
- vii. Upon submission of a <u>D</u>development <u>P</u>permit application for a new stage, the applicant shall submit a Traffic Impact Assessment to the satisfaction of the Development Officer, in consultation with the Transportation Department.

#### 6.7. General Development Regulations

#### Intent

The following development regulations are intended to promote the design of an urban environment that is built to human scale and to encourage attractive and unified street frontage and other connecting  $\underline{W}$  walkways that accommodate pedestrians as the first priority, while also accommodating vehicular movement.

#### a. Site Planning and Building Form

- i. The building form for the whole development shall be a multi-level structure organized so that it can accommodate <u>T</u>towers on a podium structure. If the maximum development standards are not achieved, the general proportion of the development concept shall be preserved.
- **ii.** The maximum Floor Area Ratio (FAR) shall not exceed 4.0, with a maximum of 25% of the FAR being dedicated to structured parking for the full build out of the development.
- iii. The following land uses combined shall have a <u>cumulative</u> maximum of  $4,700 \text{ m}^2$  of gross <u>F</u>floor <u>A</u>erea for the entire development:
  - A. Bars and Neighbourhood Pubs
  - B. Broadcasting and Motion Picture Studios
  - C. Business Support Services
  - D. Convenience Retail Stores
  - E. Convenience Vehicle Rentals
  - F. Minor Alcohol Sales
  - G. Minor Amusement Establishments
  - H. Nightclubs
  - I. Personal Service Shops
  - J. Government Services
  - K. Indoor Participant Recreation Services

- iv. The following land use classes combined shall have a cumuatlive maximum of 2,200 m<sup>2</sup> of gross  $\underline{Ff}$  loor  $\underline{Aa}$  rea for the entire development:
  - A. Restaurants
  - B. Specialty Food Services
- v. Notwithstanding Section 3, the total <u>cumulative</u> maximum units for Apartment Hotels and Hotels shall not exceed 625.
- vi. Facades <u>A</u>ebutting roadways shall contain undulating architecture.
- vii. The development shall be designed so that all street corners have strong visual interest for both pedestrian and vehicular traffic with <u>F</u>façade articulation, in accordance with Section 6.b of this Provision. Refer to Figure 3 to 5 for visual interpretation.
- viii. Prior to the issuance of any <u>D</u>development <u>Pp</u>ermit, a Crime Prevention through Environmental Design Assessment shall be provided to the satisfaction of the Development Officer to ensure that the development provides a safe urban environment in accordance with the guidelines and principles established in the Design Guide for a Safer City (City of Edmonton, 1995).

#### b. Building Placement

- i. The minimum <u>Setbackyard</u> from the north, east and west property line shall be 12 m.
- ii. The minimum <u>Setbackyard</u> from the south property line shall be 5 m.
- iii. Building <u>Ff</u>acades may encroach or project a maximum of 7 m into the minimum <u>Setbackyards</u> on the north, east and west side of the development. Encroachments or projections into a required <u>Setbackyard</u> shall be permitted to create an attractive streetscape and provide for various frontage types.

Figures 3 to 5: This conceptual podium outline demonstrates how a successful podium will respond to the street corners, the building access points and drop-off zones. It also demonstrates how the podium should undulate to create an appealing and interesting building <u>F</u> facade that is both pedestrian friendly and visually appealing from the streets.





Figure 4

#### 7.8. Massing and Building Articulation

#### Intent

Massing and building articulation design aim at creating building edges that are appropriate for human interaction, with a visually pleasing streetscape. Tower development is to be designed so as not to have a substantial adverse impact on adjacent developments, including casting shadows on adjacent property sufficient to preclude the functional use of solar energy technology or, creating wind tunneling conditions sufficiently uncomfortable to walk by at the street level. Further, it is expected that the architecture of the development will set an enhanced standard of quality for future projects or redevelopment in the area. The development will provide for a mix of uses and business types throughout distinct development stages. This poses a challenge for development regulations, thus the intent of this section is to provide tools for creating an improved quality of appearance at any stage of the development.

#### a. General Massing Approach

- i. The <u>d</u>Development shall comprise of two distinct vertical zones: Podium and Tower.
- ii. The distinct nature of the Podium and Tower zones shall be integrated through step backs in the building mass and/or through the architectural treatment of the Ffaçades.
- iii. Design techniques such as articulation of  $\underline{F}$  façades and/or variation of finishing materials, shall be applied to break up the massing and achieve visual interest of the development. Refer to Figure 6 for visual interpretation.
- iv. Horizontal masses shall provide variations that include a change in <u>Hheight and/or projecting or recessed elements</u>.
- v. Changes in mass shall relate to entrances, the integral structure and/or the organization of interior spaces and activities.
- vi. The Tower zone shall be differentiated from the Podium zone. Each zone, while distinct, shall relate and support the character of the overall development.
- vii. No wall that faces a street or <u>W</u>walkway shall have a blank, uninterrupted length exceeding 20 m without including at least two (2) of the following: change in plane, change in texture or masonry pattern, windows, or similar elements that subdivide the wall proportionately.





various horizontal and vertical elements resulting in an active and interesting  $\underline{F_{f}}$  acade.

#### b. Architectural Control

- i. Exterior finishes with high quality materials shall be implemented in a manner that promotes harmony in terms of overall project design and appearance.
- ii. Building materials shall not create excessive glare that would create a significant adverse impacts in terms of vehicular safety, outdoor activities and enjoyment of views.
- iii. Compatibility within the individual features of the development shall be achieved through techniques that may include, but not limited to, the repetition of roof lines, the use of similar proportions in building mass and outdoor spaces, similar relationships to the street, similar window and door patterns, or the use of building materials that have color shades and textures similar to those existing within the development.
- iv. All development on the site shall be constructed using similar architectural themes. An exception may be made to this general requirement where the function of an individual business dictates a specific style or image associated with a company. In such cases, the development shall maintain harmony in terms of the overall project.
- v. Building <u>F</u>facades adjacent to streets shall include at least one of the following:
  - A. forecourt;
  - B. shopfront;
  - C. gallery arcade; and/or
  - D. <u>T</u>tower.

#### c. Podium Zone

- i. Podium main entrances shall connect with pedestrian <u>W</u>walkways and be designed to meet visitability and universal design standards as per the Barrier Free Design Guide published by The Safety Codes Council (Alberta) 1999.
- ii. Each Podium main entrance shall have clearly defined, highly visible customer entrances which may include but not be limited to combinations of the following: canopies or porticos; overhangs; recesses/projections; arcades; raised corniced parapets over the door; or peaked roof forms.
- iii. At least one (1) main entrance of any building shall face and open directly onto a connecting <u>W</u>walkway with pedestrian frontage. Any building <u>F</u>facade which has only service doors for intermittent/infrequent non public access to equipment, storage or similar rooms shall be exempt from this regulation.
- iv. The <u>F</u>façades at street level shall be articulated vertically and/or horizontally to respond primarily to human scale and provide for pedestrian interest and, where feasible, shelter from the elements.
- Active commercial frontages shall be achieved with the provision of building entrances consistent with the development regulations above, and with glazed <u>F</u>facades on the ground floor that provide at least 60% transparency to the exterior.

#### d. Podium Maximum Height

- i. The maximum building <u>Hh</u>eight of the podium shall not exceed 24 m.
- ii. <u>Notwithstanding 8(d)(i) t</u>The <u>Development Officer shall vary the</u> maximum podium <u>Hheight may be varied up to 5%</u> to accommodate architectural features consistent with the architectural style of the development. <u>The maximum podium <u>H</u>height may be adjusted up to 5%.</u>

#### e. Podium Rooftop

- i. All mechanical equipment shall be screened from public view or be concealed by incorporating it within the roof envelope or by screening it in a way that is consistent with the character and exterior finishing of the development.
- ii. The central portion of the Podium rooftop shall provide an outdoor amenity. *Refer to Figure 7 visual interpretation*.
- iii. For each stage of development, the podium rooftop, where feasible, shall be landscaped and provide an outdoor <u>A</u>emenity <u>A</u>erea.



Figure 7: Illustrative roof plan showing how roof top areas should be developed to encourage landscaped  $\underline{A}_{eff}$  menity  $\underline{A}_{eff}$  reas that are visually pleasing and environmentally friendly.

#### f. Tower Zone

- i. Towers shall be terraced from north to south and from the center axis to the east and west  $F_{f}$  açades.
- ii. The terrace areas of the Towers may incorporate partially vegetated roofs.
- iii. The Development Officer may require the applicant to submit a Visual Analysis Report to inform the review of the building elevations and profiles in preserving and enriching view corridors from public places and streets in the surrounding area. A Visual Analysis Report shall:
  - A. Identify the extent to which existing views to downtown may be blocked;
  - B. Depict in graphic form views before and after the project, utilizing photographs of the area and neutral drawings derived from at least two (2) points from which the proposal will be commonly viewed; and
  - C. Indicate these points of observation on an inset map or plan of the area.

#### g. Tower Maximum Height

i. The maximum building <u>Hh</u>eight for the development shall not exceed 80 m.

- ii. Notwithstanding 8(g)(i), tThe maximum building Hheight and the exact location of the highest structure may be adjusted varied up to 5% to allow architectural embellishments consistent with architectural style.
- iii. The highest structure shall be located closer to the north-south axle of the site within the tallest <u>T</u>tower zone as conceptually illustrated in Figures 8 to 11.
- The south shortest Ttower zone shall be a maximum of 40% of the north iv. tallest Ttower Hheight.



Figure 10





#### h. Garbage Collection / Loading Areas

- i. For each stage of development, garbage collection, recycling separation or other such functions shall not be located within 7 m of any public roadway or 5 m from the south property line, and shall be concealed from view from adjacent sites and public roadways in accordance with the provisions of Section 55 of the Edmonton Zoning Bylaw. The garbage collection area shall be designed to the satisfaction of Asset Management and Public Works and the Transportation Department. the Development Officer, in consultation with City Planning and Development and Zoning Services.
- ii. Garbage collection areas shall be sited so that the garbage trucks have room to maneuver without backing onto public right-of-ways.
- Unsightly areas including loading docks, truck parking, utility meters, Heating, Ventilation and Air-Conditioning and other service functions shall be <u>carried out\_located</u> within enclosed structures.
- iv. Loading docks, truck parking, utility meters, Heating, Ventilation and Air-Conditioning, and other service functions shall be incorporated into the overall design theme of buildings and/or landscape so that the architectural design is continuous and uninterrupted by any <u>A</u>accessory elements/equipment.

#### i. Lighting

- i. Any outdoor lighting for development shall be located and arranged so that no direct rays of light are directed at any adjoining properties, or interfere with the effectiveness of any traffic control devices.
- ii. At each stage of development, a lighting plan shall be submitted to the satisfaction of the Development Officer.
- iii. Background spaces like <u>Parking Areasparking lots</u> shall be illuminated as unobtrusively as possible to meet the functional needs of safe circulation and of protecting people and property. Foreground spaces, such as building entrances and plaza seating areas, shall utilize local lighting that defines the space without glare.
- Decorative and security lighting shall be designed and finished in a manner consistent with the design and finishing of the development ensuring a well-lit environment for pedestrians, accentuating artwork, and highlighting the development at night timenighttime.

#### j. Wind, Shadow and Other Adverse Impacts

i. Design features shall mitigate adverse microclimatic effects such as wind tunneling, snow drifting, rain sheeting, extended shadowing and loss of sunlight on- and off-site. Where warranted, To ensure adverse effects are

<u>minimized</u>-the Development Officer\_shall-<u>may</u> require the applicant to submit the following technical studies:, to the satisfaction of the <u>Development Officer</u>:

- A. A Wind Impact Study prepared by a qualified, registered Professional Engineer, and may include a computer model simulation analysis, prepared to professional standards; and
- B. A Sun Shadow Impact Study that indicates on the Site Plan the location of all shadows cast by the building (with associated dates of the year).

#### 8.9. Public / Private Interface

#### Intent

This section aims at ensuring that the pedestrian environment at the interface with the public realm is enhanced through appropriate landscape and streetscape features to contribute to visual quality and continuity within and between developments, provide screening and mitigation of potential conflicts between activity areas and site elements, and enhance outdoor spaces.

#### a. Landscaping

Landscaping for the site shall be in accordance with Section 55 of the Zoning Bylaw.

- <u>iii.</u> The Development Officer may vary the width of landscaped <u>Yardsyards</u> and the type, amount, and location of landscaping.
- iii. For each stage of the development, a detailed Landscape Plan shall be submitted by a registered landscape architect for review and approval by the <u>Development Officer in consultation with Planning Department, Asset</u> <u>Management & Public Works and the Transportation Department\_City</u> <u>Planning and Development and Zoning Services</u> as part of a Development Permit application, except for excavation of foundations and underground parkade.
- iv.<u>iii.</u> In determining the optimum placement and interrelationship of required landscape elements, the Landscape Plan shall have regard to the following:
  - A. Enhancing visual continuity within the development;
  - B. Providing tree canopy cover;
  - C. Creating visual interest year round;
  - D. Complementing the architecture of a development;
  - E. Providing screening of areas of low visual interest or visually intrusive site elements;
  - F. Conserving water;
  - G. Avoiding reliance on excessive maintenance;

- H. Promoting compatibility and buffering between and among dissimilar land uses; and
- I. Establishing spatial definition.
- w.iv. Boulevards shall be landscaped to satisfaction of the Development Officer in consultation with, Asset Management and Public Works and the Transportation Department City Planning and Development and Zoning Services;
- <u>vi-v.</u> Landscape areas shall include all areas on the site that are not covered by buildings, structures, paving or impervious surface. The selection and location of ground cover, pedestrian paving and other landscaping elements are to be used to meet functional and visual purposes including, but not limited to defining spaces, accommodating and directing circulation patterns, managing visibility, attracting attention to building entrances and other focal points, and visually integrating buildings with the landscape area and with each other.
- vii.vi. In situations where the design and placement of buildings do not adequately mitigate conflicts reasonably anticipated to exist between dissimilar use classes or buildings, one (1) or more of the following landscape buffering techniques shall be used:
  - A. Separation and screening with plant material: planting dense stands of evergreen trees, canopy shade trees, ornamental trees or shrubs;
  - B. Integration with plantings: incorporating plantings into the architectural theme of buildings and their outdoor spaces to subdue differences in architecture and bulk, avoid harsh edges, and integrate with the scale, type and massing of buildings adjacent to a particular landscaped <u>Yardyard</u>; and
  - C. Visual integration of walls: providing plant material in conjunction with a screen panel to avoid the visual effect created by unattractive screening such as surface parking lotsParking Areas, and be used to enhance building design and continuity of streetscape.
- viii.vii. Water conservation is a primary goal to be addressed in the Landscape Plan. Water conservation is to be achieved through the application of Xeriscape landscaping principles. One or more of the following Xeriscape landscaping principles shall be used:
  - A. Grouping plants with similar water requirements together on the same irrigation zones;
  - B. Limiting high-irrigation plantings to appropriate high-use areas with high visibility and functional needs;
  - C. Use of low-water demanding plants and turf where feasible;
  - D. Use of efficient irrigation systems;

E. Incorporation of soil improvements; and

F. Provision of regular and attentive maintenance.

#### b. Pedestrian Walkways and Connections

- i. An on-site pedestrian circulation system shall be designed to allow for direct connections to major pedestrian destinations such as transit stops that may be located adjacent to the development that avoids pedestrian vehicular conflicts. Refer to Figure 12 for visual interpretation.
- At any stage where interim surface parking is provided, <u>W</u>walkways shall link street sidewalks with building entries through the surface parking. Such <u>W</u>walkways shall be enhanced with a paved surface.
- iii. Pedestrian <u>W</u>walkways shall provide safe and inviting routes and foster connectivity throughout various parts of the site and adjacent developments.
- iv. Visible and convenient pedestrian access shall be provided into the site from the public sidewalk.

*Figure 12: Enhance and develop areas of natural pedestrian movement to enhance public links and promote use of public provided areas.* 



#### c. Public Art

- i. At each stage of the development a public art feature shall be provided.
- ii. The Owner shall provide public art through two opportunities:
  - A. Purchased Art: Includes artwork acquired through a juried art procurement process administered by the Edmonton Arts Council.
  - B. Structural Art: Includes artwork created through artistic application of hard and soft landscaping to the satisfaction of the Development Officer and administered by a selected committee including a member of the Edmonton Arts Council. The process will include a juried selection of concepts proposed by emerging local artists.
- iii. The selected committee, with representation from the developer and the Edmonton Arts Council, shall work cooperatively to oversee this Public Art Program, in consultation with the Development Officer.
- iv. A budget amount of \$62,500 shall be provided for each <u>stage\_tower\_or</u> a portion thereof, up to a maximum of \$250,000 for the entire development, for the acquisition or commissioning of public art.
- A staging Public Art Program shall be submitted with the <u>Development</u> <u>Ppermit application for the first stage of development to the satisfaction of</u> <u>the Development Officer. the General Manager of Planning &</u> <u>Development Department</u>. Public art shall be provided in consolidated stages to provide for significant public art in appropriate locations and shall commence by the completion of the first stage of the development.
- vi. The Structural Public Art shall be defined in the Site Plan for said stage to the satisfaction of the Development Officer.
- vii. For each stage of the development the proportional share of the above captioned value shall be contributed to the City in trust for the commission of public art. Artworks will be acquired through a juried art procurement process administered by the Edmonton Arts Council, and shall be owned and maintained by the Owner. A signed agreement between the Owner and the City shall be required to stipulate the conditions of this public art contribution.
- viii. If there is an over expenditure for any stage in excess of the \$62,500, that excess amount shall be credited towards the subsequent stage.

#### e. Green Sustainable Practices and Targets

- i. The design and implementation of this development shall apply techniques to reduce consumption of water, energy, and materials consistent with best practices in sustainable design. At minimum, sustainable green targets shall address the following:
  - A. stormwater management;
  - B. heat island effect;

- C. water efficient landscaping;
- D. innovative wastewater technologies;
- E. proposed water use reduction strategies;
- F. proposed strategies for reduced energy consumption;
- G. low-emitting lighting; and
- H. precedence of applied materials.
- ii. At each stage of the development, the owner shall submit a report signed by an accredited professional with all chosen green sustainable targets along with the application for the <u>D</u>development <u>P</u>permit to the satisfaction of the Development Officer. Acceptable letter formats may include the LEED<sup>TM</sup> letter templates included in the Green Building Rating System LEED<sup>TM</sup>, Canada NC 1.0, 2004, as amended, or any other format acceptable to the Canadian Green Building Council LEED<sup>TM</sup>.

#### e. Signage

- i. The owner shall submit a comprehensive sign design plan with the submission of a <u>Dd</u>evelopment <u>Pp</u>ermit application for an entire stage, to the satisfaction of the Development Officer.
- Sign types permitted by this DC2 Provision may be allowed in accordance with Schedule 59F and in accordance with the General Provisions of Section 59 of the Zoning Bylaw.
- iii. Individual business identification signs located on the Ffaçades of buildings shall be similar in proportion, construction materials and placement. Signs shall be designed and located so as to ensure that the signage does not detract from the overall appearance of the development and is not obtrusive, having regard to the scale of the buildings on the site and to the distance of the building yard.

#### f. Environmental Planning

Regulations in this section refer to the attached Appendix 1, NE and NW Excavation Plan and Location of the Liner.

- A Phase 2 Environmental Site Assessment for the entire site must be completed and approved by the Development Officer in consultation with Alberta Environment, Alberta Health Services, and the Transportation Department and the City of Edmonton Environmental Planning Unit City of Edmonton Planning Department, prior to the issuance of the first Dedevelopment Ppermit anywhere on the site.
- ii. Pursuant to the Phase 2 Environmental Site Assessment, a Phase 3 Environmental Site Assessment shall be required subject to the following:
  - A. A Phase 3 Environmental Site Assessment must be completed and approved by the Development Officer in consultation with Alberta

Environment, Alberta Health Services, the Transportation Department and the City of Edmonton Environmental Planning Unit for the entire site, prior to a <u>D</u>development <u>P</u>permit being issued anywhere on the site.

- B. Verification of complete remediation to allow for the complete range of allowable land uses must be approved by the Development Officer for the Stage 1 Development Area, to the satisfaction of the Development Officer in consultation with Alberta Environment, Alberta Health Services, the Transportation Department and the City of Edmonton Environmental Planning Unit. For the areas outside of the Stage 1 development area, the Phase 3 Environmental Site Assessment may as an alternative to complete cleanup, include a Risk Management Plan for the complete range of allowable land uses for areas outside of the Stage 1 development area to ensure that there will be no migration of contamination from other portions of the site or from adjacent roadways/properties into the Stage 1 Development Area.
- iii. A Phase 3 Environmental Site Assessment verifying the full remediation to allow for the complete range of allowable land uses for the balance of the site must be approved by the Development Officer in consultation with Alberta Environment, Alberta Health Services, the Transportation Department and the City of Edmonton Environmental Planning Unit, prior to the issuance of any <u>Ddevelopment Ppermits</u> outside the Stage 1 boundary other than for surface parking and landscaping for the areas outside of the Stage 1 boundary.

#### 9. Transportation

#### Intent

This section is intended to ensure the development's impact on the traffic-carrying capacity of adjacent public roadways will remain at acceptable Level of Services as defined by the current version of the City of Edmonton Roadway Planning and Design Objectives or equivalent document.

#### a. Traffic Impact Assessment & Off-site Project Improvements

- For each stage of development a Traffic Impact Assessment shall be submitted and approved prior to the issuance of a <u>D</u>development <u>Pp</u>ermit for the stage. A Traffic Impact Assessment may also be required for subsequent <u>D</u>development <u>Pp</u>ermit applications and shall be determined by the <u>Development Officer in consultation with Transportation</u> <u>Department City Planning</u>. The Traffic Impact Assessment shall be to the satisfaction of the <u>Development Officer in consultation with City Planning</u> <u>Transportation Department</u>.
- ii. Upon review of the Traffic Impact Assessment the <u>Development Officer</u> <u>Transportation Department</u> may identify that off-site improvements are required to accommodate the additional traffic generated by the proposed

development. The owner shall enter into an agreement with the City of Edmonton for the completion of these improvements necessary to serve the development as a condition of the <u>D</u>development <u>Pp</u>ermit. Off-site improvements required to service the proposed development <u>may not\_are</u> not required to be immediately adjacent to the site.

#### b. Functional Study & Off-Site System Improvements

- i. Prior to submitting the development application for the second stage or subsequent development applications beyond the first stage, the Owner shall provide \$250,000 to the City of Edmonton to undertake a functional study, as defined by the City of Edmonton, for the area between 34 Avenue NW and Argyll Road on Gateway Boulevard NW and Calgary Trail NW.
- ii. The purpose of the functional study shall be solely analytical and fact finding to inform the options of off-site system improvements (system mitigation measures) for the proposed stage of the development; hence, it shall not have any obligation to yield a solution.

#### c. Functional Study: Scope, Timelines & Outcomes

#### Intent

#### d. Parking Access and Egress

- i. For each stage of the development, vehicular access and egress points shall be determined with the submission of a <u>D</u>development <u>P</u>permit application and shall be to the satisfaction of the Transportation Department.
- ii. Unobstructed vehicular access to and from public roadways shall be provided for all off-street parking spaces. Vehicular access shall be provided in such a manner as to protect the safety of persons using such access or traveling in the public roadway from which such access is obtained.
- iii. Vehicular entrances and exits, as well as on-site and off-site traffic and pedestrian routes, shall be located and designed in a manner that provides for a clearly defined, safe, efficient and convenient circulation pattern for both on-site and off-site vehicular traffic and pedestrian movements, including handicapped movements.
- iv. In order to promote the safe, efficient and free flow of traffic on and offsite, the number of access points to the development shall be reduced to a minimum, as reviewed and approved by the <u>Development Officer in</u> <u>consultation with Transportation Department City Planning</u>. However, should it be necessary for efficiency purposes, more than one access to a public roadway may be designed when the additional access will not be hazardous to future safety and operation of adjacent roadways, and the additional access is necessary to promote the safe, efficient and free flow

of traffic on and off-site at the level of service determined by the development regulations provided in this Section. Refer to Figure 13 for visual interpretation.

- v. Where applicable, the <u>Dd</u>evelopment <u>Pp</u>ermit application shall indicate how vehicular ramps to access the underground parking meet the <u>Transportation Department's-City's</u> design standards, having regard for the provision of adequate sight lines for vehicles entering and exiting the parkade and passenger drop-off areas.
- vi. At the appropriate stage of the development, the property owner(s) of the adjoining site shall be consulted with regards to the opportunity to integrate its property with the Gateway Complex site by direct on-site access connections to facilitate convenient, efficient and free flowing vehicular traffic and pedestrian movements between adjacent sites, wherever such access is not prohibitive due to such factors as <u>G</u>grade, site configurations and the location of existing development, including utility services, and where integration is desirable due to the existing or potential type of adjacent land uses. The Development Officer shall waive this requirement if the applicant for the <u>D</u>development <u>P</u>permit can show that after reasonable effort, exercised over a period of no less than 60 days, the applicant has been unable to obtain the required consent from the adjacent property owner(s) for integration and inter-site connections.

*Figure 13 – Conceptual plan illustrating the development with access and egress points.* 



#### e. Structured Parking

- i. All parking shall be provided in a combination of underground and <u>aboveground above ground</u> structures, in accordance with Section 6. a. ii of this Provision, except as required and incorporated into building dropoff zones. The interim Site Plan shall provide for surface parking while the development concept isnot fully built prior to the completion of the first phase of development.
- ii. No portion of the <u>Aabove Gerade Pparking Gerage</u> shall be allowed to front onto a street or the public <u>Aamenity Aareas</u>, except for entries.
- iii. Structured parking shall be screened appropriately with architectural treatments and/or landscaping.

#### f. Surface Parking

- i. The parking and circulation system within each stage of development shall accommodate the movement of vehicles and pedestrians, throughout the proposed development and to and from surrounding areas.
- All areas within the perimeter of the surface parking area shall be landscaped in accordance with Section 55 of the Zoning Bylaw.
  Landscaped areas within the perimeter of the surface parking areas shall be applied to improve the parking area appearance and to reduce heat build-up.
- iii. Surface parking areas shall be visually and functionally segmented into several smaller Lotlets by landscape areas.
- iv. Landscaped islands with raised curbs shall be used to define <u>Parking</u> <u>Areaparking lot</u> entrances, the ends of all parking aisles and the location and pattern of primary internal access drives.
- v. Surface parking areas shall provide well-defined circulation routes for vehicles and pedestrians through the use of techniques which may include, but not limited to, special paving, raised surfaces, pavement marking, signs, landscaping, lighting or other means to clearly delineate pedestrian areas.
- vi. Curbcuts and ramps shall be located at convenient, safe locations for the physically disabled and for people pushing strollers or carts. The location of curbcuts and ramps shall avoid crossing or funneling traffic through loading areas and outdoor trash storage/collection areas.

#### g. Number of Vehicular Spaces

i. Off street parking shall be provided in accordance with Section 54 + of the Zoning Plan, except for:

Formatted: Indent: Left: 1.5", No bullets or numbering

h. Location of Vehicular Parking Facilities

#### 10. Off-Site Improvements and Other Contributions

#### Intent

This Section is intended to ensure that the overall development impact on City's infrastructure is appropriately mitigated.

- *a.* Off-Site Improvements to Serve the Development
  - i. For each stage of the development and prior to issuance of a <u>D</u>development <u>P</u>permit for the stage, the owner shall enter into an agreement with the City of Edmonton for off-site improvements necessary to serve the development. Improvements to be addressed in the agreement include but are not limited to the following:
    - A. Removing all existing accesses <u>A</u> butting the site and construction of the curb and gutter and restoration of the boulevard to the satisfaction of the <u>Development Officer in consultation with</u> <u>Transportation Department and Asset Management and Public</u> <u>Works Department City Planning and Development and Zoning</u> <u>Services</u>;
    - B. Repairing of any damage to the <u>A</u>abutting roadways, sidewalks or boulevards resulting from construction of the development, to the satisfaction of the <u>Development Officer in consultation with</u> <u>Transportation Department City Planning</u>. The site shall be inspected by the <u>Transportation Department City Planning</u>-prior to the start of construction and once again when construction is complete;
    - C. Constructing a sidewalk on 48 Avenue NW adjacent to the north property line to the satisfaction of the <u>Development Officer in</u> <u>consultation with Transportation Department City Planning;</u>
    - D. Planting of trees and or landscaping in the boulevards on the east and north side of the development to the satisfaction of <u>the</u> <u>Development Officer in consultation with-Asset Management &</u> <u>Public Works and the Transportation Department City Planning</u> and Development and Zoning Services;
    - E. Contributing to or constructing all off-site roadway improvements resulting from this development, as deemed necessary by the functional study;
    - F. Rerouting of all underground and above ground and off-site utilities necessary to serve a specific stage of the development;
    - G. Constructing accesses associated curb ramps and drop-off areas to the satisfaction of the <u>Development Officer in consultation with</u> <u>Transportation Department\_City Planning</u>; and
    - H. Constructing and replacing fire hydrants to the satisfaction of <u>the</u> <u>Development Officer in consultation with</u> EPCOR Water Services Inc.

- ii. Where applicable, the Agreement process shall include an engineering drawing review and approval process at the <u>D</u>development <u>P</u>permit stage as well as an irrevocable Letter of Credit to cover 100% of construction costs for any specific off site improvement.
- **b.** Contribution to Roadway Improvements
  - In addition to the contribution value for the functional study stipulated in Section 9.b. of this DC2 Provision, and upon the submission of a <u>D</u>development <u>P</u>permit application, the Owner shall also contribute to or construct roadway improvements. The contribution amount will be reviewed by the Transportation Department with each <u>D</u>development <u>P</u>permit application and shall be proportionate to the increased impact to the roadway system resulting from this development, based on the conclusion of the Traffic Impact Assessments and/or the functional study.

#### 11. Site Specific Regulations for a Temporary Storage Use

Notwithstanindg Sections 5-10 of this Direct Control Provision a Temporary Storage Use shall adhere to the following regulations:

- *a.* Any Development Permit approved for Temporary Storage shall be temporary in nature and limited to a maximum of three (3) years commencing on February 12, 2018, with no possibility of extension;
- **b.** Landscaping shall be as shown in Appendix II; and
- c. The surface treatment for all areas used for outdoor Temporary Storage shall be of such a surface that shall minimize the carrying of dirt or foreign matter upon any public roadway from the Site.

Comment [LC3]: New added section



Appendix 1 NE and NW Excavation Plan and Location of the Liner

T6H 5K3 AB TROL SM)

\_\_\_

CO

DEVELOF

**ZONING:** DC2 (SI

(2)

20

3M

28

BLOCK

м,

2 &

LOT LOT

LEGAL DE: PLAN 762

CIVIL ADDI 14674-48

SITE DATA

928

STALLS:

G

PAF

IBER OF TALL TYP.

TOTAL NUM

PARKING STALL TYP. SIZE: 2600X5500MM	SIZE: 2600X5500N	WW		
LANDSCAPE BYLAW REQUIREMENTS:	<b>BYLAW Rf</b>	EQUIREMEN	VTS:	
	AREA	RE	REQUIREMENTS	REQUIRED
SETBACK AREA: PARKING ISLANDS AREA:	1343.2 SQM A: - SQM	25 SQM PRE 20 SQM PRE	TREE; 15 SQM PER SHRUB TREE; 10 SQM PER SHRUB	53 TREES AND 67 SHRUBS -
	EXISTING	TOTAL REQUIRED	TOTAL PROVIDED (TEMPORARY)	
TREES CONIFEROUS: DECIDUOUS:	мом	53 26 27	31 20	
SHRUBS CONIFEROUS: DECIDUOUS:	00	67 33 34	74 30 44	
PLANT SCHEDUI	DULE:			
<u>ΤΥΡΕ</u> <u>ΩΤΥ</u>	BOTANICAL NAME	- NAME	COMMON NAME	SIZE / REMARKS
CONIFEROUS TREES: 20	Picea pungens	ß	COLORADO SPRUCE	2.5M HT. MIN., B&B
DECIDUOUS TREES: 11	Fraxinus penr	Fraxinus pennsylvanica 'Rugby'	PRAIRIE SPIRE GREEN ASH	50MM CAL. MIN., B&B
CONIFEROUS SHRUB: 30	Juniperus s	Juniperus sabina 'Skandia'	SKANDIA JUNIPER	300MM SP. MIN. #2 CONTAINER
DECIDUOUS SHRUB: 32 12	Cornus alba Spiraea x bur	Cornus alba 'Elegantissima' Spiraea x bumalda 'Goldflame'	ELEGANTISSMA DOGWOOD GOLDFLAME SPIREA	300MM HT. MIN: #3 CONTAINER 300MM HT. MIN. #3 CONTAINER
	C			

REMENTS.

LITIES MAK

≥

õ

OR DAM WATER CON NOT DIS AND DO TECT PUBLIC 46 IF NECESS SYSTEM.

SPENDED

ING AND TRAFFIC AROUND THE SITE THROUGHOUT CONSTRUCTION. TAKE VISITORS TO THE SITE THAT HEAVY EQUIPMENT AND WORK CREWS ARE OPERA O GRADING AND EXCAVATING SHALL BE REHABILITATED SATISFACTORY TO THE



Appendix II

## Ы Ŋ Ţ Q Π⁄ Π m Ζ 7 Ľ L 8 ſ 1

3 SHRUB PLANTING DP.01 scale: NTS

BED A<sup>-</sup> GRASSE

3 EXISTING DECIE TO BE RETAINED

Ŋ

-

0 N



4 EXI DECID TRESS RETAI

Ł

PICEA hm 0.C.

Ø

<u>----</u>

00

2 TREE PLANTING DETAIL DP.01 scale: NTS

EXISTING CONCRETE SIDEWALK



NE WITH THE DIREC LL TREE STAKES TC ETBACK FROM ALL DWER,TELEPHONE AI G ALL ROOT HOLES OSER THAN 1.0m LEPHONE AND GAS N

IITS AN NOTES: ROVIDE TEMPORARY DRA ERIALS INTO WATERCOUR ACE AAINTAIN EXISTING CON SURES TO RE-ROUTE T ALL G IF N ROL DUST AT , DE HOARDING AREA AND VEGET NER AND NEIGHBO LEGEND 10. M, MEASU









-NEW CONCRETE SIDEWALK WITH TOOLED JOINTS. MATCH EXISTING

EXISTING CURB TO BE REMOVED

EXISTING CONCRETE SIDEWALK

 $(\cdot)$ 

3 JUNITEL 1.5m O.C EXISTING

OEA 0.0







9. PR MATE

NS FO

CRETE CRE JOINTS. TCH EXISTING VIB TO BE EMOVED BE

ENTRY

OPERTY LINE

->

 $\mathbf{O}^{\mathbf{R}}$ 

CATEWAY BLVD 3 EXISTING DECIDUOUS TRESS TO E RETAINED NEW SOD -EXISTING CURB TO REMOVED EXISTING CONCRETE SIDEWALK PMT PICEA

Ø  $\odot$  $\bigcirc$ 

OKE

EXTRUDED CONCRETE CURB: TYP: TIE IN TO EXISTING CURB

3 SPIREA -© 1000mm 2 JUNIPER 1.5m 0.C. 

OK

2 JUNIP 1.5m 0. 3 SPIRE @ 1000r

50 000 0



### **APPLICATION SUMMARY**

### INFORMATION

Application Type:	Rezoning
Bylaw:	18271
Location:	South of 48 Avenue NW and east of Calgary Trail NW
Addresses:	4607 – Calgary Trail NW
	4710 – Gateway Boulevard NW
Legal Descriptions:	Lots 2 & 3, Block 28, Plan 7620205,
Site Area:	N/A
Neighbourhood:	Calgary Trail North
Ward - Councillor:	10 – Michael Walters
Notified Community Organization:	Empire Park S.W. Community League
Applicant:	Jonn Pow

### **PLANNING FRAMEWORK**

Current Zone:	(DC2.782) Site Specific Development Control Provision
Proposed Zone:	(DC2) Site Specific Development Control Provision
Plan in Effect:	Calgary Trail Land Use Study
Historic Status:	None

Written By: Approved By: Branch: Section:

Luke Cormier Tim Ford City Planning Planning Coordination